

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

ASB252
A145

COTTON QUALITY CROP OF 1992



UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Cotton Division
Memphis, Tennessee

Vol. 66 No. 8

May 1993

2000 AUG 25 A 10 13
NATL AGRIC LIBRARY

CONTENTS

<u>Table</u>	<u>Page</u>
Introduction.	1
1. Grade and staple of upland cotton classed in the United States, 1992 crop . .	2
2. Grade and staple of upland cotton classed in the United States, 1991 crop . .	3
3. Grade reductions by specified causes of upland cotton classed in the United States, by states, 1992 crop.	4
4. Tenderability of upland cotton classed, by states, 1992 crop.	5
5. Tenderability of upland cotton classed in the United States, 1971-1992 crops	5
6. Percentage distribution of grade and staple for upland cotton classed, by states, 1992 crop	6-20
7. Percentage distribution of grade and staple for upland cotton classed through specified periods, by states, 1992 crop	21-28
8. Percentage distribution of grade and staple for upland cotton classed, by classing offices, 1992 crop	29-34
9. Percentage distribution of mike and fiber strength for upland cotton classed through specified periods, by states and United States, 1992 crop	35-42
0. Percentage distribution of mike and fiber strength for upland cotton classed, by classing offices, 1992 crop.	43-48
1. Percentage distribution of uniformity and trash for upland cotton classed through specified periods, by states and United States, 1992 crop	49-56
2. Percentage distribution of uniformity and trash for upland cotton classed, by classing offices, 1992 crop	57-62
3. Grade and staple of American Pima cotton classed in the United States, 1992 crop.	63
4. Percentage distribution of grade and staple for American Pima cotton classed through specified periods, in the United States, 1992 crop.	63
5. Percentage distribution of grade and staple for American Pima cotton classed, by states, 1992 crop.	64
6. Percentage distribution of mike for American Pima cotton classed in the United States, by states, 1992 crop	65

UNITED STATES DEPARTMENT OF AGRICULTURE
 AGRICULTURAL MARKETING SERVICE
 COTTON DIVISION, MARKET NEWS BRANCH
 4841 SUMMER AVENUE - MEMPHIS, TN 38122
 TELEPHONE 901-766-2931

COTTON QUALITY - UNITED STATES
1992 Crop

Grade. Grade 31 was the predominant grade of upland cotton classed from the 1992 crop and accounted for 40 percent of classings, according to the Cotton Division, Agricultural Marketing Service, USDA. Grade 31 was also predominant the previous year and made up 33 percent of the crop. Grades 31 and better, at 51 percent were up from 43 percent a year ago. Grades 41 and better comprised 76 percent of classings, up from 68 percent in 1991. All white grades accounted for 82 percent of the crop. This compares with 79 percent of classings last year. Light Spotted grades accounted for about 15 percent of the 1992 crop, up from 13 percent last year. Spotted grades made up 2 percent of classings this season, down from 5 percent a year ago. Below Grade, Tinged and other colored grades accounted for 2 percent, down from 3 percent last year.

Staple. The average staple length of upland cotton classed from the 1992 crop was 35.1 thirty-seconds inches. This was down slightly from 35.2 last year. The predominant staple was 35, accounting for 30 percent of classings. Staple 36 was the predominant length last year, accounting for 26 percent of classings. Staples 31 and shorter made up 2 percent of classings this season and 5 percent in 1991. Staples 32 and 33, at 10 percent compares with 13 percent the previous year. Staples 34 and 35 made up 46 percent of the crop, up from 31 percent last year. Staples 36 and longer accounted for 43 percent of classings, and compares with 51 percent in 1991.

Mike. The average mike of upland cotton classed from the 1992 crop was 41. This was the same as the previous year. Cotton with mike 34 and lower made up 13 percent of classings against 12 percent in 1991. Cotton in the 35 to 49 range, at 83 percent compares with 82 percent a year ago. Cotton with mike 50 and higher made up 4 percent, down from 7 percent in 1991.

Strength. The average fiber strength of upland cotton classed from the 1992 crop was 27.7 grams per tex. This compares with 27.5 last year. Strengths in the 19 and lower range accounted for less than 1 percent of classings, the same as last year. About 3 percent of classings had strengths in the 20 to 23 range, down from 5 percent in 1991. Cotton with strengths of 24 to 27 grams per tex accounted for 44 percent of classings, compared to 48 percent comprised a year ago. Strengths in the 28 and higher range comprised 53 percent of classings against 47 percent a year ago.

American Pima. Grades 3 and better made up 76 percent of classings from the 1992 crop, down from 79 percent in 1991. Grade 3 was the predominant grade both years, accounting for 59 and 50 percent in 1992 and 1991, respectively. The average staple length was 44.7 thirty-seconds inches against 45.3 a year ago. Staple 44 was the predominant length comprising 66 percent of classings this season and 26 percent in 1991. Average mike was 40, up slightly from 39 last year. Production of American Pima cotton in 1992 was 508,300 bales, and represents the second largest production on record, compared with 398,400 bales produced last year.

Ginnings of 1992-crop cotton in the United States totaled 16,203,200 running bales, according to the Bureau of the Census. This total includes 15,694,000 bales of upland and 509,200 bales of American Pima cotton. The number of active gins for the 1992 crop was 1,383 against 1,508 for 1991 and 1,536 for 1990.

May 13, 1993

Table 1. -- Grade and staple of upland cotton classified in the United States, 1992 crop

Grade	Staple															All staples
	26 and														40 and	
	shorter:	28	29	30	31	32	33	34	35	36	37	38	39	longer :		
White:	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Pct.
11	0	0	9	87	482	1,557	4,295	7,119	8,153	6,735	1,847	61	8	1	30,354	0.2
21	0	33	308	3,027	15,699	51,002	131,740	296,978	551,098	445,552	138,283	7,916	845	64	1,642,545	11.0
30	0	0	1	14	71	263	501	1,012	2,644	2,556	989	48	0	0	8,099	0.1
31	2	65	497	4,692	23,078	76,877	277,159	879,091	1,893,241	1,857,225	833,769	84,158	4,248	441	5,934,543	39.7
40	1	0	9	151	790	2,262	4,415	12,355	34,982	48,417	28,498	2,260	117	13	134,270	0.9
41	6	50	476	3,694	15,012	45,473	166,463	509,801	1,045,169	1,132,370	592,561	64,892	2,976	281	3,579,224	23.9
50	0	0	3	22	55	143	761	3,083	10,771	20,170	16,276	1,982	64	3	53,333	0.4
51	0	32	435	2,271	7,446	19,009	56,269	130,132	195,702	199,784	117,518	13,041	585	44	742,268	5.0
60	0	0	0	0	0	2	34	30	56	82	50	3	0	1	258	#
61	0	13	110	565	2,138	4,257	9,274	17,499	20,206	13,889	6,901	795	32	0	75,679	0.5
70	0	0	0	0	0	0	0	1	1	1	3	0	0	0	6	#
71	0	0	4	85	319	431	630	1,144	1,180	700	262	39	4	0	4,798	#
Total	9	193	1,852	14,608	65,090	201,276	651,541	1,858,245	3,763,203	3,727,481	1,736,957	175,195	8,879	848	12,205,377	81.6
Light Spotted:																
12	0	0	1	21	106	280	551	770	691	479	118	3	0	0	3,020	#
22	2	34	233	2,025	7,911	18,307	31,431	32,066	21,524	12,153	3,476	112	7	0	129,281	0.9
32	2	139	795	5,680	18,808	43,325	79,902	117,471	156,764	136,325	63,141	6,711	428	881	630,372	4.2
42	0	177	1,289	7,620	23,794	51,726	107,652	179,337	233,874	208,736	106,988	11,217	648	431	933,489	6.2
52	1	147	1,116	5,481	16,385	34,172	66,250	98,512	91,319	65,082	33,298	3,287	211	30	415,291	2.8
62	0	31	313	1,453	3,939	7,598	13,645	19,136	16,186	8,748	3,503	332	29	4	74,917	0.5
Total	5	528	3,747	22,280	70,943	155,408	299,431	447,292	520,358	431,523	210,524	21,662	1,323	1,346	2,186,370	14.6
Spotted:																
13	0	0	0	4	18	48	75	66	105	65	15	1	0	0	397	#
23	0	4	22	286	1,352	2,585	3,792	3,302	2,009	1,066	254	10	2	0	14,684	0.1
33	1	31	255	1,366	4,206	7,229	9,143	10,590	11,899	10,041	4,011	326	28	10	59,136	0.4
43	0	88	590	2,053	6,164	11,307	16,482	19,126	19,355	15,559	7,571	733	42	4	99,074	0.7
53	1	71	545	1,827	4,786	10,331	17,258	18,813	12,142	6,099	2,561	259	17	3	74,713	0.5
63	0	23	117	525	1,549	3,861	7,057	7,505	3,965	1,545	500	34	3	0	26,684	0.2
Total	2	217	1,529	6,061	18,075	35,361	53,807	59,402	49,475	34,375	14,912	1,363	92	17	274,688	1.8
Tinged:																
24	0	0	2	21	124	347	363	237	132	72	8	0	0	1	1,307	#
34	0	5	56	179	502	734	704	687	673	567	211	10	0	2	4,330	#
44	0	18	128	399	844	1,085	1,299	1,737	1,887	1,464	694	48	4	3	9,610	0.1
54	1	16	139	389	1,078	2,326	3,434	2,735	1,701	731	281	10	3	1	12,845	0.1
Total	1	39	325	988	2,548	4,492	5,800	5,396	4,393	2,834	1,194	68	7	7	28,092	0.2
Stained:																
25	0	0	0	0	4	4	3	5	3	4	1	0	0	0	24	#
35	0	3	18	48	69	69	33	34	15	4	3	1	0	0	297	#
Total	0	3	18	48	73	73	36	39	18	8	4	1	0	0	321	#
Light Gray:																
16	0	0	0	0	29	317	1,409	5,317	10,761	7,131	2,123	38	2	0	27,127	0.2
26	0	0	1	25	248	2,295	10,435	29,226	38,767	23,532	6,202	212	2	0	110,945	0.7
36	0	0	0	31	113	979	6,054	17,310	26,361	17,552	5,419	260	13	0	74,092	0.5
46	0	0	1	1	6	115	691	2,320	3,403	2,561	800	36	0	0	9,934	0.1
Total	0	0	2	57	396	3,706	18,589	54,173	79,292	50,776	14,544	546	17	0	222,098	1.5
Gray:																
17	0	0	0	2	15	165	571	1,245	1,618	833	167	1	0	0	4,617	#
27	0	0	0	2	36	297	1,278	3,034	3,306	1,405	308	8	0	0	9,674	0.1
37	0	0	0	0	11	183	1,045	2,697	2,960	1,281	214	3	0	0	8,394	0.1
47	0	0	0	0	3	41	241	532	495	239	48	1	0	0	1,600	#
Total	0	0	0	4	65	686	3,135	7,508	8,379	3,758	737	13	0	0	24,285	0.2
Below Grade 1/	0	18	162	574	2,036	4,321	6,068	4,729	2,792	1,173	414	51	2	5	22,345	0.1
All grades	17	998	7,635	44,620	159,226	405,323	1,038,407	2,436,784	4,427,910	4,251,928	1,979,286	198,899	10,320	2,223	14,963,576	100.0
Pct. all grades	#	#	0.1	0.3	1.1	2.7	6.9	16.3	29.6	28.4	13.2	1.3	0.1	#	100.0	

1/ Lower in grade than the lowest grades of the official standards.

Less than 0.05 percent.

NOTE: Totals may not add due to rounding.

Average staple..... 35.1

Percent tenderable..... 67.4

Percent Average Rule Used (ARU)..... 1.7

Percent grade reductions..... 13.1

Table 2. -- Grade and staple of upland cotton classed in the United States, 1991 crop

Grade	Staple															All staples
	: 26 and : : shorter:	: 28	: 29	: 30	: 31	: 32	: 33	: 34	: 35	: 36	: 37	: 38	: 39	: 40 and : : longer :		
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales		
White:																Pct.
11	0	0	1	15	60	147	289	918	3,571	8,457	10,024	1,574	48	2	25,106	0.2
21	1	20	72	432	1,910	5,937	20,066	82,188	343,517	641,226	517,514	74,163	3,319	212	1,690,577	10.3
30	0	0	0	1	2	8	42	179	1,334	3,101	3,716	782	34	3	9,202	0.1
31	5	166	1,119	4,777	17,096	47,334	164,578	512,101	1,278,303	1,757,037	1,383,205	199,530	18,591	899	5,384,741	32.7
40	1	16	112	519	1,374	2,811	6,069	16,997	46,894	74,400	71,478	11,221	843	33	232,768	1.4
41	24	470	3,908	16,307	49,798	103,805	226,141	423,908	863,888	1,082,881	919,076	145,812	14,494	679	3,851,191	23.4
50	0	12	68	256	1,036	1,412	1,880	5,528	19,858	37,972	43,032	7,116	578	12	118,760	0.7
51	15	678	5,640	24,746	70,236	124,560	211,552	217,792	217,820	234,323	206,251	34,755	3,231	161	1,351,760	8.2
60	0	1	0	3	17	26	31	50	155	370	455	88	3	0	1,199	#
61	14	333	3,185	15,947	44,114	62,212	69,146	58,267	37,629	26,612	18,892	2,945	286	12	339,594	2.1
70	0	0	3	2	2	5	1	1	7	4	2	1	0	0	28	#
71	0	23	264	1,661	5,428	7,231	5,688	3,803	2,814	1,878	963	178	31	0	29,962	0.2
Total	60	1,719	14,372	64,666	191,073	355,488	705,483	1,321,732	2,815,790	3,868,261	3,174,608	478,165	41,458	2,013	13,034,888	79.3
Light Spotted:																
12	0	0	1	0	1	3	18	48	77	158	142	22	0	0	470	#
22	0	1	7	64	201	576	1,544	3,470	5,166	5,676	5,405	1,073	33	3	23,219	0.1
32	10	149	876	2,688	6,463	9,837	19,467	44,775	92,378	109,752	87,101	14,696	1,298	541	390,031	2.4
42	12	423	3,453	12,523	33,178	52,191	65,254	76,078	136,747	165,326	138,452	24,601	2,684	767	711,689	4.3
52	41	954	7,612	28,899	69,509	114,557	143,088	98,778	76,018	74,900	60,530	10,328	1,119	134	686,467	4.2
62	20	579	5,230	23,370	55,849	75,798	84,651	56,171	27,675	16,863	11,124	1,760	219	15	359,324	2.2
Total	83	2,106	17,179	67,544	165,201	252,962	314,022	279,320	338,061	372,675	302,754	52,480	5,353	1,460	2,171,200	13.2
Spotted:																
13	0	0	0	0	0	1	1	8	14	30	23	3	0	0	80	#
23	0	0	3	6	28	46	101	177	279	255	141	20	0	1	1,057	#
33	3	46	241	695	1,632	2,141	2,770	4,250	7,678	8,721	6,456	940	59	12	35,644	0.2
43	5	152	1,258	4,642	12,276	17,927	18,367	14,865	18,069	20,109	15,631	2,221	162	35	125,719	0.8
53	31	766	5,512	19,396	47,523	74,972	77,660	39,578	16,925	11,377	7,490	1,053	82	24	302,389	1.8
63	37	679	5,869	22,416	50,584	67,574	70,871	42,226	13,272	4,498	2,198	261	17	5	280,507	1.7
Total	76	1,643	12,883	47,155	112,043	162,661	169,770	101,104	56,237	44,990	31,939	4,498	320	77	745,396	4.5
Tinged:																
24	0	1	0	0	2	1	4	4	5	3	3	1	0	0	24	#
34	0	8	50	139	323	441	452	556	885	686	434	71	10	2	4,057	#
44	3	48	308	1,218	2,979	4,257	4,122	3,157	3,318	3,280	2,294	301	28	4	25,317	0.2
54	19	413	3,306	11,213	25,140	35,609	33,744	14,723	4,711	2,476	1,410	191	18	3	132,976	0.8
Total	22	470	3,664	12,570	28,444	40,308	38,322	18,440	8,919	6,445	4,141	564	56	9	162,374	1.0
Stained:																
25	0	0	0	1	2	1	3	4	12	21	16	0	0	0	60	#
35	0	0	2	14	32	24	42	28	19	19	9	4	0	0	193	#
Total	0	0	2	15	34	25	45	32	31	40	25	4	0	0	253	#
Light Gray:																
16	0	1	5	7	21	40	119	442	1,232	1,786	1,031	77	0	0	4,761	#
26	0	0	1	7	137	894	5,172	13,458	21,328	17,320	7,430	426	11	1	66,185	0.4
36	0	0	0	9	103	658	3,095	7,048	12,377	11,734	6,409	467	18	1	41,919	0.3
46	0	0	0	6	57	373	1,196	1,729	2,234	1,661	787	61	2	2	8,108	#
Total	0	1	6	29	318	1,965	9,582	22,677	37,171	32,501	15,657	1,031	31	4	120,973	0.7
Gray:																
17	0	0	1	0	0	4	11	40	112	113	37	4	0	0	322	#
27	0	0	0	0	5	57	295	528	814	677	266	11	0	0	2,653	#
37	0	0	0	4	9	66	277	476	588	386	179	15	0	0	2,000	#
47	0	0	0	1	7	26	125	204	223	159	65	9	1	0	820	#
Total	0	0	1	5	21	153	708	1,248	1,737	1,335	547	39	1	0	5,795	#
Below Grade 1/	32	837	5,236	16,736	42,270	49,121	49,007	25,239	9,366	3,740	1,835	218	37	113	203,787	1.2
All grades	273	6,776	53,343	208,720	539,404	862,683	1,286,939	1,769,792	3,267,312	4,329,987	3,531,506	536,999	47,256	3,676	16,444,666	100.0
Pct. all grades	#	#	0.3	1.3	3.3	5.2	7.8	10.8	19.9	26.3	21.5	3.3	0.3	#	100.0	

1/ Lower in grade than the lowest grades of the official standards.

Less than 0.05 percent.

NOTE: Totals may not add due to rounding.

Average staple..... 35.2

Percent tenderable..... 58.2

Percent Average Rule Used (ARU)..... 3.8

Percent grade reductions..... 23.2

Table 3. -- Grade reductions by specified causes of upland cotton classed in the United States, by states, 1992 crop

State	Grade reductions by causes							
	:Prepara-	:	:	:	:	: Spindle :	:	
	: tion :	Bark :	Dust :	Grass :	Oil :	Twist :	Other :	Total
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
Alabama	1,510	16,978	3	19,091	14	10	72	37,678
Arizona	1,840	22,012	3	12,176	20	23	11,387	47,461
Arkansas	768	29,631	3	32,369	21	13	48	62,853
California	2,568	3,945	11	70,704	53	37	6,843	84,161
Georgia	326	40,191	0	36,082	21	209	207	77,036
Louisiana	231	25,671	1	94,217	21	21	22	120,184
Mississippi	268	68,278	2	73,746	109	9	50	142,462
Missouri	325	9,276	1	10,904	4	0	14	20,524
New Mexico	127	4,016	0	1,561	1	0	0	5,705
North Carolina	254	32,397	4	37,913	6	7	43	70,624
Oklahoma	95	104,703	0	642	5	1	14	105,460
South Carolina	197	6,679	0	8,507	0	4	22	15,409
Tennessee	178	8,448	1	18,481	32	2	89	27,231
Texas	2,908	1,084,760	7	39,228	347	795	1,471	1,129,516
Other	252	7672	1	5153	2	8	12	13,100
United States	11,847	1,464,657	37	460,774	656	1,139	20,294	1,959,404

Table 4. -- Tenderability of upland cotton classed, by states, 1992 crop

State	Tenderable 1/		Untenderable	
	Bales	Pct.	Bales	Pct.
Alabama	442,923	75.7	142,258	24.3
Arizona	468,345	70.4	196,785	29.6
Arkansas	1,258,620	77.4	367,218	22.6
California	2,253,387	91.5	208,014	8.5
Georgia	472,380	65.5	248,269	34.5
Louisiana	1,057,726	80.4	258,672	19.6
Mississippi	1,639,764	79.5	423,323	20.5
Missouri	413,668	78.2	115,489	21.8
New Mexico	23,069	51.8	21,470	48.2
North Carolina	234,727	51.3	222,771	48.7
Oklahoma	48,669	23.8	155,945	76.2
South Carolina	129,042	61.2	81,904	38.8
Tennessee	578,691	70.9	237,019	29.1
Texas	1,010,282	31.9	2,152,986	68.1
Other	51,193	51.1	48,967	48.9

1/ Tenderable with respect to grade, staple and mike in settlement of New York No. 2 futures contracts.

Table 5. -- Tenderability of upland cotton classed in the United States, 1971-1992 crops

Year	Tenderable 1/		Untenderable	
	Bales	Pct.	Bales	Pct.
1971	5,638,379	55.6	4,495,040	44.4
1972	7,279,575	55.3	5,895,947	44.7
1973	8,367,010	66.8	4,165,891	33.2
1974	6,651,985	59.2	4,587,750	40.8
1975	4,503,214	55.6	3,594,338	44.4
1976	5,767,782	56.1	4,516,274	43.9
1977	8,853,834	63.7	5,055,287	36.3
1978	5,711,866	54.6	4,747,335	45.4
1979	6,996,723	49.4	7,168,941	50.6
1980	5,405,563	50.4	5,316,703	49.6
1981	6,361,006	42.2	8,711,848	57.8
1982	7,166,579	62.7	4,263,069	37.3
1983	3,864,764	52.1	3,548,570	47.9
1984	5,414,575	43.6	7,004,174	56.4
1985	7,252,955	56.5	5,584,133	43.5
1986	4,073,446	44.1	5,163,393	55.9
1987	8,588,694	61.0	5,494,696	39.0
1988	8,743,021	60.5	5,719,472	39.5
1989	6,889,963	62.9	4,067,843	37.1
1990	8,034,460	55.5	6,443,058	44.5
1991	9,576,743	58.2	6,867,923	41.8
1992	10,082,486	67.4	4,881,090	32.6

1/ 1971-1978 tenderable on New York No. 1 and No. 2 futures contracts; 1979-1981, New York No. 2; 1982, New York No. 2 and New Orleans; 1983-1984, New York No. 2; 1985, New York No. 2 and Chicago; and 1986-1992, New York No. 2.

Table 6. -- Alabama: Percentage distribution of grade and staple for upland cotton classed 1992 crop 1/

Grade	Staple														All staples
	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	
White:															
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	‡	‡	0.1	0.2	0.1	‡	-	-	‡	0.4
30	-	-	-	-	-	-	-	-	-	‡	‡	-	-	-	‡
31	-	-	-	-	‡	‡	0.8	5.3	12.9	11.6	4.1	‡	‡	‡	34.7
40	-	-	-	-	-	‡	‡	0.1	0.2	0.2	0.1	‡	-	-	0.7
41	-	-	‡	-	‡	‡	1.5	7.7	15.0	11.4	4.0	0.1	‡	‡	39.7
50	-	-	-	-	-	‡	‡	‡	0.1	0.1	0.1	‡	-	-	0.3
51	-	-	-	-	‡	‡	0.3	1.1	1.9	1.4	0.5	‡	‡	-	5.3
60	-	-	-	-	-	-	-	-	‡	‡	-	-	-	-	‡
61	-	-	-	-	‡	‡	‡	0.1	0.2	0.1	‡	‡	-	-	0.4
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	-	-	-	-	‡	‡	‡	‡	‡	‡	‡	-	-	-	‡
Lt. Spotted:															
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	‡	‡	‡	‡	‡	‡	-	-	-	‡
32	-	-	-	-	‡	‡	0.2	0.8	1.8	1.7	0.8	‡	‡	-	5.2
42	-	-	-	‡	‡	0.1	0.4	1.5	2.6	2.2	1.1	‡	‡	-	7.9
52	-	-	-	‡	‡	‡	0.2	0.4	0.5	0.4	0.2	‡	‡	-	1.8
62	-	-	-	-	‡	‡	‡	0.1	0.1	‡	‡	-	-	-	0.3
Spotted:															
13	-	-	-	-	-	-	-	‡	‡	-	‡	-	-	-	‡
23	-	-	-	-	-	‡	‡	‡	‡	‡	‡	-	-	-	‡
33	-	-	-	-	-	‡	‡	‡	0.1	0.1	‡	‡	‡	-	0.3
43	-	-	-	‡	‡	‡	‡	0.1	0.2	0.1	0.1	‡	‡	-	0.5
53	-	-	-	-	‡	‡	‡	‡	‡	‡	‡	‡	-	-	0.2
63	-	-	-	-	-	‡	‡	‡	‡	‡	‡	-	-	-	‡
Tinged:															
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	‡	‡	‡	‡	‡	-	-	-	‡
44	-	-	-	-	‡	‡	‡	‡	‡	‡	‡	‡	‡	-	0.1
54	-	-	-	-	-	‡	‡	‡	‡	‡	‡	-	‡	-	‡
Stained:															
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	-	-	-	-	-	-	‡	‡	-	-	-	-	-	-	‡
Lt. Gray:															
16	-	-	-	-	-	-	-	‡	‡	‡	‡	-	-	-	‡
26	-	-	-	-	‡	‡	0.1	0.3	0.4	0.2	‡	‡	-	-	0.9
36	-	-	-	-	‡	‡	0.1	0.3	0.2	0.1	‡	‡	-	-	0.8
46	-	-	-	-	‡	‡	‡	‡	‡	‡	‡	-	-	-	‡
Gray:															
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	-	-	-	-	‡	‡	0.1	0.1	‡	‡	-	-	-	-	0.2
37	-	-	-	-	‡	‡	‡	‡	‡	‡	-	-	-	-	‡
47	-	-	-	-	-	-	‡	‡	‡	‡	-	-	-	-	‡
Below Grade 2/															
	-	-	-	-	-	‡	‡	‡	‡	‡	‡	-	-	-	‡
All grades															
	-	-	‡	‡	‡	0.3	4.0	18.2	36.5	29.8	11.1	0.2	‡	‡	100.0

1/ Classings, 585,181 running bales.

2/ Lower in grade than the lowest grades of the official standards.

‡ Less than 0.05 percent.

Average staple..... 35.3

Percent tenderable..... 75.7

Percent Average Rule Used (ARU)... 0.7

Percent grade reductions..... 6.4

NOTE: Totals may not add due to rounding.

Table 6-a. -- Arizona: Percentage distribution of grade and staple for upland cotton classed
1992 crop 1/

Grade	Staple														All staples
	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	
White:															
11	-	-	-	■	■	■	■	0.1	0.3	0.5	0.2	■	■	-	1.1
21	-	-	■	■	■	0.1	0.5	3.5	11.0	14.2	7.1	0.3	■	■	36.7
30	-	-	-	-	-	-	■	■	■	0.1	■	■	-	-	0.1
31	-	-	■	■	■	0.1	0.6	4.3	12.2	13.4	6.8	0.4	■	■	37.8
40	-	-	-	-	-	■	■	■	■	0.1	■	■	■	■	0.2
41	-	-	-	■	■	■	0.2	0.9	1.9	2.1	1.0	0.1	■	■	6.2
50	-	-	-	-	-	-	■	■	■	■	■	■	-	-	■
51	-	-	-	-	■	■	0.1	0.2	0.3	0.3	0.1	■	■	■	1.0
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	-	-	-	-	-	■	■	■	■	■	■	■	-	-	0.1
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	-	-	-	-	-	-	■	■	■	■	■	-	-	-	■
Lt. Spotted:															
12	-	-	-	-	-	■	■	■	■	■	■	-	-	-	■
22	-	-	-	■	■	■	■	0.1	0.2	0.3	0.2	■	■	-	0.9
32	-	-	-	■	■	■	0.1	0.5	1.1	1.3	0.9	0.1	■	0.1	4.2
42	-	-	■	■	■	■	0.2	0.7	0.8	0.6	0.3	■	■	0.1	2.7
52	-	-	-	-	■	■	0.2	0.7	0.6	0.3	0.1	■	■	■	1.9
62	-	-	-	-	■	■	■	0.1	0.1	■	■	■	■	-	0.2
Spotted:															
13	-	-	-	-	-	-	-	-	■	■	■	-	-	-	■
23	-	-	-	-	-	-	■	■	■	■	■	■	■	-	■
33	-	-	-	-	■	■	■	■	0.1	0.1	■	■	-	■	0.2
43	-	-	-	■	■	■	■	0.1	0.1	0.1	■	■	■	■	0.3
53	-	-	-	■	■	■	0.1	0.2	0.1	0.1	■	■	■	■	0.5
63	-	-	■	■	■	■	■	■	■	■	■	■	■	-	0.1
Tinged:															
24	-	-	-	-	-	-	-	-	-	■	-	-	-	-	■
34	-	-	-	-	-	■	■	■	■	■	■	-	-	-	■
44	-	-	-	-	■	■	■	■	■	■	■	-	-	-	0.1
54	-	-	-	■	■	■	■	■	■	■	■	■	■	-	0.1
Stained:															
25	-	-	-	-	-	-	-	■	■	■	-	-	-	-	■
35	-	-	-	-	-	-	-	■	-	■	-	-	-	-	■
Lt. Gray:															
16	-	-	-	-	■	■	■	0.4	0.9	0.5	0.1	■	■	-	2.1
26	-	-	-	■	■	■	0.1	0.7	0.9	0.6	0.1	■	-	-	2.5
36	-	-	-	-	-	■	■	■	0.1	0.1	■	■	-	-	0.2
46	-	-	-	-	-	-	■	■	■	■	■	-	-	-	■
Gray:															
17	-	-	-	■	■	■	■	■	0.1	0.1	■	-	-	-	0.2
27	-	-	-	-	-	■	■	■	■	■	■	-	-	-	0.1
37	-	-	-	-	-	-	■	■	■	■	■	-	-	-	■
47	-	-	-	-	-	-	■	■	■	■	■	-	-	-	■
Below Grade 2/															
	-	-	-	-	■	■	■	0.1	0.1	■	■	■	■	■	0.2
All grades															
	-	-	■	■	0.1	0.3	2.4	12.7	31.2	34.9	17.3	0.9	0.1	0.2	100.0

1/ Classings, 665,130 running bales.

2/ Lower in grade than the lowest grades of the official standards.

■ Less than 0.05 percent.

Average staple..... 35.5

Percent tenderable..... 70.4

Percent Average Rule Used (ARU).. 0.4

Percent grade reductions..... 7.1

NOTE: Totals may not add due to rounding.

Table 6-b. -- Arkansas: Percentage distribution of grade and staple for upland cotton classed
1992 crop 1/

Grade	Staple														All 40 and : staples longer :
	26 and : shorter :	28 :	29 :	30 :	31 :	32 :	33 :	34 :	35 :	36 :	37 :	38 :	39 :		
White:															
11	-	-	-	-	-	-	■	■	■	■	■	-	-	-	■
21	-	-	-	-	■	■	■	0.2	0.7	0.8	0.4	■	■	-	2.2
30	-	-	-	-	-	-	■	■	■	■	■	■	-	-	■
31	-	-	-	-	■	■	0.5	3.3	11.1	17.8	14.2	1.7	■	■	48.6
40	-	-	-	-	■	■	■	0.1	0.4	0.7	0.5	■	■	■	1.8
41	-	-	-	■	■	■	0.4	2.3	6.8	10.8	8.6	1.0	■	■	30.2
50	-	-	-	-	-	■	■	0.1	0.2	0.5	0.4	0.1	■	■	1.3
51	-	-	-	-	■	■	0.2	0.7	1.5	1.9	1.6	0.2	■	■	6.1
60	-	-	-	-	-	-	■	-	■	■	■	-	-	-	■
61	-	-	-	-	■	■	■	0.1	0.2	0.2	0.1	■	■	-	0.6
70	-	-	-	-	-	-	-	-	-	-	■	-	-	-	■
71	-	-	-	-	-	■	■	■	■	■	■	■	■	-	■
Lt. Spotted:															
12	-	-	-	-	-	-	-	-	-	■	■	-	-	-	■
22	-	-	-	-	-	■	■	■	■	■	■	■	-	-	■
32	-	-	-	-	■	■	0.1	0.2	0.6	0.9	0.8	0.1	■	■	2.7
42	-	-	-	-	■	■	0.1	0.4	0.9	1.2	1.0	0.2	■	■	4.0
52	-	-	-	-	■	■	0.1	0.2	0.3	0.4	0.3	■	■	■	1.3
62	-	-	-	-	■	■	■	■	0.1	■	■	■	■	-	0.2
Spotted:															
13	-	-	-	-	-	-	-	-	-	-	■	-	-	-	■
23	-	-	-	-	-	-	■	■	■	■	■	-	-	-	■
33	-	-	-	-	-	■	■	■	■	■	■	■	-	-	0.1
43	-	-	-	-	■	■	■	■	0.1	0.1	0.1	■	■	-	0.2
53	-	-	-	-	■	■	■	■	■	■	■	■	■	-	0.1
63	-	-	-	-	-	-	■	■	■	■	■	■	-	-	■
Tinged:															
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	■	■	■	■	■	■	-	-	■
44	-	-	-	-	-	-	■	■	■	■	■	■	■	-	■
54	-	-	-	-	-	■	-	■	■	■	■	-	-	-	■
Stained:															
25	-	-	-	-	-	-	-	■	-	■	-	-	-	-	■
35	-	-	-	-	-	-	-	-	■	-	-	-	-	-	■
Lt. Gray:															
16	-	-	-	-	-	-	-	-	■	■	-	-	-	-	■
26	-	-	-	-	■	■	■	0.1	0.1	0.1	■	■	■	-	0.3
36	-	-	-	-	■	■	■	■	■	■	■	■	-	-	0.1
46	-	-	-	-	-	■	■	■	■	■	■	-	-	-	■
Gray:															
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	-	-	-	-	■	■	■	■	■	■	■	-	-	-	■
37	-	-	-	-	■	■	■	■	■	■	■	■	-	-	■
47	-	-	-	-	-	■	■	■	■	■	■	-	-	-	■
Below Grade 2/	-	-	-	-	-	-	■	■	■	■	■	■	-	-	■
All grades	-	-	-	■	■	0.2	1.6	7.9	23.2	35.5	28.1	3.4	0.1	■	100.0

1/ Classings, 1,625,838 running bales.

2/ Lower in grade than the lowest grades of the official standards.

■ Less than 0.05 percent.

Average staple..... 35.9

Percent tenderable..... 77.4

Percent Average Rule Used (ARU)... 2.2

Percent grade reductions..... 3.9

NOTE: Totals may not add due to rounding.

Table 6-c. — California: Percentage distribution of grade and staple for upland cotton classed 1992 crop 1/

Grade	Staple														All
	: 26 and : : shorter :	28 :	29 :	30 :	31 :	32 :	33 :	34 :	35 :	36 :	37 :	38 :	39 :	: 40 and : : longer :	
White:															
11	-	-	-	-	-	■	■	■	0.1	0.1	■	■	-	■	0.1
21	-	-	-	■	■	■	0.2	3.7	13.4	10.8	2.3	0.1	■	■	30.5
30	-	-	-	-	-	■	■	■	0.1	0.1	■	■	-	-	0.2
31	-	-	-	-	■	■	0.2	4.1	17.7	17.6	6.8	0.6	■	■	47.0
40	-	-	-	-	-	■	■	0.1	0.3	0.6	0.4	■	■	■	1.4
41	-	-	-	-	■	■	0.1	1.0	3.9	4.3	2.0	0.2	■	■	11.5
50	-	-	-	-	-	-	■	■	■	■	■	■	■	-	0.1
51	-	-	-	-	■	■	■	0.2	0.8	0.9	0.4	■	■	■	2.4
60	-	-	-	-	-	-	-	■	■	■	■	■	-	■	■
61	-	-	-	-	-	-	■	■	0.1	0.1	■	■	■	-	0.2
70	-	-	-	-	-	-	-	-	-	-	■	-	-	-	■
71	-	-	-	-	-	■	■	■	■	■	■	■	-	-	■
Lt. Spotted:															
12	-	-	-	-	-	■	■	■	■	■	■	■	-	-	■
22	-	-	-	-	-	■	■	0.1	0.1	0.1	■	■	-	-	0.4
32	-	-	-	-	■	■	■	0.2	0.8	0.9	0.4	■	■	■	2.3
42	-	-	-	-	■	■	■	0.1	0.4	0.5	0.3	■	■	■	1.4
52	-	-	-	-	■	■	■	0.1	0.1	0.1	0.1	■	■	■	0.4
62	-	-	-	-	-	■	■	■	■	■	■	■	-	-	0.1
Spotted:															
13	-	-	-	-	-	-	■	■	■	■	■	■	-	-	■
23	-	-	-	-	-	■	■	■	■	■	■	■	-	-	■
33	-	-	-	-	-	■	■	■	0.1	0.2	0.1	■	■	■	0.4
43	-	-	-	-	■	■	■	■	0.1	0.1	0.1	■	■	■	0.3
53	-	-	-	-	-	■	■	■	■	■	■	■	■	■	0.1
63	-	-	-	-	■	■	■	■	■	■	■	■	■	-	■
Tinged:															
24	-	-	-	-	-	-	-	-	-	■	-	-	-	■	■
34	-	-	-	-	-	-	■	■	■	■	■	■	-	■	■
44	-	-	-	-	-	-	■	■	■	■	■	■	-	■	0.1
54	-	-	-	-	-	-	■	■	■	■	■	■	-	■	■
Stained:															
25	-	-	-	-	-	-	-	■	-	■	■	-	-	-	■
35	-	-	-	-	-	-	-	■	■	■	■	-	-	-	■
Lt. Gray:															
16	-	-	-	-	-	■	■	■	0.1	■	■	■	-	-	0.2
26	-	-	-	-	-	■	■	0.1	0.1	0.1	■	■	■	-	0.3
36	-	-	-	-	-	■	■	0.1	0.1	0.1	■	■	-	-	0.3
46	-	-	-	-	-	■	■	■	■	■	■	■	-	-	0.1
Gray:															
17	-	-	-	-	-	-	■	■	■	■	■	■	-	-	■
27	-	-	-	-	-	-	■	■	■	■	■	■	-	-	■
37	-	-	-	-	-	-	■	■	■	■	■	■	-	-	■
47	-	-	-	-	-	■	■	■	■	■	■	■	-	-	■
Below Grade 2/															
	-	-	-	-	-	■	■	■	■	■	■	■	■	■	■
All grades															
	-	-	-	■	■	0.1	0.6	9.8	38.8	36.7	12.9	1.0	0.1	■	100.0

1/ Classings, 2,461,401 running bales.

2/ Lower in grade than the lowest grades of the official standards.

■ Less than 0.05 percent.

Average staple..... 35.5
Percent tenderable..... 91.5
Percent Average Rule Used (ARU)... 0.3
Percent grade reductions..... 3.4

NOTE: Totals may not add due to rounding.

Table 6-d. -- Georgia: Percentage distribution of grade and staple for upland cotton classed
1992 crop 1/

Grade	Staple														All staples
	: 26 and : : shorter :	: 28 :	: 29 :	: 30 :	: 31 :	: 32 :	: 33 :	: 34 :	: 35 :	: 36 :	: 37 :	: 38 :	: 39 :	: 40 and : : longer :	
White:															
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	‡	‡	‡	‡	‡	‡	‡	-	-	0.1
30	-	-	-	-	-	-	‡	‡	‡	‡	‡	‡	-	-	‡
31	-	-	-	-	‡	‡	0.6	3.1	8.2	7.0	2.5	0.1	‡	-	21.4
40	-	-	-	-	‡	‡	‡	‡	0.1	0.1	0.1	‡	‡	-	0.3
41	-	-	-	-	‡	‡	1.2	7.0	17.9	15.8	6.2	0.4	‡	-	48.5
50	-	-	-	-	-	-	‡	‡	‡	‡	‡	‡	‡	-	0.1
51	-	-	-	-	‡	‡	0.2	1.0	2.7	2.6	1.2	0.1	‡	-	7.7
60	-	-	-	-	-	-	-	-	‡	‡	-	-	-	-	‡
61	-	-	-	-	‡	‡	‡	0.1	0.1	0.1	0.1	‡	‡	-	0.4
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	-	-	-	-	-	-	‡	‡	‡	‡	‡	-	-	-	‡
Lt. Spotted:															
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	‡	-	-	‡	‡	‡	‡	-	-	-	‡
32	-	-	-	-	‡	‡	0.1	0.4	1.0	0.8	0.3	‡	‡	-	2.6
42	-	-	-	-	‡	‡	0.3	1.4	3.5	3.2	1.3	0.1	‡	-	9.7
52	-	-	-	-	‡	‡	0.1	0.3	0.7	0.7	0.4	‡	‡	-	2.3
62	-	-	-	-	-	‡	‡	0.1	0.1	0.1	‡	‡	-	-	0.3
Spotted:															
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	‡	‡	‡	‡	‡	-	-	‡
33	-	-	-	-	-	-	‡	‡	0.1	0.1	‡	‡	-	-	0.2
43	-	-	-	-	-	‡	‡	0.1	0.3	0.2	0.1	‡	‡	-	0.7
53	-	-	-	-	-	-	‡	‡	0.1	0.1	‡	‡	-	-	0.2
63	-	-	-	-	‡	‡	‡	‡	‡	‡	‡	‡	-	-	‡
Tinged:															
24	-	-	-	-	-	-	‡	-	-	-	‡	-	-	-	‡
34	-	-	-	-	-	-	-	‡	‡	‡	‡	-	-	-	‡
44	-	-	-	-	-	‡	‡	‡	‡	‡	‡	‡	‡	-	0.1
54	-	-	-	-	-	-	‡	‡	‡	‡	‡	‡	-	-	‡
Stained:															
25	-	-	-	-	-	-	-	-	‡	‡	-	-	-	-	‡
35	-	-	-	-	-	-	‡	-	-	-	-	-	-	-	‡
Lt. Gray:															
16	-	-	-	-	-	-	‡	‡	‡	‡	‡	-	-	-	‡
26	-	-	-	-	-	‡	0.1	0.5	1.0	0.6	0.1	‡	-	-	2.4
36	-	-	-	-	‡	‡	0.1	0.5	0.8	0.4	0.1	‡	-	-	2.0
46	-	-	-	-	‡	‡	‡	‡	0.1	‡	‡	‡	-	-	0.2
Gray:															
17	-	-	-	-	-	-	‡	‡	‡	‡	‡	-	-	-	‡
27	-	-	-	-	-	-	‡	0.1	0.1	‡	‡	-	-	-	0.2
37	-	-	-	-	-	‡	‡	0.1	0.1	‡	‡	-	-	-	0.4
47	-	-	-	-	-	‡	‡	‡	‡	‡	‡	-	-	-	0.1
Below Grade 2/															
	-	-	-	-	-	‡	‡	‡	‡	‡	‡	‡	-	-	‡
All grades															
	-	-	-	-	‡	0.1	2.8	14.9	36.9	32.0	12.5	0.8	‡	-	100.0

1/ Classings, 720,649 running bales.

2/ Lower in grade than the lowest grades of the official standards.

‡ Less than 0.05 percent.

Average staple..... 35.4

Percent tenderable..... 65.5

Percent Average Rule Used (ARU).. 1.3

Percent grade reductions..... 10.7

NOTE: Totals may not add due to rounding.

Table 6-e. -- Louisiana: Percentage distribution of grade and staple for upland cotton classed
1992 crop 1/

Grade	Staple														All staples
	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	
White:															
11	-	-	-	-	-	-	-	#	#	#	#	-	-	-	#
21	-	-	-	#	#	#	0.1	0.3	0.4	0.2	#	#	-	-	1.0
30	-	-	-	-	-	-	#	#	#	#	-	-	-	-	#
31	-	-	-	#	#	0.1	2.1	9.9	21.3	19.6	3.4	0.3	#	#	56.7
40	-	-	-	-	-	#	#	0.1	0.2	0.3	0.1	#	#	-	0.6
41	-	-	-	#	#	#	0.7	3.4	8.3	10.9	2.9	0.3	#	-	26.6
50	-	-	-	#	#	#	#	#	0.1	0.2	0.1	#	#	-	0.3
51	-	-	-	-	#	#	0.2	0.7	1.3	1.4	0.5	#	#	-	4.1
60	-	-	-	-	-	-	-	-	#	#	#	-	-	-	#
61	-	-	-	-	-	#	#	0.1	0.2	0.1	#	#	-	-	0.5
70	-	-	-	-	-	-	-	-	-	#	-	-	-	-	#
71	-	-	-	-	-	#	#	#	#	#	#	#	-	-	#
Lt. Spotted:															
12	-	-	-	-	-	-	-	-	#	#	-	-	-	-	#
22	-	-	-	-	-	-	#	#	#	#	#	#	-	-	#
32	-	-	-	#	#	#	0.1	0.6	1.4	1.4	0.3	#	#	-	3.8
42	-	-	-	#	#	#	0.1	0.6	1.2	1.5	0.5	#	#	-	4.0
52	-	-	-	-	#	#	0.1	0.2	0.4	0.4	0.2	#	#	-	1.3
62	-	-	-	-	#	#	#	0.1	0.1	0.1	#	#	-	-	0.2
Spotted:															
13	-	-	-	-	-	-	#	-	#	#	-	-	-	-	#
23	-	-	-	-	-	-	#	#	#	#	-	-	-	-	#
33	-	-	-	-	-	#	#	#	0.1	0.1	#	#	-	-	0.1
43	-	-	-	-	-	-	#	#	0.1	0.1	#	#	-	-	0.2
53	-	-	-	-	-	#	#	#	#	#	#	#	-	-	0.1
63	-	-	-	-	-	#	#	#	#	#	#	#	-	-	#
Tinged:															
24	-	-	-	-	-	-	-	-	-	#	-	-	-	-	#
34	-	-	-	-	-	-	-	#	#	#	#	-	-	-	#
44	-	-	-	-	-	-	#	#	#	#	#	#	-	-	#
54	-	-	-	-	-	#	#	#	#	#	#	#	-	-	#
Stained:															
25	-	-	-	-	-	-	#	-	-	-	-	-	-	-	#
35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lt. Gray:															
16	-	-	-	-	-	#	#	#	#	#	#	#	-	-	0.1
26	-	-	-	-	#	#	#	#	0.1	#	#	#	-	-	0.2
36	-	-	-	-	-	#	#	#	#	#	#	-	-	-	0.1
46	-	-	-	-	-	#	#	#	#	#	#	-	-	-	#
Gray:															
17	-	-	-	-	-	-	#	#	#	-	-	-	-	-	#
27	-	-	-	-	-	#	#	#	#	#	-	-	-	-	#
37	-	-	-	-	-	-	#	#	#	#	-	-	-	-	#
47	-	-	-	-	-	-	#	-	#	#	-	-	-	-	#
Below Grade 2/															
All grades	-	-	-	#	#	0.1	3.5	16.1	35.2	36.3	8.0	0.7	#	#	100.0

1/ Classings, 1,316,398 running bales.

2/ Lower in grade than the lowest grades of the official standards.

Less than 0.05 percent.

Average staple..... 35.3

Percent tenderable..... 80.4

Percent Average Rule Used (ARU)... 0.7

Percent grade reductions..... 9.1

NOTE: Totals may not add due to rounding.

Table 6-f. -- Mississippi: Percentage distribution of grade and staple for upland cotton classed
1992 crop 1/

Grade	Staple														All staples
	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	
White:															
11	-	-	-	-	-	-	§	§	§	§	§	-	-	-	§
21	-	-	-	-	§	§	0.1	0.4	0.8	0.4	0.1	§	-	§	1.7
30	-	-	-	-	-	-	-	§	§	§	§	-	-	-	§
31	-	-	§	§	§	§	1.9	10.1	20.6	12.6	2.8	§	§	§	48.0
40	-	-	-	-	-	§	§	0.1	0.3	0.3	0.2	§	§	-	0.9
41	-	-	§	§	§	0.1	1.2	5.1	11.4	9.7	3.4	§	§	§	30.9
50	-	-	-	-	-	§	§	§	0.1	0.2	0.1	§	§	-	0.4
51	-	-	§	§	§	§	0.4	1.2	1.9	1.7	0.8	§	§	§	6.0
60	-	-	-	-	-	-	-	§	§	§	§	-	-	-	§
61	-	-	-	§	§	§	0.1	0.2	0.2	0.1	§	§	-	-	0.7
70	-	-	-	-	-	-	-	-	§	-	-	-	-	-	§
71	-	-	-	-	§	§	§	§	§	§	§	-	-	-	§
Lt. Spotted:															
12	-	-	-	-	-	-	§	§	§	§	§	-	-	-	§
22	-	-	-	-	-	§	§	§	§	§	§	-	-	-	0.1
32	-	-	-	-	§	§	0.1	0.6	1.2	0.9	0.2	§	§	-	3.0
42	-	-	§	§	§	§	0.2	0.9	1.9	1.6	0.6	§	§	§	5.2
52	-	-	-	§	§	§	0.2	0.4	0.6	0.5	0.2	§	§	-	1.8
62	-	-	-	-	§	§	§	0.1	0.1	0.1	§	§	§	-	0.4
Spotted:															
13	-	-	-	-	-	-	-	§	§	§	-	-	-	-	§
23	-	-	-	-	-	-	§	§	§	§	§	-	-	-	§
33	-	-	-	-	-	§	§	§	0.1	§	§	§	-	§	0.2
43	-	-	-	-	§	§	§	§	0.1	0.1	§	§	-	-	0.3
53	-	-	-	-	-	§	§	§	§	§	§	§	§	-	0.1
63	-	-	-	-	-	§	§	§	§	§	§	-	-	-	§
Tinged:															
24	-	-	-	-	-	-	-	-	§	§	-	-	-	-	§
34	-	-	-	-	-	-	§	§	§	§	§	-	-	-	§
44	-	-	-	-	§	§	§	§	§	§	§	§	-	-	§
54	-	-	-	-	-	§	§	§	§	§	§	-	-	-	§
Stained:															
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lt. Gray:															
16	-	-	-	-	-	-	§	§	§	§	§	-	-	-	§
26	-	-	-	-	§	§	§	§	0.1	§	§	-	-	-	0.1
36	-	-	-	-	§	§	§	§	§	§	§	§	-	-	0.1
46	-	-	-	-	§	§	§	§	§	§	§	-	-	-	§
Gray:															
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	-	-	-	-	§	§	§	§	§	§	§	-	-	-	§
37	-	-	-	-	§	§	§	§	§	§	§	-	-	-	§
47	-	-	-	-	§	§	§	§	§	§	§	-	-	-	§
Below Grade 2/															
	-	-	-	-	-	§	§	§	§	§	§	§	-	-	§
All grades															
	-	-	§	§	§	0.2	4.3	19.3	39.3	28.3	8.4	0.1	§	§	100.0

1/ Classings, 2,063,087 running bales.

2/ Lower in grade than the lowest grades of the official standards.

§ Less than 0.05 percent.

Average staple..... 35.2

Percent tenderable..... 79.5

Percent Average Rule Used (ARU)... 0.8

Percent grade reductions..... 6.9

NOTE: Totals may not add due to rounding.

Table 6-g. -- Missouri: Percentage distribution of grade and staple for upland cotton classed
1992 crop 1/

Grade	Staple														All staples
	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	
White:															
11	-	-	-	-	-	-	-	-	█	█	-	-	-	-	█
21	-	-	-	-	-	-	█	0.1	0.3	0.6	0.5	█	█	-	1.4
30	-	-	-	-	-	-	-	-	█	█	█	-	-	-	█
31	-	-	-	-	-	-	█	1.0	6.6	16.4	18.0	3.0	█	█	45.0
40	-	-	-	-	-	-	█	█	0.2	0.5	0.5	0.1	█	-	1.4
41	-	-	-	-	-	█	█	1.0	4.9	11.8	15.2	3.3	0.1	█	36.3
50	-	-	-	-	-	█	-	█	0.1	0.3	0.6	0.1	█	-	1.1
51	-	-	-	-	-	█	█	0.3	0.9	1.8	2.5	0.6	█	█	6.2
60	-	-	-	-	-	-	-	-	-	█	█	█	-	-	█
61	-	-	-	-	-	█	█	0.1	0.1	0.1	0.1	█	█	-	0.4
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	-	-	-	-	-	█	█	█	█	█	█	█	-	-	█
Lt. Spotted:															
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	█	█	█	█	█	█	█	-	█
32	-	-	-	-	-	█	█	0.1	0.3	0.7	1.0	0.2	█	-	2.3
42	-	-	-	-	-	█	█	0.2	0.6	1.1	1.5	0.4	█	█	3.8
52	-	-	-	-	-	█	█	0.1	0.2	0.3	0.3	0.1	█	-	1.0
62	-	-	-	-	-	-	█	█	█	█	█	█	-	█	0.1
Spotted:															
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	█	█	█	█	█	-	-	█
33	-	-	-	-	-	-	█	█	█	█	0.1	█	█	-	0.1
43	-	-	-	-	-	-	█	█	█	0.1	0.1	█	█	-	0.2
53	-	-	-	-	-	-	█	█	█	█	█	█	█	-	0.1
63	-	-	-	-	-	-	█	█	█	█	█	█	-	-	█
Tinged:															
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	-	█	█	█	█	-	-	-	█
44	-	-	-	-	-	-	-	█	█	█	█	█	-	-	█
54	-	-	-	-	-	-	-	█	█	█	█	█	-	-	█
Stained:															
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lt. Gray:															
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	█	█	█	0.1	█	█	-	-	0.2
36	-	-	-	-	-	-	█	█	█	█	█	█	-	-	█
46	-	-	-	-	-	-	█	█	█	█	█	█	-	-	█
Gray:															
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-	█	█	-	-	-	-	█
37	-	-	-	-	-	-	-	█	-	-	█	-	-	-	█
47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Below Grade 2/															
	-	-	-	-	-	█	█	█	█	█	█	█	-	-	█
All grades															
	-	-	-	-	-	█	0.2	2.9	14.3	34.0	40.5	8.1	0.1	█	100.0

1/ Classings, 529,157 running bales.

2/ Lower in grade than the lowest grades of the official standards.

█ Less than 0.05 percent.

Average staple..... 36.4

Percent tenderable..... 78.2

Percent Average Rule Used (ARU)... 2.9

Percent grade reductions..... 3.9

NOTE: Totals may not add due to rounding.

Table 6-h. -- New Mexico: Percentage distribution of grade and staple for upland cotton classed
1992 crop 1/

Grade	Staple														All staples
	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	
White:															
11	-	-	-	-	-	■	■	0.1	0.1	■	■	■	■	-	0.3
21	-	-	-	-	■	0.1	1.4	1.5	1.7	3.4	10.3	6.5	1.6	■	26.6
30	-	-	-	-	-	-	-	-	-	-	■	-	-	-	■
31	-	-	-	-	■	■	0.4	1.0	2.0	6.1	16.5	12.5	4.4	0.3	43.2
40	-	-	-	■	-	■	-	■	■	0.1	0.3	0.2	0.1	■	0.7
41	-	-	■	■	0.1	0.1	0.4	0.6	0.7	2.0	4.3	3.2	1.6	0.3	13.4
50	-	-	-	-	■	-	-	-	■	-	-	-	■	-	■
51	-	-	■	■	■	■	0.2	0.4	0.2	0.4	0.7	0.4	0.1	■	2.4
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	-	-	-	■	■	■	■	■	■	0.1	0.1	■	-	-	0.3
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	-	-	-	-	■	-	■	■	-	■	■	-	-	-	■
Lt. Spotted:															
12	-	-	-	-	-	■	■	0.1	■	■	-	-	-	-	0.1
22	-	-	-	-	■	■	0.3	0.6	0.5	0.2	0.1	■	■	-	1.7
32	-	■	■	■	■	0.1	0.5	0.7	0.4	0.3	0.6	0.4	0.2	■	3.3
42	-	-	■	■	0.2	0.2	0.7	0.8	0.3	0.3	0.5	0.4	0.3	0.1	3.7
52	-	-	■	■	0.1	0.2	0.5	0.7	0.3	0.2	0.2	0.1	0.1	■	2.4
62	-	-	-	■	■	■	■	■	■	0.1	■	■	■	■	0.2
Spotted:															
13	-	-	-	-	-	-	■	■	■	■	-	-	-	-	■
23	-	-	-	-	-	■	0.1	0.1	■	■	-	-	■	-	0.2
33	-	-	-	■	■	■	■	0.1	■	■	■	■	■	-	0.3
43	-	-	■	■	■	■	0.1	0.1	0.1	0.1	■	■	■	-	0.5
53	-	-	-	■	■	■	■	0.1	■	■	■	■	-	-	0.3
63	-	-	-	-	■	-	■	■	■	■	■	■	-	-	■
Tinged:															
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	-	-	-	-	■	-	■	■	■	-	-	-	-	-	0.1
44	-	-	-	■	■	-	-	■	■	■	-	-	-	-	■
54	-	-	-	■	■	-	-	■	■	-	-	-	-	-	■
Stained:															
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lt. Gray:															
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	-	-	-	-	-	-	-	-	-	-	■	-	-	-	■
46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gray:															
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Below Grade 2/	-	-	■	■	■	-	■	■	■	■	■	■	-	-	0.1
All grades	-	■	■	0.2	0.5	0.8	4.8	6.9	6.6	13.4	33.7	23.8	8.5	0.8	100.0

1/ Classings, 44,539 running bales.

2/ Lower in grade than the lowest grades of the official standards.

■ Less than 0.05 percent.

Average staple..... 36.7

Percent tenderable..... 51.8

Percent Average Rule Used (ARU)... 2.0

Percent grade reductions..... 12.8

NOTE: Totals may not add due to rounding.

Table 6-1. -- North Carolina: Percentage distribution of grade and staple for upland cotton classed 1992 crop 1/

Grade	Staple														All : 40 and : staples : longer :
	26 and : : shorter :	28 :	29 :	30 :	31 :	32 :	33 :	34 :	35 :	36 :	37 :	38 :	39 :		
White:															
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	0.1	0.1	0.1	0.1	0.1	-	-	-	0.2
30	-	-	-	-	-	-	0.1	0.6	2.7	6.8	4.8	0.5	0.1	0.1	15.5
31	-	-	-	-	0.1	0.6	2.7	6.8	4.8	0.5	0.1	0.1	0.1	0.1	0.4
40	-	-	-	-	0.2	1.6	6.9	14.4	10.9	1.2	0.1	0.1	0.1	0.1	35.2
41	-	-	-	-	0.1	0.5	2.0	4.2	3.3	0.4	0.1	0.1	0.1	0.1	0.3
50	-	-	-	-	0.1	0.5	2.0	4.2	3.3	0.4	0.1	0.1	0.1	0.1	10.4
51	-	-	-	-	0.1	0.5	2.0	4.2	3.3	0.4	0.1	0.1	0.1	0.1	0.9
60	-	-	-	-	0.1	0.5	2.0	4.2	3.3	0.4	0.1	0.1	0.1	0.1	0.9
61	-	-	-	-	0.1	0.5	2.0	4.2	3.3	0.4	0.1	0.1	0.1	0.1	0.9
70	-	-	-	-	0.1	0.5	2.0	4.2	3.3	0.4	0.1	0.1	0.1	0.1	0.9
71	-	-	-	-	0.1	0.5	2.0	4.2	3.3	0.4	0.1	0.1	0.1	0.1	0.9
Lt. Spotted:															
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	0.1	0.4	0.6	0.4	0.1	0.1	0.1	0.1	1.6
32	-	-	-	-	0.3	1.9	5.4	6.9	4.2	0.4	0.1	0.1	0.1	0.1	19.2
42	-	-	-	-	0.1	0.7	2.0	2.7	1.7	0.2	0.1	0.1	0.1	0.1	7.5
52	-	-	-	-	0.1	0.7	2.0	2.7	1.7	0.2	0.1	0.1	0.1	0.1	7.5
62	-	-	-	-	0.1	0.7	2.0	2.7	1.7	0.2	0.1	0.1	0.1	0.1	1.0
Spotted:															
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	-	-	-	-	-	-	0.1	0.3	0.4	0.2	0.1	0.1	0.1	0.1	0.1
43	-	-	-	-	0.1	0.3	0.4	0.2	0.1	0.1	0.1	0.1	0.1	0.1	1.1
53	-	-	-	-	0.1	0.3	0.4	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.4
63	-	-	-	-	0.1	0.3	0.4	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Tinged:															
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stained:															
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lt. Gray:															
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	-	-	-	-	-	0.1	0.3	0.4	0.2	0.1	0.1	0.1	0.1	0.1	1.0
36	-	-	-	-	-	0.1	0.5	1.2	1.3	0.5	0.1	0.1	0.1	0.1	3.6
46	-	-	-	-	-	0.1	0.5	1.2	1.3	0.5	0.1	0.1	0.1	0.1	0.7
Gray:															
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	-	-	-	-	-	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2
37	-	-	-	-	-	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3
47	-	-	-	-	-	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Below Grade 2/															
-	-	-	-	-	-	0.1	1.1	6.7	22.6	39.3	27.2	2.8	0.2	0.1	100.0
All grades															

1/ Classings, 457,498 running bales.

2/ Lower in grade than the lowest grades of the official standards.

0.1 Less than 0.05 percent.

Average staple..... 35.9

Percent tenderable..... 51.3

Percent Average Rule Used (ARU)... 3.5

Percent grade reductions..... 15.4

NOTE: Totals may not add due to rounding.

Table 6-j. -- Oklahoma: Percentage distribution of grade and staple for upland cotton classed
1992 crop 1/

Grade	Staple														All staples
	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	
White:															
11	-	-	-	-	1	1	0.1	0.1	1	1	1	1	-	-	0.3
21	-	-	1	1	0.2	0.9	1.9	2.7	3.4	3.8	2.2	0.3	1	-	15.4
30	-	-	-	1	1	1	0.1	0.1	0.1	1	1	1	-	-	0.3
31	-	-	1	1	0.4	1.4	2.7	3.7	3.5	3.0	2.0	0.3	1	-	17.1
40	-	-	-	1	1	0.2	0.3	0.4	0.4	0.3	0.1	1	-	-	1.8
41	-	-	1	1	0.3	0.8	1.3	1.8	1.3	0.6	0.3	1	1	-	6.6
50	-	-	-	1	1	1	1	1	1	1	1	-	-	-	1
51	-	1	1	1	0.1	0.4	0.7	1.1	0.7	0.2	0.1	1	-	-	3.3
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	-	-	-	1	0.1	0.2	0.4	0.4	0.2	0.1	1	-	-	-	1.3
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	-	-	1	1	1	1	1	1	1	1	1	-	-	-	0.2
Lt. Spotted:															
12	-	-	-	-	-	-	1	1	1	1	-	-	-	-	1
22	-	-	-	1	1	1	0.1	0.1	1	1	1	-	-	-	0.3
32	-	-	1	1	0.1	0.4	0.7	0.7	0.4	0.2	1	1	-	-	2.6
42	-	-	1	0.1	0.2	0.7	1.4	1.9	1.3	0.4	0.1	1	-	-	6.1
52	-	-	1	0.1	0.4	1.4	2.8	3.8	2.4	0.8	0.2	1	-	-	11.7
62	-	-	1	1	0.3	0.9	1.7	2.0	1.2	0.3	1	1	-	-	6.3
Spotted:															
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	1	1	1	1	1	-	-	-	-	1
33	-	-	1	1	1	0.1	0.1	0.1	1	1	1	-	-	-	0.3
43	-	-	1	1	0.1	0.4	0.7	0.7	0.4	0.1	1	-	-	-	2.3
53	-	-	1	0.1	0.3	1.1	2.6	2.3	1.1	0.3	1	-	-	-	7.9
63	-	-	1	0.1	0.3	1.0	2.3	2.1	0.7	0.1	1	1	-	-	6.5
Tinged:															
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	-	-	1	-	1	1	1	1	1	-	-	-	-	-	1
44	-	-	-	1	1	0.1	0.1	0.1	1	1	1	-	-	-	0.3
54	-	1	1	1	0.2	0.7	1.0	0.5	0.2	1	1	-	-	-	2.6
Stained:															
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lt. Gray:															
16	-	-	-	-	1	1	1	1	1	1	1	-	-	-	0.1
26	-	-	-	1	1	1	1	1	1	1	-	-	-	-	1
36	-	-	-	-	-	1	1	1	1	1	-	-	-	-	1
46	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1
Gray:															
17	-	-	-	-	1	-	-	1	1	1	-	-	-	-	1
27	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1
37	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1
47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Below Grade 2/	-	1	1	0.1	0.7	1.7	2.3	1.4	0.4	0.1	1	1	-	-	6.6
All grades	-	1	0.1	0.6	3.7	12.2	23.1	26.0	18.0	10.4	5.2	0.7	1	-	100.0

1/ Classings, 204,614 running bales.

2/ Lower in grade than the lowest grades of the official standards.

1 Less than 0.05 percent.

Average staple..... 34.0

Percent tenderable..... 23.8

Percent Average Rule Used (ARU)... 7.1

Percent grade reductions..... 51.5

NOTE: Totals may not add due to rounding.

Table 6-k. -- South Carolina: Percentage distribution of grade and staple for upland cotton classed
1992 crop 1/

Grade	Staple														All staples
	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	
White:															
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	■	-	■	■	■	■	■	-	-	-	0.1
30	-	-	-	-	-	-	-	-	■	■	■	-	-	-	■
31	-	-	-	-	■	■	0.4	1.7	4.8	7.0	2.6	0.1	■	■	16.6
40	-	-	-	-	-	-	■	■	0.1	0.1	0.1	■	-	-	0.3
41	-	-	-	-	■	■	0.7	4.2	13.4	21.9	10.7	1.0	0.1	■	51.9
50	-	-	-	-	-	-	■	■	■	■	0.1	■	■	-	0.2
51	-	-	-	-	-	■	0.1	0.8	2.8	4.0	2.1	0.2	■	■	10.1
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	-	-	-	-	-	■	■	0.1	0.2	0.2	0.1	■	■	-	0.7
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	-	-	-	-	-	■	■	■	■	■	■	■	-	-	0.1
Lt. Spotted:															
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-	■	■	■	-	-	-	■
32	-	-	-	-	-	■	■	0.1	0.2	0.2	0.1	■	■	■	0.5
42	-	-	-	-	■	■	0.2	0.8	2.0	2.4	1.3	0.1	■	■	6.9
52	-	-	-	-	■	■	0.1	0.5	0.9	1.0	0.6	0.1	■	■	3.2
62	-	-	-	-	■	■	0.1	0.1	0.1	0.2	0.1	■	-	-	0.5
Spotted:															
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	■	■	-	-	-	-	-	■
33	-	-	-	-	-	-	-	■	■	■	■	■	-	-	■
43	-	-	-	-	-	■	■	■	0.1	0.1	■	■	■	-	0.2
53	-	-	-	-	-	■	■	■	■	■	■	■	-	-	0.1
63	-	-	-	-	-	■	■	■	■	■	■	■	■	-	■
Tinged:															
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	-	-	-	-	-	-	-	■	■	■	■	-	-	-	■
54	-	-	-	-	-	-	■	-	■	■	-	-	-	-	■
Stained:															
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lt. Gray:															
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	-	-	-	-	-	■	0.1	0.3	0.8	0.7	0.2	■	-	-	2.1
36	-	-	-	-	■	■	0.2	0.7	1.6	1.5	0.4	■	■	-	4.5
46	-	-	-	-	-	■	■	0.1	0.3	0.2	0.1	■	-	-	0.7
Gray:															
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	-	-	-	-	-	■	■	■	0.1	■	■	-	-	-	0.1
37	-	-	-	-	-	■	0.1	0.3	0.3	0.1	■	-	-	-	0.9
47	-	-	-	-	■	■	■	■	■	■	■	-	-	-	0.1
Below Grade 2/															
	-	-	-	-	-	■	■	■	■	■	■	■	-	-	■
All grades															
	-	-	-	-	■	0.1	2.1	10.0	27.6	39.9	18.5	1.6	0.1	■	100.0

1/ Classings, 210,946 running bales.

2/ Lower in grade than the lowest grades of the official standards.

■ Less than 0.05 percent.

Average staple..... 35.7

Percent tenderable..... 61.2

Percent Average Rule Used (ARU)... 1.7

Percent grade reductions..... 7.3

NOTE: Totals may not add due to rounding.

Table 6-1. -- Tennessee: Percentage distribution of grade and staple for upland cotton classed
1992 crop 1/

Grade	Staple														All staples
	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	
White:															
11	-	-	-	-	-	-	-	-	-	■	-	-	-	-	■
21	-	-	-	-	-	■	■	0.2	0.5	0.5	0.2	■	-	-	1.4
30	-	-	-	-	-	-	■	■	■	■	■	■	-	-	■
31	-	■	■	■	■	0.1	1.0	5.7	15.0	20.5	8.4	0.9	■	■	51.6
40	■	-	-	■	■	■	■	0.2	0.4	0.5	0.1	■	■	-	1.3
41	■	■	■	■	■	0.1	1.1	4.3	8.0	8.6	3.9	0.5	■	■	26.6
50	-	-	-	-	■	■	■	■	0.1	0.2	0.1	■	■	-	0.4
51	-	-	-	■	■	■	0.2	0.6	1.0	1.0	0.5	■	■	-	3.4
60	-	-	-	-	-	-	-	-	■	■	-	-	-	-	■
61	-	-	-	-	-	■	■	■	0.1	■	■	■	-	-	0.2
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	-	-	-	-	-	■	■	■	■	■	■	-	-	-	■
Lt. Spotted:															
12	-	-	-	-	-	-	-	-	■	■	■	-	-	-	■
22	-	-	-	-	-	■	■	■	■	■	■	■	-	-	0.1
32	-	-	-	-	■	■	0.3	1.0	1.8	1.9	0.9	0.1	■	■	6.0
42	-	-	-	■	■	0.1	0.4	1.2	1.8	1.6	0.8	0.1	■	■	6.0
52	-	-	-	-	■	■	0.1	0.3	0.4	0.3	0.1	■	■	■	1.4
62	-	-	-	-	■	■	■	■	■	■	■	■	-	-	0.1
Spotted:															
13	-	-	-	-	-	-	-	-	■	-	-	-	-	-	■
23	-	-	-	-	-	■	■	■	■	■	■	■	-	-	■
33	-	-	-	-	■	■	■	0.1	0.1	0.1	■	■	■	-	0.4
43	-	-	-	-	■	■	0.1	0.1	0.1	0.1	■	■	■	-	0.5
53	-	-	-	-	■	■	■	■	■	■	■	■	■	-	0.1
63	-	-	-	-	■	■	■	■	■	■	■	■	■	-	■
Tinged:															
24	-	-	-	-	-	-	-	-	■	■	-	-	-	-	■
34	-	-	-	-	-	-	■	■	■	■	■	■	-	-	■
44	-	-	-	-	-	■	■	■	■	■	■	■	-	-	■
54	-	-	-	-	-	■	■	■	■	■	■	■	-	-	■
Stained:															
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lt. Gray:															
16	-	-	-	-	-	-	-	-	■	■	■	-	-	-	■
26	-	-	-	-	-	■	■	0.1	0.1	■	■	■	-	-	0.2
36	-	-	-	-	■	■	■	■	■	■	■	-	-	-	0.1
46	-	-	-	-	-	■	■	■	■	-	■	-	-	-	■
Gray:															
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	-	-	-	-	■	■	■	■	■	■	■	-	-	-	■
37	-	-	-	-	-	-	■	■	■	-	■	-	-	-	■
47	-	-	-	-	-	-	-	-	-	-	■	-	-	-	■
Below Grade 2/															
	-	-	-	-	-	■	■	■	■	■	■	-	-	-	■
All grades															
	■	■	■	■	■	0.4	3.4	13.9	29.6	35.6	15.2	1.8	0.1	■	100.0

1/ Classings, 815,710 running bales.

2/ Lower in grade than the lowest grades of the official standards.

■ Less than 0.05 percent.

Average staple..... 35.5

Percent tenderable..... 70.9

Percent Average Rule Used (ARU)... 1.3

Percent grade reductions..... 3.3

NOTE: Totals may not add due to rounding.

Table 6-m. -- Texas: Percentage distribution of grade and staple for upland cotton classed
1992 crop 1/

Grade	Staple														All staples
	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	
White:															
11	-	-	§	§	§	§	0.1	0.2	0.1	0.1	§	§	-	-	0.6
21	-	§	§	0.1	0.5	1.5	3.6	5.0	3.1	1.4	0.4	§	§	-	15.7
30	-	-	§	§	§	§	§	§	§	§	§	§	-	-	§
31	§	§	§	0.1	0.7	2.2	5.4	7.5	5.3	3.1	1.4	0.1	§	§	25.7
40	-	-	§	§	§	0.1	0.1	0.1	0.1	0.1	§	§	§	-	0.4
41	§	§	§	0.1	0.4	1.3	2.8	4.2	2.9	1.7	0.9	0.1	§	§	14.4
50	-	-	§	§	§	§	§	§	§	§	§	§	-	-	0.1
51	-	§	§	0.1	0.2	0.5	1.1	1.6	1.0	0.5	0.3	§	§	§	5.3
60	-	-	-	-	-	§	§	§	§	§	§	§	-	-	§
61	-	§	§	§	0.1	0.1	0.1	0.2	0.1	§	§	§	§	-	0.7
70	-	-	-	-	-	-	-	§	-	-	-	-	-	-	§
71	-	-	§	§	§	§	§	§	§	§	§	§	-	-	§
Lt. Spotted:															
12	-	-	§	§	§	§	§	§	§	§	§	§	-	-	0.1
22	§	§	§	0.1	0.2	0.6	1.0	0.9	0.5	0.2	§	§	§	-	3.5
32	§	§	§	0.2	0.6	1.3	2.2	2.1	1.2	0.5	0.2	§	§	§	8.3
42	-	§	§	0.2	0.7	1.5	2.6	2.9	1.6	0.6	0.2	§	§	-	10.4
52	§	§	§	0.2	0.5	1.0	1.6	1.8	0.9	0.3	0.1	§	§	-	6.3
62	-	§	§	§	0.1	0.2	0.2	0.3	0.1	§	§	§	-	-	1.0
Spotted:															
13	-	-	-	§	§	§	§	§	§	§	§	-	-	-	§
23	-	§	§	§	§	0.1	0.1	0.1	§	§	§	§	-	-	0.4
33	§	§	§	§	0.1	0.2	0.3	0.2	0.1	§	§	§	§	-	1.0
43	-	§	§	0.1	0.2	0.3	0.4	0.4	0.2	0.1	§	§	§	-	1.6
53	§	§	§	0.1	0.1	0.2	0.3	0.3	0.1	§	§	§	§	-	1.3
63	-	§	§	§	§	0.1	0.1	0.1	§	§	§	§	§	-	0.3
Tinged:															
24	-	-	§	§	§	§	§	§	§	§	§	-	-	-	§
34	-	§	§	§	§	§	§	§	§	§	§	§	-	-	0.1
44	-	§	§	§	§	§	§	§	§	§	§	§	§	-	0.1
54	§	§	§	§	§	§	§	§	§	§	§	-	-	-	0.2
Stained:															
25	-	-	-	-	§	§	§	§	§	-	-	-	-	-	§
35	-	§	§	§	§	§	§	§	§	§	§	§	-	-	§
Lt. Gray:															
16	-	-	-	-	§	§	§	0.1	0.1	0.1	§	§	-	-	0.3
26	-	-	§	§	§	0.1	0.2	0.4	0.4	0.2	0.1	§	-	-	1.3
36	-	-	-	§	§	§	0.1	0.1	0.1	0.1	§	§	-	-	0.4
46	-	-	§	§	§	§	§	§	§	§	§	§	-	-	§
Gray:															
17	-	-	-	-	§	§	§	§	§	§	§	§	-	-	0.1
27	-	-	-	§	§	§	§	§	§	§	§	§	-	-	0.1
37	-	-	-	-	§	§	§	§	§	§	§	§	-	-	§
47	-	-	-	-	§	§	§	§	§	§	§	§	-	-	§
Below Grade 2/															
	-	§	§	§	§	§	§	§	§	§	§	§	-	-	0.1
All grades															
	§	§	0.2	1.4	4.7	11.5	22.6	28.7	18.2	8.8	3.6	0.3	§	§	100.0

1/ Classings, 3,163,268 running bales.

2/ Lower in grade than the lowest grades of the official standards.

§ Less than 0.05 percent.

Average staple..... 33.8

Percent tenderable..... 31.9

Percent Average Rule Used (ARU)... 3.1

Percent grade reductions..... 35.7

NOTE: Totals may not add due to rounding.

Table 6-n. -- All Other: Percentage distribution of grade and staple for upland cotton classed
1992 crop 1/

Grade	Staple														All staples
	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	
White:															
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	‡	‡	‡	‡	-	-	-	‡
30	-	-	-	-	-	-	-	-	‡	-	-	-	-	-	‡
31	-	-	-	-	-	‡	0.1	1.2	4.3	3.0	1.0	0.1	‡	‡	9.6
40	-	-	-	-	-	-	-	‡	‡	0.1	‡	‡	‡	-	0.1
41	-	-	-	-	-	‡	0.5	5.9	17.9	12.3	3.8	0.2	‡	-	40.7
50	-	-	-	-	-	-	-	‡	‡	‡	‡	‡	‡	‡	0.1
51	-	-	-	-	-	‡	0.2	1.1	2.9	2.3	0.9	0.1	‡	‡	7.4
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	-	-	-	-	-	‡	‡	0.1	0.2	0.1	‡	‡	-	-	0.5
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	-	-	-	-	-	-	‡	‡	‡	‡	-	-	-	-	‡
Lt. Spotted:															
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-	-	‡	‡	-	-	-	‡
32	-	-	-	-	-	‡	‡	0.4	1.3	1.2	0.3	‡	‡	-	3.3
42	-	-	-	-	-	‡	0.3	3.0	9.1	8.1	3.9	0.2	‡	‡	24.7
52	-	-	-	-	‡	‡	0.2	1.0	2.3	2.3	1.2	0.1	‡	-	7.1
62	-	-	-	-	-	‡	0.1	0.2	0.2	0.2	0.1	‡	‡	-	0.9
Spotted:															
13	-	-	-	-	-	-	-	-	-	‡	-	-	-	-	‡
23	-	-	-	-	-	-	-	-	‡	-	-	-	-	-	‡
33	-	-	-	-	-	-	-	‡	0.1	0.1	‡	‡	-	-	0.2
43	-	-	-	-	-	-	‡	0.2	0.7	0.9	0.5	‡	‡	-	2.3
53	-	-	-	-	-	‡	‡	0.1	0.3	0.3	0.2	‡	-	-	1.0
63	-	-	-	-	-	‡	‡	‡	0.1	‡	‡	‡	-	-	0.2
Tinged:															
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	-	‡	‡	‡	‡	-	-	-	‡
44	-	-	-	-	-	-	‡	‡	‡	‡	‡	‡	-	-	0.1
54	-	-	-	-	-	-	‡	‡	‡	‡	‡	-	-	-	0.1
Stained:															
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lt. Gray:															
16	-	-	-	-	-	-	-	-	‡	‡	-	-	-	-	‡
26	-	-	-	-	-	-	‡	0.2	0.4	0.1	‡	‡	-	-	0.7
36	-	-	-	-	-	-	0.1	0.2	0.3	0.2	0.1	‡	-	-	0.8
46	-	-	-	-	-	‡	‡	‡	‡	‡	‡	-	-	-	0.1
Gray:															
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	‡	‡	‡	‡	-	-	-	-	‡
37	-	-	-	-	-	‡	‡	‡	‡	-	-	-	-	-	‡
47	-	-	-	-	-	‡	‡	‡	‡	-	-	-	-	-	‡
Below Grade 2/															
	-	-	-	-	-	‡	‡	‡	‡	‡	‡	-	-	-	0.1
All grades															
	-	-	-	-	‡	‡	1.6	13.6	40.2	31.3	12.4	0.8	0.1	‡	100.0

1/ Classings, 100,160 running bales.

2/ Lower in grade than the lowest grades of the official standards.

‡ Less than 0.05 percent.

Average staple..... 35.4

Percent tenderable..... 51.1

Percent Average Rule Used (ARU)... 1.3

Percent grade reductions..... 13.1

NOTE: Totals may not add due to rounding.

Table 7. -- Percentage distribution of grade and staple for upland cotton classed through specified periods, by states, 1992 crop

ALABAMA						NATIONAL					
Grade and Staple	Period through				Crop	Period through				Crop	
	Oct. 1	Oct. 29	Dec. 3	Dec. 31		Oct. 1	Oct. 29	Dec. 3	Dec. 31		
GRADE											
White:											
11	-	-	-	-	-	2.1	1.2	1.1	1.1	1.1	
21	-	0.6	0.5	0.5	0.4	41.2	44.8	39.8	37.8	36.7	
30	-	■	■	■	■	0.4	0.2	0.2	0.1	0.1	
31	36.8	52.3	42.2	36.5	34.7	42.4	40.2	39.1	38.5	37.8	
40	1.6	1.0	0.9	0.7	0.7	0.5	0.2	0.2	0.2	0.2	
41	44.9	34.5	38.6	40.4	39.7	4.9	4.3	6.0	6.2	6.2	
50	0.1	0.4	0.4	0.3	0.3	■	■	■	■	■	
51	4.9	2.6	3.8	4.7	5.3	0.4	0.4	0.9	1.0	1.0	
60	-	-	■	■	■	-	-	-	-	-	
61	0.1	0.1	0.2	0.3	0.4	■	■	■	0.1	0.1	
70	-	-	-	-	-	-	-	-	-	-	
71	■	■	■	■	■	-	-	■	■	■	
Total	88.4	91.5	86.6	83.4	81.5	91.9	91.3	87.3	85.0	83.2	
Light Spotted:											
12	-	-	-	-	-	0.1	■	■	■	■	
22	-	■	■	■	■	0.8	0.9	0.9	0.9	0.9	
32	3.2	3.7	5.3	5.4	5.2	2.2	2.5	3.5	4.0	4.2	
42	6.1	3.5	5.7	7.4	7.9	1.3	1.0	2.1	2.5	2.7	
52	1.5	0.6	0.9	1.3	1.8	0.5	0.5	1.3	1.7	1.9	
62	0.1	■	0.1	0.1	0.3	■	0.1	0.1	0.2	0.2	
Total	10.9	7.8	12.0	14.2	15.2	4.9	5.0	7.9	9.3	9.9	
Spotted:											
13	-	■	■	■	■	■	■	■	■	■	
23	-	■	■	■	■	0.1	■	■	■	■	
33	-	0.1	0.2	0.3	0.3	0.1	■	0.1	0.1	0.2	
43	0.2	0.1	0.3	0.5	0.5	■	■	0.1	0.2	0.3	
53	0.1	■	■	0.1	0.2	■	0.1	0.2	0.3	0.5	
63	■	■	■	■	■	■	■	■	0.1	0.1	
Total	0.3	0.2	0.5	0.9	1.0	0.2	0.1	0.4	0.7	1.1	
Tinged:											
24	-	-	-	-	-	-	-	■	■	■	
34	-	-	■	■	■	■	■	■	■	■	
44	■	■	■	■	0.1	-	■	■	■	0.1	
54	0.2	■	■	■	■	-	■	■	■	0.1	
Total	0.2	■	■	■	0.1	■	■	■	■	0.2	
Stained:											
All grades	-	-	■	■	■	-	■	■	■	■	
Light Gray:											
All grades	■	0.4	0.9	1.4	1.7	2.5	3.2	4.0	4.5	4.8	
Gray:											
All grades	-	■	■	■	0.2	0.4	0.2	0.3	0.3	0.3	
Below Grade 1/	■	■	■	■	■	■	■	■	■	0.2	
All grades	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
Staple											
26 ■ shorter	-	-	-	-	-	-	-	-	-	-	
28	-	-	-	-	-	-	-	-	-	-	
29	-	-	■	■	■	-	■	■	■	■	
30	-	-	-	■	■	-	■	■	■	■	
31	-	■	■	■	■	-	■	■	■	0.1	
32	0.1	■	0.1	0.1	0.3	0.1	0.2	0.2	0.3	0.3	
33	0.8	1.6	2.5	3.3	4.0	1.7	1.4	1.8	2.1	2.4	
34	3.3	11.0	14.5	17.2	18.2	10.3	11.3	11.4	11.9	12.7	
35	15.4	31.4	35.3	36.6	36.5	33.4	33.2	31.4	31.3	31.2	
36	42.7	36.7	33.7	30.9	29.8	38.7	37.4	36.2	35.6	34.9	
37	35.5	18.8	13.7	11.6	11.1	15.5	15.9	17.9	17.7	17.3	
38	2.2	0.4	0.2	0.2	0.2	0.3	0.5	0.8	0.9	0.9	
39	■	■	■	■	■	■	■	0.1	0.1	0.1	
40 & longer	-	■	■	■	■	-	■	0.1	0.2	0.2	
All staples	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
Average staple	36.2	35.6	35.4	35.3	35.3	35.6	35.6	35.6	35.6	35.5	
Classings	2,864	167,448	425,721	548,604	585,181	76,953	322,082	576,162	641,999	665,130	

1/ Lower in grade than the lowest grades of the official standards. ■ Less than 0.05 percent.

Table 7. -- Continued

KANSAS						CALIFORNIA				
Grade and Staple	Period through				Crop	Period through				Crop
	Oct. 1	Oct. 29	Dec. 3	Dec. 31		Oct. 1	Oct. 29	Dec. 3	Dec. 31	
GRADE										
White:										
11	-	-	8	8	8	1.1	0.2	0.1	0.1	0.1
21	6.4	6.4	2.3	2.2	2.2	42.4	37.6	31.7	30.8	30.5
30	8	8	8	8	8	8.5	0.3	0.2	0.2	0.2
31	49.0	49.0	51.3	48.9	48.6	41.9	53.5	48.1	47.1	47.0
40	8.0	8.0	2.0	1.8	1.8	0.6	1.7	1.4	1.4	1.4
41	27.0	27.0	29.8	30.2	30.2	4.4	5.0	10.8	11.5	11.5
50	1.4	1.4	1.4	1.3	1.3	0.1	8	0.1	0.1	0.1
51	2.2	2.2	5.4	6.1	6.1	0.5	0.3	2.1	2.4	2.4
60	-	-	8	8	8	8	8	8	8	8
61	8	8	0.3	0.6	0.6	8	8	0.2	0.2	0.2
70	-	-	-	8	8	-	-	8	8	8
71	8	8	8	8	8	-	8	8	8	8
Total	74	74	92.7	91.1	90.8	91.5	78.4	94.7	93.8	93.4
Light Spotted:										
12	-	-	8	8	8	8	8	8	8	8
22	0.2	0.2	8	8	8	0.4	0.1	0.3	0.3	0.4
32	1.7	1.7	2.3	2.7	2.7	0.5	0.4	1.8	2.2	2.3
42	3.3	3.3	3.2	3.9	4.0	0.3	0.2	1.1	1.3	1.4
52	0.4	0.4	1.0	1.2	1.3	0.1	0.1	0.3	0.4	0.4
62	8	8	0.1	0.2	0.2	8	8	0.1	0.1	0.1
Total	5.6	5.6	6.6	8.0	8.2	1.3	0.8	3.6	4.3	4.6
Spotted:										
13	-	-	8	8	8	8	8	8	8	8
23	8	8	8	8	8	0.1	8	8	8	8
33	8	8	0.1	0.1	0.1	8	8	0.3	0.4	0.4
43	8	8	0.1	0.2	0.2	8	8	0.2	0.3	0.3
53	8	8	8	0.1	0.1	8	8	0.1	0.1	0.1
63	-	-	8	8	8	-	8	8	8	8
Total	8	8	0.2	0.4	0.4	0.1	8	0.6	0.8	0.8
Tinged:										
24	-	-	-	8	-	-	8	8	8	8
34	8	8	8	8	8	-	8	8	8	8
44	8	8	8	8	8	8	8	8	8	0.1
54	8	8	8	8	8	8	8	8	8	8
Total	8	8	8	8	8	8	8	8	8	0.1
Stained:										
All grades	-	-	8	8	8	-	8	8	8	8
Light Gray:										
All grades	8	8	0.3	0.4	0.4	6.5	0.6	0.9	0.9	0.9
Gray:										
All grades	8	8	8	8	8	0.5	8	8	8	8
Below Grade 1/										
All grades	8	8	8	8	8	-	8	8	8	8
All grades										
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Staple										
24 & shorter	-	-	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	-
30	-	-	8	8	8	-	8	8	8	8
31	8	8	8	8	8	-	8	8	8	8
32	8	8	0.1	0.2	0.2	8	0.1	0.1	0.1	0.1
33	1.4	1.4	1.4	1.6	1.6	0.9	0.9	0.6	0.6	0.6
34	8.8	8.8	7.5	7.9	7.9	11.6	12.5	11.0	10.4	9.8
35	16.6	16.6	22.8	23.2	23.2	37.3	41.2	39.1	38.7	38.8
36	28.9	28.9	35.6	35.5	35.5	40.6	34.6	36.3	36.8	36.7
37	36.0	36.0	28.8	28.1	28.1	12.2	9.9	11.9	12.4	12.9
38	7.6	7.6	3.6	3.4	3.4	0.4	0.8	0.9	0.9	1.0
39	0.6	0.6	0.1	0.1	0.1	8	0.1	0.1	0.1	0.1
40 & longer	8	8	8	8	8	-	8	8	8	8
All staples	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple	36.1	36.1	35.9	35.9	35.9	35.6	35.4	35.5	35.5	35.5
Classings										
21,833	673,664	1,420,688	1,610,788	1,625,838	40,249	948,962	2,076,767	2,385,558	2,461,401	

1/ Lower in grade than the lowest grades of the official standards. 8 Less than 0.05 percent.

Table 7. -- Continued

Grade and Staple	GEORGIA					LOUISIANA				
	Period through				Crop	Period through				Crop
	Oct. 1	Oct. 29	Dec. 3	Dec. 31		Oct. 1	Oct. 29	Dec. 3	Dec. 31	
GRADE										
White:										
11	-	-	-	-	-	8	8	8	8	8
21	0.5	0.1	0.1	0.1	0.1	1.4	0.8	1.0	1.0	1.0
30	0.1	8	8	8	8	8	8	8	8	8
31	51.4	33.5	30.7	23.7	21.4	54.1	58.2	57.2	56.7	56.7
40	3.6	0.7	0.5	0.4	0.3	1.4	0.8	0.6	0.6	0.6
41	26.4	47.3	50.9	50.5	48.5	34.0	28.9	26.6	26.6	26.6
50	0.1	0.2	0.1	0.1	0.1	0.6	0.5	0.3	0.3	0.3
51	3.4	6.7	7.5	7.6	7.7	2.2	3.4	4.0	4.1	4.1
60	-	8	8	8	8	8	8	8	8	8
61	0.1	0.2	0.2	0.3	0.4	8	0.2	0.4	0.4	0.5
70	-	-	-	-	-	-	-	8	8	8
71	8	8	8	8	8	8	8	8	8	8
Total	85.6	88.7	90.0	82.7	78.5	43.7	42.8	40.1	39.7	39.8
Light Spotted:										
12	-	-	-	-	-	-	8	8	8	8
22	0.1	8	8	8	8	8	8	8	8	8
32	5.8	4.0	2.4	2.7	2.6	2.4	2.8	3.7	3.8	3.8
42	4.9	4.0	3.7	8.3	9.7	3.1	3.2	3.9	4.0	4.0
52	2.3	0.8	0.7	1.6	2.3	0.4	0.9	1.3	1.3	1.3
62	0.8	0.1	8	0.1	0.3	8	0.1	0.2	0.2	0.2
Total	13.9	8.9	6.8	12.7	14.9	5.9	7.0	9.1	9.3	9.3
Spotted:										
13	-	-	-	-	-	-	8	8	8	8
23	-	8	8	8	8	8	8	8	8	8
33	8	0.1	0.1	0.1	0.2	8	0.1	0.1	0.1	0.1
43	0.1	0.1	0.2	0.5	0.7	0.1	0.1	0.2	0.2	0.2
53	0.1	8	8	0.1	0.2	8	8	0.1	0.1	0.1
63	0.1	8	8	8	8	8	8	8	8	8
Total	0.3	0.2	0.3	0.7	1.1	0.1	0.2	0.4	0.4	1.1
Tinged:										
24	-	-	-	-	8	8	8	8	8	8
34	-	8	8	8	8	8	8	8	8	8
44	-	8	8	8	0.1	8	8	8	8	8
54	8	8	8	8	8	8	8	8	8	8
Total	8	8	8	8	0.1	8	8	8	8	8
Stained:										
All grades	-	-	8	8	8	-	8	8	8	8
Light Gray:										
All grades	0.2	2.2	2.5	3.8	4.6	8	0.2	0.4	0.4	0.4
Gray:										
All grades	-	8	8	0.1	0.7	8	8	8	8	8
Below Grade 1/	8	8	8	8	8	8	8	8	8	8
All grades	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Staple										
26 & shorter	-	-	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	8	8	8	8	8
31	0.2	8	8	8	8	8	8	8	8	8
32	0.8	0.1	0.1	8	0.1	0.1	0.1	0.1	0.1	0.1
33	12.0	5.3	2.8	2.6	2.8	2.9	3.7	3.5	3.5	3.5
34	27.1	22.8	14.9	14.6	14.9	14.2	16.0	16.1	16.1	16.1
35	35.6	42.7	37.5	37.4	36.9	33.8	34.2	35.1	35.2	35.2
36	19.8	24.0	31.8	31.9	32.0	39.6	37.6	36.4	36.3	36.3
37	4.4	5.1	12.1	12.4	12.5	11.4	7.5	8.0	8.0	8.0
38	8	8	0.8	0.8	0.8	0.9	0.8	0.7	0.7	0.7
39	-	-	8	8	8	8	8	8	8	8
40 & longer	-	-	-	-	-	8	8	8	8	8
All staples	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple	34.7	35.0	35.4	35.4	35.4	35.4	35.3	35.3	35.3	35.3
Classings	7,597	136,428	438,820	635,754	720,649	220,334	901,496	1,289,146	1,315,911	1,316,398

1/ Lower in grade than the lowest grades of the official standards. 8 Less than 0.05 percent.

Table 7. -- Continued

MISSISSIPPI						MISSOURI					
Grade and Staple	Period through				Crop	Period through				Crop	
	Oct. 1	Oct. 29	Dec. 3	Dec. 31		Oct. 1	Oct. 29	Dec. 3	Dec. 31		
GRADE											
White:											
11	\$	\$	\$	\$	\$	-	\$	\$	\$	\$	
21	0.6	1.2	1.7	1.7	1.7	0.2	2.0	1.6	1.4	1.4	
30	\$	\$	\$	\$	\$	-	\$	\$	\$	\$	
31	50.6	54.2	49.8	48.3	48.0	34.5	56.3	47.9	45.2	45.0	
40	1.4	1.3	1.0	0.9	0.9	0.6	2.7	1.5	1.4	1.4	
41	39.1	31.8	30.9	31.0	30.9	48.1	28.4	35.2	36.4	36.3	
50	0.6	0.7	0.5	0.4	0.4	2.6	2.1	1.2	1.1	1.1	
51	3.1	4.0	5.6	5.9	6.0	1.6	3.9	5.2	6.1	6.2	
60	\$	\$	\$	\$	\$	-	\$	\$	\$	\$	
61	0.1	0.2	0.5	0.7	0.7	0.1	0.1	0.2	0.4	0.4	
70	-	-	\$	\$	\$	-	-	-	-	-	
71	\$	\$	\$	\$	\$	-	\$	\$	\$	\$	
Total	95.5	93.4	90.0	88.9	88.6	87.7	95.5	92.8	92.0	91.8	
Light Spotted:											
12	-	\$	\$	\$	\$	-	-	-	-	-	
22	-	\$	0.1	0.1	0.1	0.2	\$	0.1	0.1	\$	
32	0.8	1.9	2.8	3.0	3.0	3.9	1.6	2.3	2.3	2.3	
42	2.7	3.6	4.7	5.2	5.2	5.0	1.9	3.3	3.8	3.8	
52	0.6	0.9	1.6	1.7	1.8	2.3	0.5	0.8	1.0	1.0	
62	0.1	0.1	0.3	0.4	0.4	0.2	\$	0.1	0.1	0.1	
Total	4.4	6.5	9.5	10.4	10.5	11.6	4.0	6.6	7.3	7.2	
Spotted:											
13	\$	\$	\$	\$	\$	-	-	-	-	-	
23	-	\$	\$	\$	\$	-	\$	\$	\$	\$	
33	\$	\$	0.1	0.2	0.2	-	0.1	0.1	0.1	0.1	
43	\$	0.1	0.2	0.2	0.3	0.2	\$	0.2	0.2	0.2	
53	\$	\$	0.1	0.1	0.1	0.1	\$	\$	0.1	0.1	
63	\$	\$	\$	\$	\$	-	\$	\$	\$	\$	
Total	\$	0.1	0.4	0.5	0.6	0.3	0.1	0.3	0.4	0.4	
Tinged:											
24	-	-	\$	\$	\$	-	-	-	-	-	
34	-	\$	\$	\$	\$	-	-	\$	\$	\$	
44	\$	\$	\$	\$	\$	-	-	\$	\$	\$	
54	\$	\$	\$	\$	\$	-	-	\$	\$	\$	
Total	\$	\$	\$	\$	\$	-	-	\$	\$	\$	
Stained:											
All grades	-	-	-	-	-	-	-	-	-	-	
Light Gray:											
All grades	\$	\$	0.1	0.1	0.2	-	\$	0.2	0.2	0.2	
Gray:											
All grades	-	\$	\$	\$	\$	-	-	\$	\$	\$	
Below Grade 1/	\$	\$	\$	\$	\$	0.5	\$	\$	\$	\$	
All grades	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
Staple											
26 # shorter	-	-	-	-	-	-	-	-	-	-	
28	-	-	-	-	-	-	-	-	-	-	
29	-	\$	\$	\$	\$	-	-	-	-	-	
30	-	\$	\$	\$	\$	-	-	-	-	-	
31	\$	\$	\$	\$	\$	-	-	-	-	-	
32	\$	0.1	0.1	0.2	0.2	-	-	-	\$	\$	
33	2.1	3.3	4.0	4.2	4.3	0.3	0.1	0.1	0.2	0.2	
34	14.1	18.5	19.0	19.2	19.3	2.8	1.5	2.5	2.8	2.9	
35	37.5	40.1	39.5	39.4	39.3	14.2	11.2	13.8	14.3	14.3	
36	34.4	29.1	28.7	28.4	28.3	28.3	32.9	34.1	34.0	34.0	
37	11.9	8.8	8.5	8.5	8.4	44.1	44.6	41.1	40.5	40.5	
38	0.1	0.1	0.1	0.1	0.1	10.1	9.6	8.2	8.1	8.1	
39	\$	\$	\$	\$	\$	0.2	0.1	0.1	0.1	0.1	
40 # longer	-	\$	\$	\$	\$	-	\$	\$	\$	\$	
All staples	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
Average staple	35.4	35.2	35.2	35.2	35.2	36.4	36.5	36.4	36.4	36.4	
Classings	118,505	1,079,226	1,922,358	2,048,511	2,063,087	1,332	214,280	478,435	527,102	529,157	

1/ Lower in grade than the lowest grades of the official standards. # Less than 0.05 percent.

Table 7. -- Continued

NEW MEXICO						NORTH CAROLINA					
Grade and Staple	Period through				Crop	Period through				Crop	
	Oct. 1	Oct. 29	Dec. 3	Dec. 31		Oct. 1	Oct. 29	Dec. 3	Dec. 31		
GRADE											
White:											
11	-	0.5	0.4	0.3	0.3	-	-	-	-	-	
21	-	26.8	29.7	27.7	26.6	-	0.1	0.3	0.2	0.2	
30	-	§	§	§	§	-	§	§	§	§	
31	-	53.6	47.7	44.8	43.2	51.0	29.6	21.3	16.2	15.5	
40	-	1.0	0.7	0.7	0.7	-	0.8	0.5	0.4	0.4	
41	-	13.1	13.2	13.5	13.4	20.9	50.3	42.7	36.4	35.2	
50	-	-	§	§	§	-	0.9	0.4	0.3	0.3	
51	-	0.8	1.6	2.1	2.4	22.9	14.3	10.1	10.2	10.4	
60	-	-	-	-	-	-	-	§	§	§	
61	-	§	0.1	0.2	0.3	-	0.3	0.5	0.7	0.9	
70	-	-	-	-	-	-	-	-	-	-	
71	-	-	-	§	§	-	§	§	§	§	
Total	-	95.8	93.4	89.3	86.9	94.8	96.3	75.8	64.4	62.9	
Light Spotted:											
12	-	-	0.1	0.2	0.1	-	-	-	-	-	
22	-	§	1.3	1.8	1.7	-	§	§	§	§	
32	-	1.2	2.4	3.2	3.3	-	0.4	1.7	1.7	1.6	
42	-	2.0	2.0	3.0	3.7	4.6	1.7	15.5	19.7	19.2	
52	-	0.8	0.6	1.5	2.4	-	0.8	4.2	7.2	7.5	
62	-	0.1	0.1	0.2	0.2	-	0.1	0.3	0.7	1.0	
Total	-	4.1	6.5	9.9	11.4	4.6	3.0	21.7	29.3	29.3	
Spotted:											
13	-	-	§	§	§	-	-	-	-	-	
23	-	-	0.1	0.2	0.2	-	-	§	§	§	
33	-	§	0.1	0.2	0.3	-	§	0.1	0.1	0.1	
43	-	§	§	0.1	0.5	-	0.1	0.8	1.4	1.1	
53	-	§	§	0.1	0.3	-	§	0.2	0.5	0.4	
63	-	§	§	§	§	-	§	§	0.1	0.1	
Total	-	§	0.2	0.6	1.3	-	0.1	1.1	2.1	1.7	
Tinged:											
24	-	-	-	-	-	-	-	-	-	-	
34	-	-	-	§	0.1	-	-	§	§	§	
44	-	-	-	§	§	-	§	§	§	§	
54	-	-	-	§	§	-	§	§	§	§	
Total	-	-	-	§	0.1	-	§	§	§	§	
Stained:											
All grades	-	-	-	-	-	-	-	-	-	-	
Light Gray:											
All grades	-	§	§	§	§	-	0.6	1.4	3.9	5.3	
Gray:											
All grades	-	-	-	-	-	-	-	§	0.1	0.5	
Below Grade 1/	-	0.1	0.1	0.1	0.1	0.7	§	§	§	§	
All grades	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
Staple											
26 # shorter	-	-	-	-	-	-	-	-	-	-	
28	-	-	-	-	§	-	-	-	-	-	
29	-	-	§	§	§	-	-	-	-	-	
30	-	-	0.1	0.1	0.2	-	-	-	-	-	
31	-	-	0.2	0.3	0.5	-	0.1	§	§	§	
32	-	§	0.2	0.4	0.8	0.7	0.1	§	§	0.1	
33	-	0.1	2.8	4.5	4.8	5.2	0.6	0.4	0.7	1.1	
34	-	0.6	4.0	6.0	6.9	7.2	3.4	3.6	5.7	6.7	
35	-	1.3	5.0	6.3	6.6	19.6	15.2	17.3	21.8	22.6	
36	-	6.1	12.7	13.5	13.4	50.3	47.3	41.1	40.0	39.3	
37	-	32.8	36.2	34.6	33.7	16.3	28.4	33.4	28.4	27.2	
38	-	38.3	27.7	24.7	23.8	0.7	4.4	3.8	3.0	2.8	
39	-	18.3	10.1	8.8	8.5	-	0.6	0.3	0.3	0.2	
40 # longer	-	2.5	1.0	0.8	0.8	-	§	§	§	§	
All staples	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
Average staple	-	37.7	37.0	36.8	36.7	35.7	36.1	36.2	36.0	35.9	
Classings	-	11,123	35,966	42,659	44,539	153	58,797	320,359	446,032	457,498	

1/ Lower in grade than the lowest grades of the official standards. § Less than 0.05 percent.

Table 7. -- Continued

Grade and Staple	OKLAHOMA					SOUTH CAROLINA				
	Period through					Period through				
	Oct. 1	Oct. 29	Dec. 3	Dec. 31	Crop	Oct. 1	Oct. 29	Dec. 3	Dec. 31	Crop
GRADE										
White:										
11	-	0.3	0.5	0.4	0.3	-	-	-	-	-
21	15.8	41.8	33.4	25.0	15.4	1.4	0.1	0.1	0.1	0.1
30	0.8	0.6	0.7	0.5	0.3	-	-	8	8	8
31	62.6	42.4	36.4	27.6	17.1	56.3	28.6	21.5	17.9	16.6
40	9.4	5.3	3.9	2.9	1.8	8.2	0.7	0.4	0.3	0.3
41	10.4	6.3	11.3	9.7	6.6	25.3	58.5	62.2	54.7	51.9
50	-	8	8	8	8	-	0.2	0.2	0.2	0.2
51	-	0.9	2.5	3.6	3.3	1.4	6.1	5.8	9.3	10.1
60	-	-	-	-	-	-	-	-	-	-
61	-	8	0.2	1.1	1.3	0.2	0.1	0.1	0.4	0.7
70	-	-	-	-	-	-	-	-	-	-
71	-	8	8	0.1	0.2	-	-	8	8	0.1
Total	99.0	97.6	88.7	70.9	46.3	92.8	94.3	90.3	82.9	80.0
Light Spotted:										
12	-	-	8	8	8	-	-	-	-	-
22	-	8	0.5	0.4	0.3	-	-	8	8	8
32	0.7	1.0	3.7	3.8	2.6	0.9	0.4	0.5	0.6	0.5
42	0.3	0.8	4.0	7.0	6.1	3.5	3.2	5.0	6.8	6.9
52	-	0.2	1.7	7.7	11.7	1.0	0.6	0.9	2.5	3.2
62	-	8	0.2	3.0	6.3	0.9	0.1	0.1	0.3	0.5
Total	1.0	2.0	10.1	21.9	27.0	6.3	4.3	6.5	10.2	11.1
Spotted:										
13	-	-	-	-	-	-	-	-	-	-
23	-	-	8	8	8	-	8	8	8	8
33	-	8	0.1	0.4	0.3	-	8	8	8	8
43	-	8	0.3	1.7	2.3	-	0.1	0.1	0.2	0.2
53	-	8	0.2	2.7	7.9	0.1	8	8	0.1	0.1
63	-	8	8	1.2	6.5	-	8	8	8	8
Total	-	8	0.6	6.0	17.0	0.1	0.1	0.1	0.3	0.3
Tinged:										
24	-	-	-	-	-	-	-	-	-	-
34	-	-	8	8	8	-	-	-	-	-
44	-	-	8	0.1	0.3	-	8	8	8	8
54	-	-	8	0.2	2.6	-	-	-	8	8
Total	-	-	8	0.3	2.9	-	8	8	8	8
Stained:										
All grades	-	-	-	-	-	-	-	-	-	-
Light Gray:										
All grades	-	0.3	0.2	0.1	0.1	0.7	1.1	3.0	6.6	7.3
Gray:										
All grades	-	8	8	8	8	-	8	8	0.1	1.1
Below Grade 1/	-	8	8	0.8	6.6	0.1	8	8	8	8
All grades	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Staple										
74 & shorter	-	-	-	-	-	-	-	-	-	-
28	-	-	-	-	8	-	-	-	-	-
29	-	8	8	8	0.1	-	-	-	-	-
30	-	8	0.3	0.4	0.6	-	-	-	-	-
31	-	0.4	2.3	2.6	3.7	0.1	8	8	8	8
32	2.9	3.2	8.7	9.2	12.2	0.2	0.1	8	8	0.1
33	5.0	9.6	16.8	18.5	23.1	8.2	3.0	1.8	1.9	2.1
34	5.5	15.2	21.8	24.3	26.0	23.2	13.0	9.1	9.6	10.0
35	31.2	21.7	20.7	20.8	18.0	32.3	30.0	26.2	27.5	27.6
36	29.3	26.8	17.6	14.9	10.4	29.9	41.6	41.2	40.5	39.9
37	23.2	19.6	10.4	8.1	5.2	5.7	11.1	19.6	18.8	18.5
38	2.9	3.4	1.5	1.1	0.7	0.4	1.1	1.9	1.7	1.6
39	-	8	8	8	8	-	0.1	0.2	0.1	0.1
40 & longer	-	-	-	-	-	-	8	8	8	8
All staples	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple	35.6	35.3	34.5	34.3	34.0	35.0	35.5	35.7	35.7	35.7
Classings	1,011	36,489	94,428	126,045	204,614	1,620	63,302	155,952	194,591	210,946

1/ Lower in grade than the lowest grades of the official standards. 8 Less than 0.05 percent.

Table 7. -- Continued

TENNESSEE						TEXAS					
Grade and Staple	Period through				Crop	Period through				Crop	
	Oct. 1	Oct. 29	Dec. 3	Dec. 31		Oct. 1	Oct. 29	Dec. 3	Dec. 31		
GRADE											
White:											
11	-	-	8	8	8		0.1	0.2	0.9	0.7	0.6
21	5.6	0.9	1.2	1.4	1.4		10.4	12.0	21.5	18.0	15.7
30	0.1	8	8	8	8		8	8	0.1	8	8
31	48.9	64.8	56.3	52.1	51.6		42.7	41.5	34.9	29.2	25.7
40	0.3	1.9	1.4	1.3	1.3		0.9	0.8	0.6	0.5	0.4
41	25.1	22.4	26.5	26.7	26.6		21.0	21.0	16.3	15.3	14.4
50	0.1	0.8	0.5	0.4	0.4		0.3	0.2	0.1	0.1	0.1
51	2.4	2.1	3.0	3.3	3.4		5.6	5.7	4.0	4.8	5.3
60	-	-	8	8	8		8	8	8	8	8
61	-	8	0.1	0.1	0.2		0.6	0.6	0.4	0.5	0.7
70	-	-	-	-	-		8	8	8	8	8
71	-	8	8	8	8		8	8	8	8	8
Total	82.5	92.9	89	85.3	84.9		81.6	82.0	78.8	69.1	62.7
Light Spotted:											
12	-	8	8	8	8		8	8	0.1	0.1	0.1
22	0.1	8	0.1	0.1	0.1		0.2	0.3	3.4	3.9	3.5
32	8.8	3.4	5.1	6.1	6.0		3.5	3.7	6.0	8.5	8.3
42	6.1	2.8	4.3	5.9	6.0		4.7	4.5	4.9	8.5	10.4
52	0.9	0.4	0.8	1.2	1.4		2.0	1.9	1.6	3.7	6.3
62	0.1	8	0.1	0.1	0.1		0.3	0.2	0.2	0.4	1.0
Total	16.0	6.6	10.4	13.4	13.6		10.7	10.6	16.2	25.1	29.6
Spotted:											
13	-	8	8	8	8		8	8	8	8	8
23	-	8	8	8	8		8	8	0.3	0.4	0.4
33	0.4	0.1	0.2	0.4	0.4		0.2	0.2	0.5	0.8	1.0
43	0.7	0.1	0.2	0.4	0.5		0.3	0.2	0.4	1.0	1.6
53	0.2	8	8	0.1	0.1		0.2	0.2	0.2	0.5	1.3
63	0.1	8	8	8	8		0.1	8	8	0.1	0.3
Total	1.4	0.2	0.4	0.9	1.0		0.8	0.6	1.4	2.8	4.6
Tinged:											
24	-	-	8	8	8		8	8	8	8	8
34	-	-	8	8	8		8	8	8	0.1	0.1
44	-	8	8	8	8		8	8	8	0.1	0.1
54	-	8	8	8	8		8	8	8	8	0.2
Total	-	8	8	8	8		8	8	8	0.2	0.4
Stained:											
All grades	-	-	-	-	-		8	8	8	8	8
Light Gray:											
All grades	0.1	0.1	0.2	0.2	0.3		6.4	6.0	3.2	2.3	2.0
Gray:											
All grades	-	8	8	8	8		0.7	0.6	0.3	0.2	0.2
Below Grade 1/	0.1	8	8	8	8		8	8	8	0.1	0.1
All grades	100.0	100.0	100.0	100.0	100.0		100.0	100.0	100.0	100.0	100.0
Staple											
26 & shorter	-	8	8	8	8		-	-	8	8	8
28	-	8	8	8	8		8	8	8	8	8
29	-	8	8	8	8		8	8	8	0.1	0.2
30	-	8	8	8	8		0.1	0.1	0.5	0.9	1.4
31	-	8	8	8	8		0.8	0.7	2.4	3.7	4.7
32	0.1	0.1	0.3	0.4	0.4		4.7	4.4	8.0	10.2	11.5
33	0.1	0.5	2.4	3.2	3.4		16.3	15.1	19.5	22.0	22.6
34	2.7	5.9	12.1	13.7	13.9		28.2	26.9	29.1	29.1	28.7
35	15.3	23.0	29.0	29.7	29.6		24.8	25.2	22.0	19.5	18.2
36	41.5	47.0	37.9	35.9	35.6		16.8	17.8	12.5	10.0	8.8
37	32.3	20.3	16.4	15.3	15.2		7.6	9.0	5.5	4.2	3.6
38	7.6	3.0	1.9	1.8	1.8		0.6	0.8	0.5	0.3	0.3
39	0.3	0.2	0.1	0.1	0.1		8	8	8	8	8
40 & longer	-	8	8	8	8		8	8	8	8	8
All staples	100.0	100.0	100.0	100.0	100.0		100.0	100.0	100.0	100.0	100.0
Average staple	36.3	35.9	35.6	35.5	35.5		34.6	34.6	34.2	34.0	33.8
Classings	5,191	296,494	702,860	806,740	815,710		784,978	1,051,541	2,001,980	2,719,927	3,163,268

1/ Lower in grade than the lowest grades of the official standards. 8 Less than 0.05 percent.

Table 7. -- Continued

Grade and Staple	ALL OTHER					UNITED STATES				
	Period through					Period through				
	Oct. 1	Oct. 29	Dec. 3	Dec. 31	Crop	Oct. 1	Oct. 29	Dec. 3	Dec. 31	Crop
GRADE										
White:										
11	-	-	-	-	-	0.2	0.1	0.2	0.2	0.2
21	-	-	-	-	8	10.6	11.5	12.2	11.5	11.0
30	-	-	-	-	8	0.1	0.1	0.1	0.1	0.1
31	-	22.3	11.8	9.3	9.6	45.6	51.8	45.5	41.6	39.7
40	-	0.1	0.1	8	0.1	1.1	1.5	1.1	0.9	0.9
41	-	44.5	44.9	44.3	40.7	23.6	23.1	24.6	24.5	23.9
50	-	0.1	0.1	0.1	0.1	0.4	0.7	0.4	0.4	0.4
51	-	3.2	5.1	6.4	7.4	4.2	3.4	4.2	4.8	5.0
60	-	-	-	-	-	8	8	8	8	8
61	-	0.1	0.2	0.4	0.5	0.4	0.2	0.3	0.4	0.5
70	-	-	-	-	-	8	8	8	8	8
71	-	-	8	8	8	8	8	8	8	8
Total	-	70.3	62.2	60.5	58.4	86.2	92.4	88.6	84.4	81.6
Light Spotted:										
12	-	-	-	-	-	8	8	8	8	8
22	-	-	-	-	8	0.2	0.1	0.7	0.9	0.9
32	-	6.5	3.4	4.0	3.3	2.9	2.2	3.4	4.2	4.2
42	-	17.4	26.8	26.9	24.7	3.9	2.6	4.0	5.6	6.2
52	-	2.4	4.8	5.6	7.1	1.4	0.8	1.2	1.9	2.8
62	-	0.2	0.3	0.4	0.9	0.2	0.1	0.2	0.3	0.5
Total	-	26.5	35.3	36.9	36.0	8.6	5.8	9.5	12.9	14.6
Spotted:										
13	-	-	8	8	8	8	8	8	8	8
23	-	-	8	8	8	8	8	0.1	0.1	0.1
33	-	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.3	0.4
43	-	0.3	0.9	0.9	2.3	0.2	0.1	0.2	0.5	0.7
53	-	-	0.2	0.3	1.0	0.1	8	0.1	0.2	0.5
63	-	-	0.1	0.1	0.2	8	8	8	8	0.2
Total	-	0.4	1.3	1.4	3.7	0.4	0.2	0.6	1.1	1.8
Tinged:										
24	-	-	-	-	-	8	8	8	8	8
34	-	-	8	8	8	8	8	8	8	8
44	-	8	0.1	0.1	0.1	8	8	8	8	0.1
54	-	-	8	8	0.1	8	8	8	8	0.1
Total	-	8	0.1	0.1	0.2	8	8	8	8	0.2
Stained:										
All grades	-	-	-	-	-	8	8	8	8	8
Light Gray:										
All grades	-	2.9	1.1	1.1	1.6	4.2	1.4	1.1	1.4	1.5
Gray:										
All grades	-	8	8	8	8	0.5	0.2	8	8	0.2
Below Grade 1/	-	-	8	8	0.1	8	8	8	8	0.1
All grades	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Staple										
26 & shorter	-	-	-	-	-	-	8	8	8	8
28	-	-	-	-	-	8	8	8	8	8
29	-	-	-	-	-	8	8	8	8	0.1
30	-	-	-	-	-	0.1	8	0.1	0.2	0.3
31	-	-	-	-	8	0.5	0.1	0.4	0.7	1.1
32	-	8	8	8	8	2.9	0.9	1.5	2.2	2.7
33	-	1.3	1.4	1.8	1.6	10.9	4.4	5.2	6.2	6.9
34	-	13.6	14.1	14.8	13.6	22.2	15.2	15.3	15.9	16.3
35	-	39.2	41.3	40.4	40.2	28.3	31.5	30.8	30.1	29.6
36	-	34.9	33.3	32.7	31.3	24.9	31.9	30.7	29.4	28.4
37	-	10.8	9.8	10.1	12.4	9.5	14.3	14.4	13.7	13.2
38	-	8	0.1	0.1	0.8	0.7	1.6	1.5	1.4	1.3
39	-	-	8	8	0.1	8	0.1	0.1	0.1	0.1
40 & longer	-	-	8	8	8	8	8	8	8	8
All staples	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple	-	35.4	35.4	35.3	35.4	34.9	35.4	35.3	35.2	35.1
Classings	-	7,978	29,896	47,333	100,160	1,282,693	5,969,310	11,969,538	14,097,554	14,963,576

1/ Lower in grade than the lowest grades of the official standards. 8 Less than 0.05 percent.

Table 8. -- Percentage distribution of grade and staple for upland cotton classed, by classing offices, 1992 crop

ABILENE		ALTUS		BIRMINGHAM		CORPUS CHRISTI		DUMAS	
Grade and Staple	Texas	Oklahoma	Texas	Classing Office Total	Alabama 1/	Texas	Arkansas		
GRADE									
White:									
11	1.0	0.3	0.2	0.2	-	0.1	8		
21	25.0	15.4	10.2	12.6	0.4	8.5	3.6		
30	8	0.3	0.1	0.2	8	0.1	8		
31	17.4	17.1	13.2	14.9	32.5	30.2	53.4		
40	8	1.8	1.2	1.4	0.6	1.5	2.3		
41	9.3	6.6	9.0	7.9	40.1	22.4	26.1		
50	8	8	8	8	0.3	0.5	1.5		
51	3.0	3.3	6.3	4.9	5.5	6.1	5.1		
60	-	-	-	-	8	8	8		
61	0.4	1.3	2.6	2.0	0.4	0.8	0.6		
70	-	-	-	-	-	8	8		
71	8	0.2	0.3	0.2	8	8	0.1		
Total	56.1	46.3	43.1	44.3	79.8	70.2	92.7		
Light Spotted:									
12	8	8	8	8	-	8	8		
22	3.5	0.3	3.2	1.8	8	0.2	8		
32	8.1	2.6	9.7	6.5	5.1	5.2	2.3		
42	14.8	6.1	14.0	10.4	9.5	7.3	2.9		
52	9.1	11.7	12.5	12.1	2.2	3.1	1.0		
62	1.4	6.3	4.1	5.1	0.3	0.4	0.2		
Total	36.9	27.0	43.5	35.9	17.1	16.2	6.4		
Spotted:									
13	-	-	-	-	8	8	8		
23	0.1	8	0.4	0.2	8	8	8		
33	0.6	0.3	2.1	1.3	0.2	0.2	0.1		
43	2.6	2.3	4.0	3.3	0.6	0.5	0.1		
53	2.6	7.9	3.7	5.6	0.2	0.4	0.1		
63	0.5	6.5	1.1	3.6	8	0.1	8		
Total	6.4	17.0	11.3	14.0	1.0	1.2	0.3		
Tinged:									
Total	0.5	2.9	1.4	2.0	0.1	8	8		
Stained:									
All grades	8	-	-	-	8	8	8		
Light Gray:									
All grades	8	0.1	0.1	0.1	1.1	10.9	0.5		
Gray:									
All grades	8	8	8	8	0.2	1.6	8		
Below Grade 2/	0.1	6.6	0.6	3.4	8	8	8		
All grades	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
STAPLE									
26 or shorter	-	-	8	8	-	-	-		
28	8	8	0.1	8	-	-	-		
29	0.2	0.1	0.7	0.4	8	-	-		
30	1.3	0.6	3.3	2.1	8	8	-		
31	5.4	3.7	9.8	7.1	8	0.3	8		
32	14.4	12.2	18.7	15.8	0.2	2.9	0.3		
33	27.2	23.1	27.2	25.4	3.8	12.5	2.9		
34	31.2	26.0	26.2	26.1	17.9	25.9	11.8		
35	16.5	18.0	11.1	14.2	36.9	27.5	29.8		
36	3.4	10.4	2.5	6.1	29.9	20.4	34.9		
37	0.4	5.2	0.4	2.6	10.9	10.0	19.7		
38	8	0.7	8	0.3	0.2	0.5	0.5		
39	-	8	-	8	8	-	8		
40 or longer	-	-	-	-	8	-	-		
All staples	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
Average staple	33.5	34.0	33.1	33.5	35.3	34.8	35.6		

1/ Includes Florida. 2/ Lower in grade than the lowest grades of the official standards.

- Less than 0.05 percent.

Table 8. — Continued

EL PASO					FLORENCE			
Grade and Staple	Arizon	New Mexico	Texas	Classing Office Total	North Carolina 1/	South Carolina	Classing Office Total 1/	
GRADE								
White:								
11	1.7	0.3	1.7	1.0	-	-	-	
21	45.9	27.6	39.9	35.6	0.2	0.1	0.2	
30	-	■	-	■	■	■	■	
31	32.2	46.7	42.2	41.0	15.1	16.6	15.6	
40	0.3	0.8	0.1	0.5	0.4	0.3	0.3	
41	5.5	14.2	9.8	10.6	34.6	51.9	39.9	
50	-	■	-	■	0.3	0.2	0.3	
51	0.5	2.4	1.0	1.5	10.3	10.1	10.2	
60	-	-	-	-	■	-	■	
61	0.1	0.3	■	0.2	0.9	0.7	0.8	
70	-	-	-	-	-	-	-	
71	■	■	■	■	■	0.1	■	
Total	86.2	92.3	94.7	90.4	61.8	80.0	67.3	
Light Spotted:								
12	-	-	-	-	-	-	-	
22	2.3	0.3	0.3	1.0	■	■	■	
32	7.8	2.3	2.0	4.2	1.6	0.5	1.3	
42	2.6	2.8	1.8	2.6	19.8	6.9	15.8	
52	0.4	1.7	0.3	1.1	7.8	3.2	6.4	
62	0.1	0.2	■	0.2	1.0	0.5	0.9	
Total	13.2	7.3	4.4	9.1	30.2	11.1	24.4	
Spotted:								
13	-	-	-	-	-	-	-	
23	■	■	0.1	■	■	■	■	
33	0.2	0.1	■	0.1	0.1	■	0.1	
43	0.1	0.1	■	0.1	1.4	0.2	1.1	
53	0.1	0.1	-	0.1	0.6	0.1	0.4	
63	■	■	-	■	0.1	■	0.1	
Total	0.4	0.3	0.1	0.3	2.2	0.3	1.7	
Tinged:								
Total	■	■	-	■	■	■	■	
Stained:								
All grades	-	-	-	-	-	-	-	
Light Gray:								
All grades	0.1	■	0.6	0.1	5.2	7.3	5.8	
Gray:								
All grades	-	-	■	■	0.5	1.1	0.8	
Below Grade 2/	■	■	-	■	■	■	■	
All grades	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
STAPLE								
24 ■ shorter	-	-	-	-	-	-	-	
25	-	-	-	-	-	-	-	
29	-	-	-	-	-	-	-	
30	-	-	-	-	-	-	-	
31	■	■	0.2	0.1	■	■	■	
32	0.6	0.2	1.3	0.4	0.1	0.1	0.1	
33	4.4	3.5	6.7	4.2	1.0	2.1	1.4	
34	10.4	4.1	19.3	8.2	6.6	10.0	7.6	
35	22.0	5.3	32.8	14.6	22.6	27.6	24.1	
36	28.2	14.0	24.0	20.3	39.3	39.9	39.5	
37	23.6	36.8	13.5	29.3	27.3	18.5	24.6	
38	5.3	26.0	1.9	15.7	2.8	1.6	2.4	
39	0.6	9.3	0.2	5.1	0.2	0.1	0.2	
40 ■ longer	5.0	0.9	-	2.2	■	-	■	
All staples	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
Average staple	36.0	37.0	35.2	36.4	35.9	35.7	35.9	

1/ Includes Virginia. 2/ Lower in grade than the lowest grades of the official standards.

■ Less than 0.05 percent.

Table 8. -- Continued

Grade and Staple	GREENWOOD		HARTINGEN		HAYTI		Classing Office Total
	Mississippi		Texas		Arkansas	Missouri	
GRADE							
White:							
11	\$		\$		\$	\$	\$
21	1.9		10.4		1.4	1.4	1.4
30	\$		\$		\$	\$	\$
31	50.3		57.0		49.4	45.0	47.4
40	1.0		0.5		1.1	1.4	1.2
41	30.1		16.5		31.5	36.3	33.6
50	0.4		0.1		1.2	1.1	1.2
51	5.6		3.6		6.3	6.2	6.2
60	\$		\$		\$	\$	\$
61	0.7		0.3		0.6	0.4	0.5
70	\$		-		-	-	-
71	\$		\$		\$	\$	\$
Total	90.0		88.4		91.5	91.8	91.5
Light Spotted:							
12	\$		\$		-	-	-
22	0.1		0.1		\$	\$	\$
32	2.7		1.9		2.7	2.3	2.5
42	4.6		3.0		3.8	3.8	3.8
52	1.6		1.3		1.2	1.0	1.1
62	0.3		0.1		0.2	0.1	0.2
Total	9.3		6.8		7.9	7.2	7.6
Spotted:							
13	\$		\$		-	-	-
23	\$		\$		\$	\$	\$
33	0.2		0.2		0.1	0.1	0.1
43	0.2		0.2		0.3	0.2	0.2
53	0.1		0.1		0.1	0.1	0.1
63	\$		\$		\$	\$	\$
Total	0.5		0.5		0.5	0.4	0.4
Tinged:							
Total	\$		\$		\$	\$	\$
Stained:							
All grades	-		-		-	-	-
Light Gray:							
All grades	0.2		4.1		0.1	0.2	0.1
Gray:							
All grades	\$		0.4		\$	\$	\$
Below Grade 1/	\$		\$		\$	\$	\$
All grades	100.0		100.0		100.0	100.0	100.0
STAPLE							
26 # shorter	-		-		-	-	-
28	-		\$		-	-	-
29	\$		\$		-	-	-
30	\$		0.3		-	-	-
31	\$		1.8		-	-	-
32	0.1		8.1		\$	\$	\$
33	4.1		23.6		0.3	0.2	0.3
34	19.0		34.9		4.1	2.9	3.5
35	39.6		23.8		15.3	14.3	14.9
36	28.4		7.1		33.8	34.0	33.9
37	8.7		0.4		39.3	40.5	39.8
38	0.1		\$		7.1	8.1	7.5
39	\$		\$		0.1	0.1	0.1
40 & longer	\$		-		\$	\$	\$
All staples	100.0		100.0		100.0	100.0	100.0
Average staple	35.2		33.9		36.3	36.4	36.3

1/ Lower in grade than the lowest grades of the official standards.

Less than 0.05 percent.

Table 8. -- Continued

LAMESA				LUBBOCK			
Grade and Staple	New Mexico	Texas	Classing Office Total	New Mexico	Texas	Classing Office Total	
GRADE							
White:							
11	0.7	0.9	0.9	-	0.9	0.9	
21	22.9	20.3	20.3	0.1	14.6	14.6	
30	-	§	§	-	0.1	0.1	
31	7.4	19.2	19.2	0.2	20.3	20.2	
40	0.2	0.1	0.1	-	0.2	§	
41	6.1	12.9	12.9	0.2	12.0	12.0	
50	§	§	§	-	§	§	
51	11.2	6.1	6.1	0.1	5.3	5.3	
60	-	-	-	-	§	§	
61	0.5	0.3	0.3	-	0.5	0.5	
70	-	-	-	-	-	-	
71	0.1	§	§	-	§	§	
Total	42.1	59.8	59.8	0.6	53.9	53.6	
Light Spotted:							
12	2.5	0.1	0.1	-	0.3	0.3	
22	25.6	6.1	6.2	1.8	6.0	6.0	
32	10.6	10.3	10.3	18.8	12.6	12.6	
42	6.8	11.7	11.7	24.6	12.2	12.2	
52	6.6	6.3	6.3	20.0	7.4	7.4	
62	0.6	0.4	0.4	0.1	1.1	1.1	
Total	52.7	34.9	35.0	65.3	39.6	39.6	
Spotted:							
13	0.6	§	§	-	§	§	
23	3.1	0.7	0.7	0.8	1.0	1.0	
33	0.9	1.6	1.6	5.9	1.6	1.6	
43	0.2	1.8	1.8	15.0	1.6	1.6	
53	0.1	0.8	0.8	9.2	1.1	1.1	
63	-	§	§	0.1	0.3	0.3	
Total	4.9	4.9	4.9	31.0	5.6	5.6	
Tinged:							
Total	-	0.2	0.2	3.2	0.7	0.7	
Stained:							
All grades	-	§	§	-	§	§	
Light Gray:							
All grades	-	§	§	-	§	§	
Gray:							
All grades	-	§	§	-	§	§	
Below Grade 1/	0.4	§	§	-	0.1	0.1	
All grades	100.0	100.0	100.0	100.0	100.0	100.0	
STAPLE							
26 & shorter	-	§	§	-	§	§	
28	-	§	§	0.1	0.1	0.1	
29	0.3	0.3	0.3	0.3	0.4	0.4	
30	2.0	2.0	2.0	2.9	2.1	2.1	
31	4.8	6.5	6.5	8.0	6.8	6.8	
32	5.9	12.9	12.9	12.8	15.3	15.3	
33	18.1	24.4	24.4	20.3	26.0	26.0	
34	36.0	32.2	32.2	37.7	27.4	27.4	
35	24.2	15.9	16.0	14.5	14.4	14.4	
36	7.9	4.5	4.6	3.5	5.9	5.9	
37	0.7	1.1	1.1	-	1.5	1.5	
38	-	0.1	0.1	-	§	§	
39	-	§	§	-	§	§	
40 & longer	-	-	-	-	§	§	
All staples	100.0	100.0	100.0	100.0	100.0	100.0	
Average staple	33.9	33.5	33.5	33.4	33.4	33.4	

1/ Lower in grade than the lowest grades of the official standards.

§ Less than 0.05 percent.

Table 8. -- Continued

Grade and Staple	MACON		MEMPHIS				Classing Office Total
	Georgia 1/	Arkansas	Mississippi	Tennessee			
GRADE							
White:							
11	-	§	-	§			§
21	0.1	0.5	0.2	1.4			1.0
30	§	§	§	§			§
31	21.2	34.8	27.6	51.6			44.1
40	0.3	2.0	0.4	1.3			1.3
41	48.6	37.3	37.4	26.6			30.6
50	0.1	1.0	0.7	0.4			0.6
51	7.8	11.5	9.9	3.4			5.6
60	§	§	§	§			§
61	0.4	0.7	1.0	0.2			0.4
70	-	-	-	-			-
71	§	§	0.1	§			§
Total	78.5	111.1	77.3	84.9			83.6
Light Spotted:							
12	-	§	-	§			§
22	§	§	§	0.1			0.1
32	2.6	3.6	5.1	6.0			5.4
42	9.9	7.1	11.0	6.0			7.0
52	2.3	2.3	4.1	1.4			2.0
62	0.3	0.3	0.8	0.1			0.2
Total	15.1	13.3	20.8	13.6			14.7
Spotted:							
13	-	-	§	§			§
23	§	§	§	§			§
33	0.2	0.2	0.1	0.4			0.3
43	0.7	0.5	0.6	0.5			0.5
53	0.2	0.2	0.4	0.1			0.2
63	§	§	0.1	§			§
Total	1.1	0.9	1.2	1.0			1.0
Tinged:							
Total	0.1	§	§	§			§
Stained:							
All grades	§	-	-	-			-
Light Gray:							
All grades	4.6	0.8	0.5	0.3			0.4
Gray:							
All grades	0.7	§	§	§			§
Below Grade 2/	§	§	§	§			§
All grades	100.0	100.0	100.0	100.0			100.0
STAPLE							
26 # shorter	-	-	-	§			§
28	-	-	-	§			§
29	-	-	§	§			§
30	-	§	§	§			§
31	§	§	§	§			§
32	0.1	0.2	1.0	0.4			0.5
33	2.7	1.3	6.3	3.4			3.4
34	111.9	7.3	21.9	13.9			13.8
35	37.5	25.1	36.7	29.6			29.8
36	31.8	41.0	27.6	35.6			35.5
37	12.2	23.1	6.2	15.2			15.4
38	0.8	1.8	0.3	1.8			1.5
39	§	0.1	§	0.1			0.1
40 # longer	-	§	§	§			§
All staples	100.0	100.0	100.0	100.0			100.0
Average staple	35.4	35.8	35.0	35.5			35.5

1/ Includes Florida. 2/ Lower in grade than the lowest grades of the official standards.

§ Less than 0.05 percent.

Table 8. — Continued

	PHOENIX				RAYVILLE	VISALIA	TEXAS
Grade and Staple	Arizona	California	Classing Office Total		Louisiana	California	Waco
GRADE							
White:							
11	1.1	1.0	1.1		0	0.1	0
21	36.3	47.5	37.4		1.0	30.0	9.0
30	0.1	0	0.1		0	0.2	0
31	38.1	28.8	37.2		56.7	47.6	40.6
40	0.2	0.1	0.1		0.6	1.4	0.2
41	6.3	4.9	6.1		26.6	11.7	24.1
50	0	0	0		0.3	0.1	0
51	1.0	1.3	1.1		4.1	2.4	8.1
60	-	0	0		0	0	-
61	0.1	0.1	0.1		0.5	0.2	0.9
70	-	-	-		0	0	-
71	0	0	0		0	0	0
Total	83.2	83.7	83.2		89.8	93.7	82.9
Light Spotted:							
12	0	0	0		0	0	-
22	0.8	0.5	0.8		0	0.3	0.3
32	4.1	1.1	3.8		3.8	2.4	3.8
42	2.7	1.3	2.6		4.0	1.4	4.1
52	2.0	1.0	1.9		1.3	0.4	2.6
62	0.2	0.1	0.2		0.2	0.1	0.6
Total	9.8	4.0	9.3		9.3	4.6	11.4
Spotted:							
13	0	0	0		0	0	-
23	0	0.1	0		0	0	0
33	0.2	0	0.2		0.1	0.4	0.3
43	0.3	0.1	0.3		0.2	0.3	0.4
53	0.5	0.1	0.5		0.1	0.1	0.4
63	0.1	0	0.1		0	0	0.2
Total	1.1	0.3	1.1		0.4	0.8	1.5
Tinged:							
Total	0.2	0	0.2		0	0.1	0.1
Stained:							
All grades	0	0	0		0	0	-
Light Gray:							
All grades	5.0	10.8	5.5		0.4	0.6	3.7
Gray:							
All grades	0.3	0.9	0.4		0	0	0.1
Below Grade 1/	0.2	0	0.2		0	0	0
All grades	100.0	100.0	100.0		100.0	100.0	100.0
STAPLE							
26 & shorter	-	-	-		-	-	-
27	-	-	-		-	-	0
29	0	-	0		-	-	0
30	0	0	0		0	-	0
31	0.1	0	0		0	0	0.2
32	0.3	0.2	0.3		0.1	0	3.3
33	2.3	1.8	2.2		3.5	0.6	12.0
34	12.8	12.2	12.8		16.1	9.8	21.5
35	31.7	39.2	32.4		35.2	38.7	22.6
36	35.1	36.0	35.2		36.3	36.8	23.7
37	17.0	10.5	16.4		8.0	13.0	14.9
38	0.7	0	0.6		0.7	1.0	1.7
39	0	0	0		0	0.1	0
40 & longer	0	0	0		0	0	0
All staples	100.0	100.0	100.0		100.0	100.0	100.0
Average staple	35.5	35.4	35.5		35.3	35.6	35.0

1/ Lower in grade than the lowest grades of official standards.

0 Less than 0.05 percent.

Table 9. -- Percentage distribution of mike and fiber strength for upland cotton classed through specified periods, by states and United States, 1992 crop

ALABAMA						ARIZONA					
Mike and Strength	Period through				Crop	Period through				Crop	
	Oct. 1	Oct. 29	Dec. 3	Dec. 31		Oct. 1	Oct. 29	Dec. 3	Dec. 31		
MIKE	24 & below	-	-	■	■	0.2	0.1	0.1	0.2	0.2	
	25	-	■	■	0.1	0.1	0.1	0.1	0.2	0.2	
	26	-	■	■	0.1	0.1	0.1	0.2	0.3	0.3	
	27	-	■	0.1	0.2	0.2	0.1	0.1	0.3	0.4	
	28	■	■	0.1	0.3	0.4	0.2	0.1	0.3	0.5	
	29	0.2	0.1	0.2	0.4	0.5	0.1	0.1	0.4	0.6	
	30	0.7	0.1	0.3	0.6	0.6	0.2	0.1	0.5	0.7	
	31	0.8	0.2	0.6	1.0	1.1	0.4	0.2	0.6	0.8	
	32	0.8	0.2	0.8	1.3	1.4	0.7	0.4	0.8	1.0	
	33	1.2	0.4	1.1	1.6	1.8	0.9	0.5	0.9	1.1	
	34	1.7	0.5	1.3	2.1	2.3	1.4	0.9	1.4	1.6	
	35	1.9	1.4	2.6	3.3	3.5	1.7	1.1	1.5	1.7	
	36	2.7	2.4	3.8	4.4	4.6	2.4	1.5	2.0	2.2	
	37	2.2	3.8	5.2	5.7	5.8	2.9	2.0	2.3	2.4	
	38	5.3	5.8	6.9	7.3	7.4	4.2	2.9	3.0	3.1	
	39	6.1	8.0	8.4	8.5	8.5	4.9	3.4	3.5	3.5	
	40	5.5	10.0	9.9	9.6	9.5	6.0	4.5	4.5	4.5	
	41	7.0	10.9	10.3	9.8	9.6	6.8	5.4	5.2	5.2	
	42	7.7	11.1	10.3	9.7	9.4	8.1	7.1	6.7	6.5	
	43	9.3	10.3	9.6	8.8	8.6	8.0	7.9	7.2	7.0	
	44	10.5	9.7	8.9	8.0	7.8	8.6	9.3	8.5	8.2	
	45	9.3	8.2	7.0	6.3	6.1	7.7	9.2	8.5	8.2	
	46	6.5	6.4	5.2	4.7	4.5	7.6	9.6	9.0	8.7	
	47	5.1	4.5	3.4	2.9	2.9	6.1	8.3	7.9	7.7	
	48	4.8	2.9	2.1	1.8	1.7	5.3	7.3	7.1	6.8	
	49	5.1	2.0	1.3	1.1	1.1	4.2	5.8	5.5	5.2	
	50	2.3	0.6	0.4	0.3	0.3	3.4	4.7	4.4	4.3	
	51	1.8	0.4	0.2	0.2	0.2	2.9	3.4	3.1	3.0	
	52	1.1	0.2	0.1	0.1	0.1	2.2	2.2	2.2	2.1	
	53	0.4	0.1	■	■	■	1.3	1.4	1.4	1.3	
	54	0.1	■	■	■	■	0.6	0.3	0.5	0.5	
	55	■	■	■	■	■	0.4	0.2	0.3	0.3	
	56	-	■	■	■	■	0.2	0.1	0.2	0.2	
	57	-	-	-	-	-	0.1	■	0.1	0.1	
	58	-	■	■	■	■	■	■	■	■	
	59	-	-	-	-	-	■	■	■	■	
60 & above	-	-	-	-	-	-	-	-	■	■	
Average mike		43	42	41	41	40	43	44	44	44	
FIBER STRENGTH 1/											
17 & below	-	-	■	■	■	■	■	■	■	■	
18	-	-	■	■	■	■	■	■	■	■	
19	-	-	■	■	■	■	■	■	■	■	
20	-	-	■	■	■	■	■	■	■	■	
21	-	-	■	■	■	■	■	■	■	■	
22	-	■	■	■	0.1	0.2	0.1	0.2	0.2	0.2	
23	■	■	0.1	0.1	0.3	0.7	0.4	0.6	0.7	0.8	
24	0.9	0.4	1.4	1.8	2.4	3.3	2.1	2.6	2.8	3.0	
25	2.2	2.8	5.9	7.0	7.5	7.8	5.4	5.9	6.2	6.5	
26	8.0	13.0	16.5	17.4	17.5	16.4	14.5	14.8	15.0	15.4	
27	11.6	16.6	17.3	17.1	17.1	20.6	19.6	18.6	18.7	18.9	
28	12.8	19.2	20.4	20.3	20.1	25.1	27.1	25.4	25.0	24.7	
29	8.5	14.3	14.9	14.8	14.5	14.7	17.1	16.5	16.1	15.7	
30	15.0	16.9	13.7	12.9	12.5	8.5	10.1	10.6	10.4	10.1	
31	22.2	9.9	6.3	5.5	5.3	2.0	2.6	3.3	3.2	3.1	
32	14.3	5.2	2.8	2.4	2.3	0.6	0.9	1.2	1.2	1.2	
33	3.4	1.2	0.6	0.5	0.5	0.1	0.1	0.2	0.2	0.2	
34	0.9	0.3	0.1	0.1	0.1	■	■	0.1	0.1	0.1	
35	0.1	■	■	■	■	■	■	■	■	■	
36 & above	-	■	■	■	■	-	■	■	■	■	
Average strength		29.5	28.5	28.0	27.9	27.8	27.5	27.7	27.7	27.7	

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). ■ Less than 0.05 percent.

Table 9 -- Continued

ARKANSAS						CALIFORNIA					
Mike and Strength		Period through				Crop	Period through				Crop
		Oct. 1	Oct. 29	Dec. 3	Dec. 31		Oct. 1	Oct. 29	Dec. 3	Dec. 31	
MIKE	24 & below	-	§	§	0.1	0.1	§	§	§	§	§
	25	-	§	0.1	0.1	0.1	§	§	§	§	§
	26	-	§	0.1	0.2	0.2	§	§	§	§	§
	27	-	0.1	0.2	0.4	0.4	0.1	§	§	§	§
	28	-	0.1	0.5	0.7	0.7	§	§	§	§	§
	29	-	0.1	0.6	0.8	0.9	0.1	§	§	§	0.1
	30	§	0.3	1.0	1.3	1.3	0.2	0.1	0.1	0.1	0.1
	31	§	0.4	1.3	1.6	1.6	0.2	0.1	0.1	0.1	0.1
	32	§	0.5	1.6	2.0	2.1	0.6	0.2	0.2	0.2	0.2
	33	0.1	1.2	2.4	2.8	2.9	0.7	0.2	0.3	0.3	0.3
	34	0.4	1.8	3.3	3.7	3.7	1.1	0.5	0.4	0.5	0.5
	35	1.1	3.2	4.5	4.9	5.0	1.2	1.1	0.9	0.9	0.9
	36	2.3	4.8	6.2	6.5	6.5	2.2	2.2	1.7	1.7	1.7
	37	3.1	6.6	7.6	7.7	7.8	2.5	3.2	2.6	2.5	2.5
	38	4.6	9.2	9.6	9.6	9.6	4.8	5.6	4.5	4.5	4.4
	39	6.9	10.8	10.5	10.2	10.1	5.6	7.4	6.2	6.0	6.0
	40	10.2	12.2	11.2	10.7	10.6	8.7	11.1	9.7	9.6	9.6
	41	11.8	11.7	10.3	9.7	9.7	9.1	12.3	11.5	11.2	11.2
	42	13.0	10.8	9.0	8.4	8.4	11.7	14.3	14.5	14.6	14.7
	43	12.0	8.7	7.0	6.5	6.5	8.9	12.3	13.0	13.2	13.1
	44	10.3	6.6	5.1	4.7	4.7	10.6	11.2	12.3	12.4	12.5
	45	8.1	4.6	3.4	3.1	3.1	7.6	7.5	8.5	8.6	8.5
	46	6.2	3.0	2.2	2.0	2.0	6.9	5.1	6.2	6.3	6.4
	47	4.2	1.7	1.2	1.1	1.1	4.8	2.6	3.5	3.5	3.5
	48	2.7	1.0	0.7	0.6	0.6	4.2	1.6	2.2	2.2	2.2
	49	1.9	0.5	0.4	0.4	0.4	3.3	0.7	1.0	1.0	0.9
	50	0.6	0.2	0.1	0.1	0.1	1.9	0.3	0.3	0.3	0.3
	51	0.3	0.1	0.1	0.1	0.1	1.1	0.2	0.1	0.1	0.1
	52	0.1	§	§	§	§	1.0	0.1	0.1	0.1	0.1
	53	§	§	§	§	§	0.5	0.1	0.1	§	§
	54	§	§	§	§	§	0.3	§	§	§	§
	55	-	§	§	§	§	0.2	§	§	§	§
	56	-	§	§	§	§	0.1	§	§	§	§
	57	-	§	§	§	§	§	§	§	§	§
	58	-	§	§	§	§	§	§	§	§	§
	59	-	§	§	§	§	0.1	§	§	§	§
	60 & above	-	§	§	§	§	-	-	-	-	-
Average mike		42	40	39	39	39	43	42	42	42	42
FIBER STRENGTH 1/											
	17 & below	-	§	§	§	§	-	§	§	§	§
	18	§	§	§	§	§	-	-	§	§	§
	19	§	§	§	§	§	-	-	§	§	§
	20	0.1	§	§	§	§	§	§	§	§	§
	21	0.1	§	0.1	0.1	0.1	§	§	§	§	§
	22	0.2	0.1	0.2	0.3	0.3	0.1	§	§	§	§
	23	0.8	1.2	1.5	1.6	1.6	0.3	§	§	§	§
	24	3.9	6.7	7.5	7.7	7.7	1.6	0.2	0.1	0.1	0.1
	25	8.0	12.7	13.8	13.9	13.8	5.0	0.5	0.3	0.3	0.3
	26	18.1	24.4	25.0	24.9	24.9	9.9	1.3	0.8	0.7	0.7
	27	21.6	20.8	20.2	20.1	20.1	14.0	2.7	1.8	1.8	1.8
	28	23.2	18.2	17.2	17.2	17.2	23.4	9.9	8.0	7.8	7.8
	29	11.8	8.3	7.8	7.7	7.8	16.2	17.9	16.7	16.5	16.5
	30	7.7	4.9	4.5	4.4	4.4	15.9	29.4	30.3	30.3	30.1
	31	2.7	1.6	1.4	1.4	1.4	8.2	19.4	21.6	21.9	22.0
	32	1.3	0.7	0.6	0.6	0.6	3.8	12.4	14.0	14.3	14.5
	33	0.4	0.1	0.1	0.1	0.1	1.2	4.0	4.3	4.3	4.3
	34	0.1	§	§	§	§	0.4	1.8	1.7	1.7	1.7
	35	§	§	§	§	§	0.1	0.4	0.4	0.3	0.3
	36 & above	§	§	§	§	§	§	0.1	0.1	0.1	0.1
Average strength		27.4	26.9	26.7	26.7	26.7	28.4	30.1	30.3	30.3	30.3

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). § Less than 0.05 percent.

Table 9. -- Continued

GEORGIA						LOUISIANA					
Mike and Strength		Period through				Crop	Period through				Crop
		Oct. 1	Oct. 29	Dec. 3	Dec. 31		Oct. 1	Oct. 29	Dec. 3	Dec. 31	
MIKE	24 ■ below	-	-	§	§	§	-	-	§	§	§
	25	-	-	§	§	§	§	§	§	§	§
	26	-	-	§	§	§	§	§	§	§	§
	27	-	-	§	§	0.1	§	§	§	§	§
	28	§	§	§	§	0.1	§	0.1	0.1	0.1	0.1
	29	§	§	§	0.1	0.2	§	0.1	0.1	0.1	0.1
	30	§	§	§	0.1	0.3	§	0.2	0.2	0.2	0.2
	31	0.1	§	0.1	0.2	0.4	§	0.2	0.3	0.3	0.3
	32	§	§	0.1	0.3	0.6	§	0.3	0.3	0.3	0.3
	33	0.1	§	0.2	0.5	0.8	0.1	0.4	0.5	0.5	0.5
	34	0.1	0.1	0.3	0.8	1.1	0.1	0.4	0.5	0.5	0.5
	35	0.1	0.2	0.8	1.3	1.7	0.2	0.8	0.9	0.9	0.9
	36	0.1	0.3	1.2	2.0	2.5	0.5	1.1	1.3	1.3	1.3
	37	0.1	0.5	1.7	2.7	3.3	0.9	1.6	1.8	1.8	1.8
	38	0.6	1.0	2.7	3.9	4.5	1.8	2.9	3.0	3.0	3.0
	39	0.8	1.3	3.7	4.9	5.4	2.4	3.5	3.7	3.7	3.7
	40	2.2	2.3	5.2	6.4	6.6	4.2	5.5	5.5	5.6	5.6
	41	3.4	3.5	6.4	7.3	7.4	5.9	7.1	7.1	7.1	7.1
	42	4.3	5.6	8.1	8.5	8.3	8.0	9.0	9.0	9.0	9.0
	43	4.6	7.6	9.2	9.0	8.7	10.9	11.0	10.9	10.9	10.9
	44	7.0	9.8	10.4	9.5	9.0	11.9	11.4	11.2	11.2	11.2
	45	10.7	11.0	10.1	8.9	8.4	11.1	10.4	10.3	10.2	10.2
	46	12.1	12.7	9.9	8.5	7.8	11.8	10.1	9.8	9.7	9.7
	47	10.6	11.5	8.6	7.2	6.7	9.9	8.2	8.0	8.0	8.0
	48	7.8	9.8	7.1	5.9	5.5	8.5	6.7	6.5	6.5	6.5
	49	7.3	7.7	5.2	4.3	4.0	5.2	4.1	4.0	4.0	4.0
	50	8.8	6.1	3.8	3.2	2.9	3.2	2.4	2.4	2.4	2.4
	51	7.8	4.1	2.5	2.1	1.9	2.1	1.5	1.5	1.5	1.5
	52	5.3	2.6	1.5	1.2	1.1	1.1	0.7	0.7	0.8	0.8
	53	3.9	1.6	0.9	0.7	0.7	0.3	0.2	0.3	0.3	0.3
	54	1.8	0.4	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1
	55	0.5	0.2	0.1	0.1	0.1	§	§	§	§	§
	56	-	0.1	§	§	§	§	§	§	§	§
	57	-	§	§	§	§	§	§	§	§	§
	58	-	-	-	-	§	§	§	§	§	§
	59	-	-	-	-	-	-	-	-	-	-
	60 ■ above	-	-	-	-	-	-	-	-	-	-
Average Mike		47	46	44	44	43	45	44	44	44	44
FIBER STRENGTH 1/											
	17 & below	-	-	-	-	-	-	-	-	-	-
	18	-	-	-	-	-	-	-	-	-	-
	19	-	-	-	-	-	§	§	§	§	§
	20	§	§	§	§	§	§	§	§	§	§
	21	§	§	§	§	§	§	§	§	§	§
	22	§	§	§	§	0.1	0.1	0.1	§	§	§
	23	0.3	§	§	§	0.2	0.5	0.3	0.3	0.3	0.3
	24	1.2	0.3	0.3	0.5	1.1	3.2	1.9	1.7	1.7	1.7
	25	2.5	1.7	1.5	2.2	3.1	8.3	5.2	4.9	5.0	5.0
	26	7.3	7.0	6.6	7.8	9.0	19.5	14.9	14.9	15.0	15.0
	27	11.4	11.2	11.2	12.3	13.2	19.0	18.4	18.8	18.8	18.8
	28	19.1	24.2	23.9	24.5	24.2	19.1	22.2	22.7	22.7	22.7
	29	19.6	26.0	25.2	23.9	22.4	12.8	15.2	15.4	15.3	15.3
	30	19.9	21.4	21.2	19.5	18.0	11.4	13.4	13.2	13.1	13.1
	31	9.6	6.2	7.0	6.5	6.0	4.5	5.9	5.7	5.6	5.6
	32	6.1	1.7	2.5	2.3	2.1	1.5	2.3	2.1	2.1	2.1
	33	2.2	0.3	0.5	0.4	0.4	0.1	0.2	0.2	0.2	0.2
	34	0.8	0.1	0.1	0.1	0.1	§	0.1	0.1	0.1	0.1
	35	0.1	§	§	§	§	§	§	§	§	§
	36 ■ above	-	-	§	§	§	§	§	§	§	§
Average strength		28.9	28.6	28.7	28.6	28.4	27.6	28.0	28.0	28.0	28.0

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). ■ Less than 0.05 percent.

Table 9. -- Continued

MISSISSIPPI						MISSOURI					
Mike and Strength		Period through				Crop	Period through				Crop
		Oct. 1	Oct. 29	Dec. 3	Dec. 31		Oct. 1	Oct. 29	Dec. 3	Dec. 31	
MIKE	24 ■ below	§	§	§	§	§	-	-	§	0.1	0.1
	25	§	§	§	§	§	-	§	0.1	0.1	0.1
	26	§	§	0.1	0.1	0.1	-	§	0.1	0.2	0.2
	27	§	0.1	0.1	0.2	0.2	-	§	0.1	0.2	0.3
	28	§	0.1	0.3	0.3	0.3	-	0.1	0.4	0.6	0.6
	29	§	0.2	0.3	0.4	0.4	-	0.1	0.5	0.7	0.7
	30	0.1	0.3	0.5	0.6	0.6	-	0.2	0.7	1.0	1.0
	31	0.1	0.4	0.6	0.7	0.7	-	0.3	1.0	1.3	1.3
	32	0.1	0.5	1.0	1.1	1.1	0.1	0.5	1.4	1.7	1.7
	33	0.2	0.9	1.4	1.5	1.6	0.1	1.4	2.3	2.6	2.6
	34	0.2	1.3	2.0	2.1	2.2	-	2.0	3.5	3.7	3.7
	35	0.7	2.2	2.9	3.1	3.1	1.1	2.7	4.4	4.6	4.6
	36	1.0	3.4	4.1	4.3	4.3	1.4	4.2	6.1	6.3	6.3
	37	1.7	4.3	5.0	5.2	5.2	3.2	5.8	7.2	7.2	7.2
	38	2.9	6.1	7.0	7.2	7.2	5.4	8.2	9.0	8.9	8.9
	39	4.1	7.3	7.7	7.8	7.8	9.3	9.2	9.3	9.2	9.1
	40	6.2	9.2	9.3	9.3	9.3	8.9	10.7	10.1	9.8	9.8
	41	7.5	9.8	9.4	9.3	9.2	7.1	10.6	9.5	9.2	9.2
	42	10.1	10.6	9.9	9.7	9.7	11.4	10.7	9.0	8.7	8.7
	43	11.2	9.9	9.1	8.9	8.9	12.8	9.0	7.4	7.1	7.1
	44	12.0	9.4	8.4	8.2	8.1	11.5	7.4	5.8	5.6	5.6
	45	10.6	7.5	6.6	6.4	6.4	9.7	5.6	4.3	4.1	4.0
	46	9.6	6.0	5.3	5.1	5.1	7.4	4.2	3.1	2.9	2.9
	47	7.3	4.1	3.6	3.5	3.5	3.8	2.9	2.0	1.9	1.9
	48	5.7	2.9	2.5	2.4	2.4	2.0	1.8	1.3	1.2	1.2
	49	3.8	1.7	1.5	1.4	1.4	2.9	1.2	0.8	0.8	0.8
	50	2.8	1.0	0.8	0.8	0.8	0.5	0.7	0.4	0.4	0.4
	51	1.9	0.5	0.4	0.4	0.4	0.6	0.4	0.3	0.2	0.2
	52	0.4	0.1	0.1	0.1	0.1	0.2	§	§	§	§
	53	0.1	§	§	§	§	0.4	§	§	§	§
	54	§	§	§	§	§	0.1	§	§	§	§
	55	§	§	§	§	§	0.3	§	§	§	§
	56	§	§	§	§	§	-	-	-	-	-
	57	§	§	§	§	§	-	-	-	-	-
	58	§	§	§	§	§	-	-	-	-	-
	59	§	§	§	§	§	-	-	-	-	-
	60 ■ above	-	§	§	§	§	-	-	-	-	-
Average mike		44	42	41	41	41	43	41	40	40	39
FIBER STRENGTH 1/											
	17 ■ below	-	§	§	§	§	-	-	-	-	-
	18	§	§	§	§	§	-	§	§	§	§
	19	-	§	§	§	§	-	§	§	§	§
	20	§	§	§	§	§	-	§	§	§	§
	21	§	§	§	§	§	0.1	§	§	§	§
	22	§	§	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1
	23	0.2	0.2	0.5	0.6	0.7	1.2	1.0	1.1	1.1	1.1
	24	1.7	1.7	3.4	3.8	4.0	5.9	5.7	5.7	5.7	5.7
	25	6.5	6.7	10.0	10.6	10.6	8.4	11.2	11.2	11.1	11.1
	26	21.6	24.2	26.5	26.6	26.6	22.4	22.1	21.4	21.2	21.2
	27	27.1	27.5	26.2	25.8	25.6	21.2	20.3	19.2	19.1	19.1
	28	24.7	24.9	21.7	21.2	21.1	21.5	18.8	18.7	18.8	18.7
	29	11.1	9.7	7.9	7.7	7.6	11.3	10.0	10.4	10.5	10.5
	30	5.4	3.9	3.0	2.9	2.9	5.3	6.5	7.1	7.2	7.2
	31	1.2	0.9	0.6	0.6	0.6	1.6	2.6	3.0	3.0	3.0
	32	0.4	0.3	0.2	0.2	0.2	0.5	1.5	1.8	1.8	1.8
	33	§	§	§	§	§	0.5	0.1	0.2	0.2	0.2
	34	§	§	§	§	§	-	0.1	0.1	0.1	0.1
	35	§	§	§	§	§	-	§	§	§	§
	36 ■ above	§	§	§	§	§	-	§	§	§	§
Average strength		27.3	27.2	26.9	26.9	26.9	27.1	27.1	27.2	27.2	27.2

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). ■ Less than 0.05 percent.

Table 9. -- Continued

NEW MEXICO						NORTH CAROLINA					
Mike and Strength		Period through				Crop	Period through				Crop
		Oct. 1	Oct. 29	Dec. 3	Dec. 31		Oct. 1	Oct. 29	Dec. 3	Dec. 31	
MIKE	24 & below	-	-	0.4	0.8	1.2	-	-	§	§	§
	25	-	-	0.6	1.3	1.7	-	-	§	§	§
	26	-	-	1.6	2.9	3.2	-	-	§	§	§
	27	-	§	2.0	3.1	3.3	-	§	§	§	§
	28	-	0.1	2.6	3.6	3.8	-	§	§	0.1	0.1
	29	-	0.3	3.3	3.6	3.9	-	§	§	0.1	0.1
	30	-	0.5	4.7	5.0	5.2	-	§	0.1	0.2	0.2
	31	-	0.8	4.5	5.0	5.0	-	0.1	0.2	0.3	0.3
	32	-	1.7	5.6	5.8	5.8	0.7	0.1	0.3	0.4	0.5
	33	-	1.8	5.1	5.1	5.1	-	0.1	0.5	0.8	0.8
	34	-	3.2	5.6	5.4	5.3	-	0.1	0.7	1.1	1.1
	35	-	4.6	5.8	5.5	5.4	-	0.2	1.5	2.2	2.3
	36	-	6.2	5.7	5.4	5.3	-	0.4	2.1	2.9	2.9
	37	-	7.3	6.3	5.8	5.6	-	0.7	3.4	4.2	4.3
	38	-	10.0	7.8	7.1	6.8	-	1.5	5.5	6.5	6.5
	39	-	10.5	7.9	7.2	6.9	-	2.2	6.0	6.7	6.7
	40	-	13.9	8.8	8.0	7.7	1.3	4.2	8.5	9.0	9.0
	41	-	12.3	7.4	6.6	6.4	-	6.1	10.0	10.1	10.2
	42	-	11.6	6.4	5.7	5.4	1.3	8.4	11.1	10.8	10.9
	43	-	6.1	3.4	3.1	3.0	5.9	10.8	11.7	11.1	11.1
	44	-	4.5	2.2	2.0	1.9	10.5	10.7	9.4	8.8	8.8
	45	-	2.3	1.2	1.2	1.1	9.8	10.1	7.2	6.5	6.5
	46	-	1.5	0.7	0.7	0.7	8.5	10.6	6.6	5.8	5.7
	47	-	0.7	0.3	0.3	0.3	15.0	8.8	4.8	4.1	4.0
	48	-	0.1	0.1	0.1	0.1	15.7	7.8	3.7	3.0	3.0
	49	-	§	§	§	§	9.2	5.6	2.3	1.8	1.8
	50	-	§	§	§	§	3.3	3.9	1.5	1.2	1.2
	51	-	-	-	-	-	2.6	2.8	1.1	0.9	0.9
	52	-	-	-	-	-	7.8	1.9	0.7	0.6	0.6
	53	-	-	§	§	§	3.3	1.3	0.5	0.4	0.4
	54	-	§	§	§	§	3.9	0.7	0.3	0.2	0.2
	55	-	-	-	-	-	-	0.5	0.2	0.1	0.1
	56	-	-	-	-	-	0.7	0.2	0.1	0.1	0.1
	57	-	-	-	-	-	0.7	0.1	§	§	§
	58	-	§	-	-	-	-	0.1	§	§	§
	59	-	-	-	-	-	-	§	§	§	§
	60 & above	-	-	-	-	-	-	§	§	§	§
Average mike		-	39	36	36	35	47	45	43	42	42
FIBER STRENGTH 1/											
	17 & below	-	-	-	-	-	-	-	-	-	-
	18	-	-	-	-	-	-	-	-	-	-
	19	-	-	§	§	§	-	§	§	§	§
	20	-	-	§	§	§	-	§	§	§	0.1
	21	-	-	0.1	0.1	0.1	-	§	0.1	0.1	0.2
	22	-	§	0.1	0.3	0.4	-	0.2	0.5	0.9	1.3
	23	-	§	0.2	0.6	0.7	0.7	0.3	1.6	2.7	3.3
	24	-	0.1	0.5	1.3	1.6	1.3	2.4	6.5	8.5	9.1
	25	-	0.2	1.4	2.3	2.7	0.7	5.6	10.7	11.9	12.2
	26	-	0.4	4.4	6.1	6.7	15.0	12.5	17.2	18.0	17.9
	27	-	0.7	6.8	7.8	8.2	17.7	13.7	14.7	14.8	14.5
	28	-	3.9	11.8	12.8	13.0	13.1	17.6	16.8	15.9	15.4
	29	-	8.6	14.1	14.3	14.1	5.9	14.3	11.6	10.4	10.0
	30	-	21.4	22.2	20.7	20.1	24.2	16.6	10.9	9.2	8.8
	31	-	23.2	17.6	15.8	15.2	13.7	9.5	5.4	4.3	4.1
	32	-	25.3	14.3	12.3	11.9	6.5	5.5	3.0	2.4	2.2
	33	-	10.1	4.4	3.7	3.6	1.3	1.5	0.8	0.7	0.6
	34	-	4.5	1.6	1.4	1.3	-	0.4	0.2	0.2	0.2
	35	-	1.0	0.4	0.3	0.3	-	§	§	§	§
	36 & above	-	0.6	0.2	0.2	0.2	-	§	§	§	§
Average strength		-	31.1	29.8	29.4	29.3	28.7	28.4	27.5	27.2	27.0

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). § Less than 0.05 percent.

Table 9. -- Continued

OKLAHOMA						SOUTH CAROLINA					
Mike and Strength		Period through				Crap	Period through				Crap
		Oct. 1	Oct. 29	Dec. 3	Dec. 31		Oct. 1	Oct. 29	Dec. 3	Dec. 31	
MIKE	24 # below	-	0.1	0.7	0.5	0.7	-	-	-	#	#
	25	-	0.2	0.7	0.6	0.7	-	-	-	#	#
	26	-	0.3	0.9	0.8	1.0	-	-	#	#	#
	27	-	0.5	1.5	1.3	1.5	0.1	#	#	#	#
	28	-	0.8	1.7	1.7	1.8	0.4	#	#	#	0.1
	29	-	1.6	2.3	2.3	2.5	0.3	#	#	0.1	0.1
	30	-	2.8	3.2	3.2	3.5	-	#	0.1	0.1	0.2
	31	-	4.4	4.4	4.2	4.6	0.1	#	0.1	0.2	0.2
	32	1.1	5.7	5.5	5.3	5.7	0.2	#	0.1	0.2	0.3
	33	1.7	6.3	6.1	5.9	6.2	0.2	0.1	0.2	0.4	0.5
	34	2.0	7.6	6.5	6.2	6.5	-	#	0.2	0.4	0.5
	35	1.9	7.7	6.6	6.4	6.5	0.1	0.1	0.4	0.7	0.9
	36	#.0	8.0	6.9	6.6	6.8	0.7	0.1	0.5	0.8	1.0
	37	4.3	6.8	6.6	6.4	6.6	0.5	0.2	0.8	1.3	1.6
	38	4.6	6.6	6.9	6.8	6.7	0.6	0.4	1.4	2.0	2.4
	39	5.6	5.9	6.5	6.4	6.1	0.4	0.7	1.8	2.4	2.6
	40	6.4	6.0	5.8	5.8	5.6	0.5	1.4	2.9	3.5	3.8
	41	6.4	5.4	4.9	5.2	4.9	1.1	2.3	#.1	4.7	5.0
	42	6.8	4.8	4.4	4.7	4.4	2.5	3.4	5.5	6.1	6.3
	43	7.0	4.0	4.1	4.3	3.9	3.5	5.0	7.7	8.2	8.3
	44	6.9	3.4	3.6	3.7	3.5	3.6	6.7	8.7	8.9	8.9
	45	6.8	2.7	2.8	3.1	2.8	3.5	7.5	8.7	8.7	8.6
	46	6.0	2.3	2.3	2.6	2.3	8.3	9.5	10.0	9.6	9.3
	47	5.2	1.7	1.6	2.0	1.7	9.6	9.9	9.3	8.7	8.3
	48	4.3	1.2	1.3	1.5	1.4	10.4	11.3	9.6	8.6	8.2
	49	#.5	1.0	1.0	1.2	1.0	8.6	9.6	7.6	6.7	6.4
	50	5.1	0.8	0.7	0.8	0.6	8.9	8.0	5.7	5.1	4.8
	51	6.7	0.7	0.4	0.5	0.4	9.9	7.4	5.0	4.3	4.0
	52	1.8	0.4	0.2	0.3	0.2	7.8	5.8	3.7	3.2	3.0
	53	0.7	0.2	0.1	0.1	#	6.5	4.5	2.8	2.3	2.2
	54	0.2	0.1	#	#	#	4.3	2.8	1.6	1.4	1.3
	55	-	0.1	#	#	#	3.8	1.5	0.9	0.7	0.7
	56	-	0.1	#	#	#	2.4	0.8	0.4	0.4	0.4
	57	-	#	#	#	#	1.1	0.5	0.3	0.2	0.2
	58	-	-	-	-	-	0.1	0.2	0.1	0.1	0.1
	59	-	-	-	-	-	-	0.1	#	#	#
	Above # above	-	-	-	-	-	-	#	#	#	#
Average mike		43	38	37	37	37	49	48	46	46	45
FIBER STRENGTH 1/											
	17 # below	-	-	-	-	#	-	-	-	-	-
	18	-	-	#	#	0.1	-	-	-	-	-
	19	-	-	#	0.1	0.4	-	#	#	#	#
	20	-	-	0.2	0.3	1.2	-	#	#	#	#
	21	-	0.1	0.7	1.0	2.5	0.1	#	#	#	0.1
	22	-	0.6	2.4	3.4	6.1	0.2	#	#	0.1	0.3
	23	-	1.5	3.8	5.0	7.5	0.4	0.1	0.1	0.3	0.7
	24	-	4.1	7.6	9.0	11.3	0.7	0.3	0.5	1.1	1.8
	25	-	5.8	8.3	9.1	10.0	1.2	0.9	1.4	2.4	3.0
	26	-	9.5	11.6	12.1	12.3	3.1	3.7	4.9	6.7	7.2
	27	0.9	9.0	9.3	9.4	9.3	6.2	8.0	9.1	10.6	10.7
	28	5.7	12.2	11.0	10.8	10.0	16.5	19.0	19.3	20.1	19.7
	29	9.6	11.2	9.5	9.0	7.5	21.2	21.6	20.7	19.7	19.1
	30	15.8	13.4	11.6	10.5	7.9	25.0	24.8	23.1	20.9	20.1
	31	13.4	10.8	8.6	7.5	5.3	14.8	12.9	12.1	10.6	10.2
	32	13.0	10.3	7.8	6.6	4.4	8.1	6.7	6.5	5.6	5.3
	33	13.1	6.1	4.2	3.5	2.3	2.0	1.6	1.7	1.5	1.4
	34	9.5	4.0	2.6	2.1	1.3	0.4	0.4	0.5	0.4	0.4
	35	4.8	1.1	0.7	0.6	0.4	0.1	#	0.1	#	#
	36 # above	14.3	0.5	0.3	0.2	0.2	-	#	#	#	#
Average strength		31.7	29.0	28.1	27.6	26.6	29.4	29.3	29.2	28.9	28.7

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). # Less than 0.05 percent.

Table 9. -- Continued

TENNESSEE						TEXAS					
Mike and Strength		Period through				Crop	Period through				Crop
		Oct. 1	Oct. 29	Dec. 3	Dec. 31		Oct. 1	Oct. 29	Dec. 3	Dec. 31	
MIKE	24 ■ below	-	§	§	§	§	§	§	0.2	0.4	0.6
	25	-	§	0.1	0.1	0.1	§	§	0.4	0.6	0.8
	26	-	§	0.1	0.2	0.3	§	§	0.7	1.1	1.3
	27	§	§	0.2	0.4	0.5	§	0.1	1.1	1.6	1.9
	28	-	0.1	0.5	0.9	0.9	§	0.1	1.6	2.3	2.6
	29	§	0.1	0.7	1.1	1.1	§	0.1	2.0	2.8	3.1
	30	0.1	0.2	1.3	1.8	1.9	0.1	0.2	2.5	3.5	3.9
	31	0.1	0.4	1.8	2.3	2.4	0.1	0.3	2.8	3.9	4.3
	32	0.2	0.8	2.6	3.2	3.3	0.2	0.5	3.3	4.5	5.0
	33	0.4	1.5	4.1	4.7	4.7	0.4	0.7	3.8	4.9	5.3
	34	0.5	2.2	4.8	5.2	5.2	0.6	1.0	4.1	5.2	5.5
	35	1.0	3.9	6.8	7.2	7.2	0.8	1.2	4.4	5.3	5.6
	36	1.4	5.3	7.8	7.8	7.8	1.2	1.6	4.5	5.3	5.6
	37	3.1	6.9	8.2	8.1	8.1	1.6	2.1	4.5	5.0	5.2
	38	5.5	10.3	10.6	10.2	10.2	2.3	2.8	4.6	4.9	5.0
	39	6.0	10.3	9.3	8.8	8.7	2.8	3.2	4.4	4.5	4.4
	40	8.1	11.7	9.8	9.2	9.1	3.9	4.1	4.6	4.4	4.3
	41	10.2	11.4	8.7	8.0	8.0	4.7	4.8	4.4	4.0	3.9
	42	12.0	10.4	7.4	6.7	6.7	5.6	5.7	4.5	4.0	3.7
	43	13.2	8.7	5.7	5.2	5.1	6.3	6.3	4.5	3.8	3.5
	44	11.6	6.1	3.9	3.5	3.5	6.9	6.9	4.5	3.6	3.3
	45	8.0	4.0	2.4	2.2	2.2	7.2	7.1	4.4	3.4	3.1
	46	7.2	2.6	1.5	1.4	1.4	8.1	7.9	4.6	3.5	3.1
	47	4.9	1.5	0.9	0.8	0.8	7.7	7.5	4.2	3.2	2.8
	48	3.1	0.9	0.5	0.5	0.5	7.8	7.4	4.1	3.1	2.7
	49	2.3	0.4	0.3	0.2	0.2	7.0	6.6	3.6	2.7	2.3
	50	0.7	0.2	0.1	0.1	0.1	6.5	6.0	3.2	2.4	2.1
	51	0.4	0.1	0.1	0.1	0.1	5.5	4.9	2.6	1.9	1.7
	52	0.1	0.1	§	§	§	4.3	3.8	2.0	1.5	1.3
	53	§	§	§	§	§	3.3	2.9	1.5	1.1	1.0
	54	-	§	§	§	§	2.3	1.9	1.0	0.8	0.7
	55	-	§	§	§	§	1.4	1.2	0.6	0.5	0.4
	56	-	§	§	§	§	0.8	0.7	0.4	0.3	0.2
	57	-	§	§	§	§	0.4	0.3	0.2	0.1	0.1
	58	§	§	§	§	§	0.2	0.2	0.1	0.1	0.1
	59	§	§	§	§	§	0.1	§	§	§	§
	60 ■ above	-	§	§	§	§	§	§	§	§	§
Average mike		43	40	38	38	38	46	45	41	39	38
FIBER STRENGTH 1/											
17 & below	-	§	§	§	§	§	§	§	§	§	§
18	-	§	§	§	§	§	§	§	§	§	§
19	§	§	§	§	§	§	§	§	§	0.1	0.1
20	0.1	§	§	§	§	§	0.2	0.1	0.1	0.2	0.3
21	0.1	§	§	§	0.1	0.1	0.3	0.3	0.3	0.5	0.7
22	0.3	0.1	0.2	0.2	3.0	3.0	1.0	1.0	1.3	1.8	2.4
23	1.3	0.2	0.6	0.7	0.8	0.8	2.2	2.3	2.5	3.2	3.8
24	5.2	1.4	3.4	4.1	4.3	4.3	6.1	6.4	6.3	7.1	7.9
25	11.9	5.3	10.7	11.7	11.9	11.9	10.8	10.2	9.0	9.2	9.5
26	25.4	21.1	27.9	28.6	28.4	28.4	20.3	18.8	16.0	15.6	15.4
27	25.3	29.2	26.4	25.7	25.5	25.5	18.2	17.0	15.7	15.3	14.9
28	19.9	27.1	20.2	19.1	18.9	18.9	17.9	17.5	19.3	19.2	18.6
29	7.1	9.9	6.8	6.4	6.4	6.4	10.0	10.7	13.1	12.8	12.3
30	2.8	4.1	2.8	2.6	2.6	2.6	7.2	8.6	9.8	9.2	8.6
31	0.7	1.0	0.7	0.6	0.6	0.6	3.0	4.0	3.9	3.5	3.3
32	0.1	0.4	0.2	0.2	0.2	0.2	1.7	2.2	1.9	1.7	1.6
33	§	0.1	0.1	0.1	0.1	0.1	0.5	0.6	0.5	0.4	0.4
34	-	§	§	§	§	§	0.2	0.2	0.2	0.2	0.2
35	-	§	§	§	§	§	0.1	0.1	0.1	§	§
36 ■ above	-	§	§	§	§	§	§	§	§	§	§
Average strength		26.7	27.3	26.8	26.8	26.7	27.1	27.2	27.3	27.2	27.0

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). ■ Less than 0.05 percent.

Table 9. -- Continued

ALL OTHER						UNITED STATES								
Mike and Strength	:	Period through				:	Crop	:	Period through				:	Crop
		Oct. 1	Oct. 29	Dec. 3	Dec. 31				Oct. 1	Oct. 29	Dec. 3	Dec. 31		
MIKE	24 # below	-	-	-	\$	\$::	\$	\$	0.1	0.1	0.2		
	25	-	-	-	\$	\$::	\$	\$	0.1	0.2	0.2		
	26	-	-	\$	\$	0.1	::	\$	\$	0.2	0.3	0.4		
	27	-	-	\$	0.1	0.2	::	\$	0.1	0.3	0.5	0.6		
	28	-	-	\$	0.2	0.3	::	\$	0.1	0.5	0.7	0.8		
	29	-	\$	\$	0.2	0.4	::	\$	0.1	0.6	0.9	1.0		
	30	-	\$	0.1	0.3	0.7	::	0.1	0.2	0.8	1.2	1.4		
	31	-	0.1	0.1	0.5	0.9	::	0.2	0.3	1.0	1.4	1.6		
	32	-	0.1	0.2	0.6	1.0	::	0.2	0.4	1.3	1.8	2.0		
	33	-	0.1	0.3	0.8	1.5	::	0.3	0.7	1.8	2.2	2.4		
	34	-	0.1	0.4	1.4	2.1	::	0.5	1.0	2.2	2.6	2.8		
	35	-	0.2	0.7	2.1	3.2	::	0.8	1.7	2.9	3.3	3.4		
	36	-	0.2	1.0	2.7	4.1	::	1.2	2.6	3.7	4.0	4.2		
	37	-	0.5	1.5	3.6	5.2	::	1.6	3.5	4.4	4.6	4.7		
	38	-	1.3	2.4	5.4	7.7	::	2.5	5.2	5.9	6.0	6.0		
	39	-	1.8	3.1	5.9	7.4	::	3.1	6.2	6.5	6.4	6.4		
	40	-	3.0	4.8	7.2	9.1	::	4.6	8.0	8.0	7.7	7.6		
	41	-	4.6	6.5	8.0	8.5	::	5.5	8.7	8.4	8.0	7.9		
	42	-	6.0	9.1	9.4	9.2	::	6.9	9.7	9.1	8.7	8.5		
	43	-	8.0	11.2	9.7	8.2	::	7.8	9.3	8.6	8.2	7.9		
	44	-	12.6	14.4	10.8	8.4	::	8.6	8.9	8.0	7.6	7.4		
	45	-	14.1	13.8	10.0	7.0	::	8.3	7.5	6.5	6.0	5.8		
	46	-	13.4	11.5	8.4	6.2	::	8.8	6.7	5.6	5.2	5.0		
	47	-	10.7	7.9	5.3	3.7	::	7.8	5.2	4.2	3.8	3.7		
	48	-	9.2	5.4	3.6	2.5	::	7.3	4.2	3.3	3.0	2.8		
	49	-	7.9	3.6	2.4	1.4	::	6.0	3.1	2.2	2.0	1.9		
	50	-	3.4	1.2	0.8	0.6	::	5.1	2.3	1.5	1.4	1.3		
	51	-	2.0	0.7	0.4	0.4	::	4.2	1.6	1.1	1.0	0.9		
	52	-	0.5	0.2	0.1	0.1	::	3.1	1.1	0.7	0.6	0.6		
	53	-	0.1	\$	\$	0.1	::	2.2	0.7	0.5	0.4	0.4		
	54	-	0.1	\$	\$	\$::	1.5	0.4	0.3	0.2	0.2		
	55	-	\$	\$	\$	\$::	0.9	0.3	0.2	0.1	0.1		
	56	-	\$	\$	\$	\$::	0.5	0.1	0.1	0.1	0.1		
	57	-	\$	\$	\$	\$::	0.3	0.1	\$	\$	\$		
	58	-	\$	\$	\$	\$::	0.1	\$	\$	\$	\$		
	59	-	\$	\$	\$	\$::	\$	\$	\$	\$	\$		
	60 # above	-	\$	\$	\$	\$::	\$	\$	\$	\$	\$		
Average mike		-	45	44	42	41	::	45	43	41	41	41		
FIBER STRENGTH 1/							::							
	17 # below	-	-	-	-	-	::	\$	\$	\$	\$	\$		
	18	-	-	-	-	-	::	\$	\$	\$	\$	\$		
	19	-	-	-	-	\$::	\$	\$	\$	\$	\$		
	20	-	\$	\$	\$	\$::	0.1	\$	\$	0.1	0.1		
	21	-	\$	\$	\$	0.1	::	0.2	0.1	0.1	0.1	0.2		
	22	-	-	\$	\$	0.5	::	0.7	0.2	0.3	0.5	0.7		
	23	-	-	0.1	0.1	1.1	::	1.5	0.7	0.9	1.2	1.5		
	24	-	1.2	2.7	3.2	4.5	::	5.1	3.0	3.5	4.0	4.4		
	25	-	6.2	10.4	11.4	10.7	::	9.4	6.5	7.4	7.7	7.9		
	26	-	23.4	25.1	26.2	20.9	::	19.5	16.3	16.4	16.3	16.1		
	27	-	23.4	21.6	21.9	18.3	::	19.2	17.8	16.5	16.1	15.9		
	28	-	21.1	20.2	19.9	20.2	::	19.4	19.6	18.2	18.0	17.8		
	29	-	12.9	11.7	10.4	13.4	::	11.1	13.0	12.7	12.6	12.4		
	30	-	8.1	6.4	5.5	7.7	::	8.2	12.0	12.3	12.1	11.8		
	31	-	2.7	1.3	1.0	1.7	::	3.3	6.1	6.5	6.4	6.2		
	32	-	0.7	0.4	0.3	0.7	::	1.6	3.4	3.7	3.6	3.5		
	33	-	0.2	0.1	0.1	0.3	::	0.4	0.9	1.0	1.0	1.0		
	34	-	0.1	\$	\$	0.1	::	0.2	0.4	0.4	0.4	0.4		
	35	-	-	-	-	\$::	0.1	0.1	0.1	0.1	0.1		
	36 # above	-	-	-	-	\$::	\$	\$	\$	\$	\$		
Average strength		-	27.5	27.2	27.0	27.2	::	27.3	27.9	27.9	27.8	27.7		

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). # Less than 0.05 percent.

Table 10. -- Percentage distribution of mike and fiber strength for upland cotton classed, by classing offices, 1992 crop

ABILENE				ALTUS			BIRMINGHAM		CORPUS CHRISTI		DUMAS	
Mike and Strength		Texas	Oklahoma	Texas	Classing Office Total	Alabama 1/	Texas	Arkansas				
MIKE	24 # below	0.3	0.7	0.6	0.7	#	-	#				
	25	0.5	0.7	0.6	0.6	#	#	#				
	26	0.8	1.0	1.0	1.0	0.1	#	0.1				
	27	1.4	1.4	1.3	1.4	0.2	#	0.2				
	28	2.2	1.8	1.9	1.9	0.3	#	0.4				
	29	3.1	2.5	2.6	2.6	0.5	#	0.5				
	30	4.4	3.5	3.4	3.4	0.6	0.1	0.8				
	31	5.4	4.6	4.4	4.5	1.1	0.1	0.9				
	32	6.4	5.7	5.3	5.5	1.4	0.2	1.1				
	33	6.8	6.2	6.1	6.1	1.8	0.2	2.1				
	34	7.6	6.5	6.7	6.6	2.2	0.4	2.8				
	35	7.8	6.5	7.2	6.9	3.4	0.5	4.1				
	36	8.0	6.8	7.5	7.2	4.5	0.7	6.1				
	37	7.5	6.6	7.3	7.0	5.7	0.8	8.0				
	38	7.0	6.7	7.0	6.9	7.3	1.2	10.0				
	39	6.1	6.1	6.6	6.4	8.3	1.5	10.9				
	40	5.6	5.6	6.0	5.8	9.4	2.1	11.3				
	41	4.7	4.7	5.3	5.1	9.5	2.5	10.5				
	42	4.1	4.4	4.8	4.6	9.4	3.3	9.1				
	43	3.8	3.9	3.9	3.7	8.8	3.9	7.0				
	44	2.6	3.5	3.0	3.2	8.0	4.4	5.1				
	45	1.8	2.7	2.3	2.5	6.3	5.8	3.5				
	46	1.2	2.3	1.7	2.0	4.8	7.8	2.3				
	47	0.7	1.7	1.3	1.5	3.0	8.0	1.4				
	48	0.4	1.4	0.8	1.1	1.9	8.9	0.9				
	49	0.2	1.0	0.6	0.8	1.2	9.1	0.5				
	50	#	0.6	0.4	0.5	0.3	9.2	0.1				
	51	#	0.4	0.2	0.3	0.2	7.9	0.1				
	52	#	0.2	0.1	0.2	0.1	7.0	#				
	53	#	#	#	#	#	5.4	#				
	54	#	#	#	#	#	3.8	#				
	55	-	#	#	#	#	2.3	#				
	56	-	#	-	#	#	1.3	#				
	57	-	#	#	#	#	0.7	-				
	58	-	-	-	-	#	0.4	-				
	59	-	-	-	-	#	0.1	-				
	60 # above	-	-	-	-	#	#	-				
Average mike		36	37	37	37	41	48	40				
FIBER STRENGTH 2/												
	17 # below	#	#	#	#	#	-	#				
	18	#	0.1	0.1	0.1	#	#	#				
	19	0.1	0.4	0.3	0.3	#	#	#				
	20	0.4	1.2	0.9	1.0	#	#	#				
	21	1.3	2.5	2.0	2.2	#	0.1	0.1				
	22	4.4	6.1	5.4	5.7	0.1	0.7	0.3				
	23	6.4	7.5	7.2	7.3	0.3	1.9	1.6				
	24	10.8	11.3	11.7	11.5	2.5	6.1	8.1				
	25	9.7	10.0	10.6	10.3	7.9	10.5	15.2				
	26	12.0	12.3	13.1	12.7	18.2	19.8	26.2				
	27	10.8	9.3	10.0	9.7	17.5	18.2	19.4				
	28	14.8	10.0	11.2	10.6	20.1	18.5	15.8				
	29	11.6	7.5	8.4	8.0	14.1	10.5	7.1				
	30	10.4	7.9	8.3	8.1	11.8	7.2	4.2				
	31	4.5	5.3	4.8	5.0	4.9	3.2	1.3				
	32	2.1	4.4	3.6	4.0	2.1	2.0	0.5				
	33	0.5	2.3	1.5	1.8	0.4	0.7	0.1				
	34	0.1	1.3	0.8	1.0	0.1	0.4	#				
	35	#	0.4	0.2	0.3	#	0.1	#				
	36 # above	#	0.2	0.1	0.1	#	0.1	#				
Average strength		26.8	26.7	26.6	26.6	27.7	27.2	26.61				

1/ Includes Florida. 2/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

Less than 0.05 percent.

Table 10. -- Continued

EL PASO					FLORENCE						
		:	:	:	:	Classing	:	:	:	Classing	
Mike and Strength		:	Arizona	:	New Mexico	:	Texas	:	Office	:	Office
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:	:	:	:	:	:	:	:
		:	:	:</							

1/ Includes Virginia. 2/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

Less than 0.05 percent.

Table 10. -- Continued

		GREENWOOD		HARLINGEN		HAYTI		Classing Office Total
Mike and Strength		Mississippi		Texas		Arkansas	Missouri	
MIKE	2# & below	#	::	#	::	0.1	#	0.1
	25	#	::	#	::	0.2	0.1	0.2
	26	0.1	::	#	::	0.3	0.2	0.3
	27	0.2	::	#	::	0.4	0.3	0.3
	28	0.3	::	#	::	0.9	0.6	0.7
	29	0.4	::	0.1	::	1.0	0.7	0.9
	30	0.5	::	0.1	::	1.5	1.0	1.3
	31	0.6	::	0.2	::	1.7	1.3	1.5
	32	1.0	::	0.3	::	2.1	1.7	1.9
	33	1.4	::	0.7	::	2.6	2.6	2.6
	34	2.0	::	1.1	::	3.5	3.7	3.6
	35	2.8	::	1.6	::	4.4	4.6	4.5
	36	4.0	::	2.3	::	5.8	6.3	6.0
	37	4.9	::	3.2	::	7.2	7.2	7.2
	38	6.8	::	4.7	::	8.9	8.9	8.9
	39	7.6	::	5.3	::	10.0	9.1	9.6
	40	9.2	::	7.3	::	10.8	9.8	10.4
	41	9.3	::	8.1	::	10.0	9.2	9.6
	42	9.9	::	9.2	::	8.9	8.7	8.8
	43	9.2	::	9.3	::	7.1	7.1	7.1
	44	8.6	::	8.8	::	5.2	5.6	5.3
	45	6.8	::	7.7	::	3.3	4.0	3.6
	46	5.5	::	7.2	::	2.1	2.9	2.4
	47	3.8	::	5.9	::	1.1	1.9	1.4
	48	2.6	::	5.4	::	0.5	1.2	0.8
	49	1.5	::	4.0	::	0.3	0.8	0.5
	50	0.9	::	3.0	::	0.1	0.4	0.2
	51	0.4	::	2.4	::	0.1	0.2	0.2
	52	0.1	::	1.0	::	#	#	#
	53	#	::	0.7	::	#	#	#
	54	#	::	0.3	::	#	#	#
	55	#	::	0.2	::	#	#	#
	56	#	::	#	::	-	-	-
	57	#	::	#	::	-	-	-
	58	#	::	#	::	-	-	-
	59	#	::	#	::	-	-	-
	60 # above	-	::	#	::	-	-	-
Average mike		41	::	43	::	39	39	39
FIBER STRENGTH 1/			::		::			
	17 # below	#	::	#	::	-	-	-
	18	#	::	#	::	#	#	#
	19	#	::	0.1	::	#	#	#
	20	#	::	0.4	::	#	#	#
	21	#	::	0.7	::	#	#	#
	22	0.1	::	1.5	::	0.3	0.1	0.2
	23	0.5	::	2.4	::	2.1	1.1	1.7
	24	3.6	::	6.1	::	9.4	5.7	7.7
	25	10.1	::	9.7	::	15.0	11.1	13.2
	26	26.5	::	17.5	::	24.6	21.2	23.1
	27	26.2	::	15.9	::	18.9	19.1	19.0
	28	21.7	::	17.7	::	15.9	18.7	17.2
	29	7.8	::	11.4	::	7.2	10.4	8.7
	30	2.9	::	9.5	::	4.3	7.2	5.6
	31	0.6	::	4.1	::	1.5	3.0	2.2
	32	0.2	::	2.2	::	0.7	1.8	1.2
	33	#	::	0.6	::	0.1	0.2	0.1
	34	#	::	0.1	::	#	0.1	0.1
	35	#	::	#	::	#	#	#
	36 # above	#	::	#	::	#	#	#
Average strength		26.9	::	27.2	::	26.6	27.2	26.9

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

Less than 0.05 percent.

Table 10. -- Continued

LAMESA					LUBBOCK				
		:	:	:	Classing	:	:	:	Classing
Mike and Strength		:	New Mexico	:	Texas	:	Office	:	Office
		:	:	:	Total	:	:	:	Total
MIKE	24 ■ below	2.4	1.0	1.0	::	7.1	1.2	1.2	
	25	6.5	1.5	1.5	::	7.2	1.7	1.7	
	26	9.8	2.3	2.3	::	8.3	2.8	2.8	
	27	9.7	3.4	3.4	::	8.9	3.8	3.8	
	28	9.3	4.4	4.4	::	8.0	5.3	5.4	
	29	9.5	5.2	5.3	::	9.6	5.7	5.7	
	30	9.8	6.3	6.3	::	11.7	6.9	6.9	
	31	8.1	7.0	7.0	::	7.6	7.0	7.0	
	32	7.7	8.0	8.0	::	7.6	7.6	7.6	
	33	9.0	8.2	8.2	::	6.2	8.4	8.4	
	34	5.0	8.4	8.4	::	3.4	8.0	7.9	
	35	3.3	7.9	7.9	::	5.1	8.0	8.0	
	36	3.6	7.6	7.6	::	2.7	7.4	7.4	
	37	2.9	6.7	6.7	::	2.5	6.2	6.1	
	38	1.7	6.0	6.0	::	1.6	5.6	5.6	
	39	1.1	4.7	4.7	::	0.8	4.4	4.3	
	40	0.3	3.6	3.6	::	0.3	3.7	3.7	
	41	0.1	2.6	2.6	::	0.4	2.6	2.6	
	42	-	2.0	2.0	::	0.7	1.8	1.8	
	43	-	1.3	1.3	::	0.2	1.0	1.0	
	44	-	0.8	0.8	::	-	0.5	0.5	
	45	-	0.4	0.4	::	0.2	0.2	0.2	
	46	-	0.2	0.2	::	0.2	0.1	0.1	
	47	-	0.2	0.2	::	-	■	■	
	48	-	0.1	0.1	::	-	■	■	
	49	■	■	■	::	-	■	■	
	50	-	■	■	::	-	■	■	
	51	-	■	■	::	-	■	■	
	52	-	■	■	::	-	■	■	
	53	-	■	■	::	-	■	■	
	54	-	■	■	::	-	■	■	
	55	-	-	-	::	-	■	■	
	56	-	-	-	::	-	■	■	
	57	-	-	-	::	-	■	■	
	58	-	-	-	::	-	-	-	
	59	-	-	-	::	-	-	-	
	60 ■ above	-	-	-	::	-	-	-	
Average mike		30	34	34	::	30	33	33	
FIBER STRENGTH 1/					::				
	17 & below	-	■	■	::	-	■	■	
	18	-	0.1	0.1	::	-	■	■	
	19	0.1	0.2	0.2	::	-	■	■	
	20	0.3	0.5	0.5	::	-	■	■	
	21	1.6	1.0	1.0	::	-	0.1	0.1	
	22	5.5	3.2	3.3	::	0.2	0.5	0.5	
	23	8.2	4.7	4.7	::	1.1	1.6	1.6	
	24	14.3	8.0	8.0	::	3.8	5.3	5.3	
	25	15.0	8.3	8.3	::	7.3	8.3	8.3	
	26	19.9	13.2	13.3	::	14.1	15.0	15.0	
	27	14.3	13.9	13.9	::	16.8	17.0	17.0	
	28	11.3	18.6	18.5	::	23.6	25.8	25.8	
	29	5.3	12.9	12.9	::	18.5	16.7	16.7	
	30	3.1	10.1	10.1	::	12.5	7.8	7.8	
	31	0.9	3.8	3.8	::	1.8	1.5	1.5	
	32	■	1.3	1.3	::	0.4	0.3	0.3	
	33	-	0.2	0.2	::	-	■	■	
	34	■	0.1	0.1	::	-	■	■	
	35	-	■	■	::	-	■	■	
	36 ■ above	-	■	■	::	-	■	■	
Average strength		25.7	27.0	27.0	::	27.6	27.3	27.3	

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

■ Less than 0.05 percent.

Table 10. -- Continued

MACON			MEMPHIS							
Mike and Strength	:	Georgia	:	Arkansas	:	Mississippi	:	Tennessee	:	Classing Office Total
MIKE	24 # below	\$::	0.1	\$			\$		\$
	25	\$::	0.2	\$			0.1		0.1
	26	\$::	0.4	\$			0.3		0.3
	27	\$::	0.8	0.2			0.5		0.5
	28	0.1	::	1.1	0.3			0.9		0.9
	29	0.1	::	1.3	0.5			1.1		1.1
	30	0.3	::	2.4	0.9			1.9		1.8
	31	0.4	::	2.8	1.4			2.4		2.3
	32	0.5	::	4.3	2.1			3.3		3.3
	33	0.8	::	5.3	3.4			4.7		4.7
	34	1.1	::	6.7	4.0			5.2		5.3
	35	1.7	::	8.3	6.0			7.2		7.2
	36	2.5	::	9.3	7.1			7.8		8.0
	37	3.3	::	8.6	8.3			8.1		8.2
	38	4.6	::	10.3	11.0			10.2		10.3
	39	5.5	::	8.4	9.6			8.7		8.8
	40	6.7	::	8.4	10.0			9.1		9.1
	41	7.5	::	6.7	8.8			8.0		7.8
	42	8.4	::	5.3	7.8			6.7		6.6
	43	8.6	::	3.6	6.2			5.1		5.0
	44	9.0	::	2.4	4.5			3.5		3.4
	45	8.4	::	1.4	3.1			2.2		2.2
	46	7.8	::	0.9	2.0			1.4		1.4
	47	6.6	::	0.5	1.2			0.8		0.8
	48	5.4	::	0.3	0.7			0.5		0.5
	49	3.9	::	0.1	0.4			0.2		0.2
	50	2.9	::	0.1	0.2			0.1		0.1
	51	1.9	::	\$	0.1			0.1		0.1
	52	1.1	::	\$	\$			\$		\$
	53	0.6	::	\$	\$			\$		\$
	54	0.2	::	\$	\$			\$		\$
	55	0.1	::	\$	\$			\$		\$
	56	\$::	\$	\$			\$		\$
	57	\$::	\$	\$			\$		\$
	58	\$::	\$	\$			\$		\$
	59	-	::	\$	\$			\$		\$
	60 # above	-	::	\$	\$			\$		\$
Average mike		43	::	37	39			38		38
FIBER STRENGTH 1/			::							
	17 # below	-	::	\$	\$			\$		\$
	18	-	::	\$	\$			\$		\$
	19	-	::	\$	\$			\$		\$
	20	\$::	\$	\$			\$		\$
	21	\$::	\$	0.1			\$		\$
	22	0.1	::	0.1	0.6			0.2		0.3
	23	0.2	::	0.5	1.8			0.8		0.9
	24	1.2	::	2.7	7.7			4.3		4.5
	25	3.2	::	7.8	15.5			11.9		11.6
	26	9.0	::	22.1	27.6			28.4		26.9
	27	13.2	::	24.7	21.0			25.5		24.6
	28	24.3	::	23.9	16.1			18.9		19.5
	29	22.5	::	10.6	5.8			6.4		7.2
	30	17.9	::	5.2	2.6			2.6		3.1
	31	5.8	::	1.4	0.7			0.6		0.8
	32	2.1	::	0.6	0.3			0.2		0.3
	33	0.4	::	0.1	0.1			\$		0.1
	34	0.1	::	\$	\$			\$		\$
	35	\$::	\$	\$			\$		\$
	36 # above	\$::	\$	\$			\$		\$
Average strength		28.4	::	27.2	26.5			26.7		26.8

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

\$ Less than 0.05 percent.

Table 10. -- Continued

PHOENIX					RAYVILLE		VISALIA		WACO	
Mike and Strength		Arizona	California	Classing Office Total	Louisiana	California	Texas			
MIKE	24 # below	0.1	§	0.1	§	§	§			
	25	0.2	§	0.2	§	§	§			
	26	0.2	0.1	0.2	§	§	§			
	27	0.3	0.2	0.3	§	§	0.1			
	28	0.4	0.2	0.4	0.1	§	0.1			
	29	0.5	0.2	0.5	0.1	§	0.1			
	30	0.6	0.4	0.6	0.2	0.1	0.2			
	31	0.7	0.4	0.7	0.3	0.1	0.2			
	32	0.9	0.6	0.9	0.3	0.2	0.4			
	33	1.0	0.6	0.9	0.5	0.3	0.5			
	34	1.4	1.0	1.4	0.5	0.4	0.6			
	35	1.5	0.8	1.5	0.9	0.9	0.8			
	36	2.0	2.0	2.0	1.3	1.6	1.0			
	37	2.2	2.0	2.2	1.8	2.5	1.3			
	38	3.0	3.2	3.0	3.0	4.5	1.7			
	39	3.4	3.3	3.4	3.6	6.1	2.1			
	40	4.4	5.4	4.5	5.5	9.7	3.0			
	41	5.1	5.3	5.2	7.1	11.4	4.0			
	42	6.5	6.5	6.5	9.0	15.0	5.2			
	43	7.1	5.9	7.0	10.9	13.3	6.6			
	44	8.4	7.9	8.3	11.2	12.6	8.3			
	45	8.4	6.5	8.2	10.2	8.6	9.0			
	46	9.0	10.1	9.1	9.7	6.3	9.8			
	47	7.9	8.9	8.0	8.0	3.3	9.4			
	48	7.0	9.4	7.3	6.5	2.0	8.7			
	49	5.5	6.2	5.5	4.0	0.8	7.1			
	50	4.5	5.2	4.5	2.4	0.2	6.0			
	51	3.1	2.6	3.1	1.5	0.1	4.6			
	52	2.2	2.3	2.2	0.8	§	3.4			
	53	1.4	1.3	1.4	0.3	§	2.4			
	54	0.5	0.8	0.5	0.1	§	1.5			
	55	0.3	0.5	0.4	§	§	0.9			
	56	0.2	0.2	0.2	§	§	0.5			
	57	0.1	0.1	0.1	§	-	0.3			
	58	§	§	§	§	-	0.1			
	59	§	0.1	§	-	-	-			
	60 # above	§	-	§	-	-	-			
Average mike		44	44	44	44	42	46			
FIBER STRENGTH 1/										
	17 # below	§	§	§	-	-	§			
	18	§	§	§	-	-	§			
	19	§	§	§	§	-	§			
	20	§	§	§	§	-	0.1			
	21	§	§	§	§	-	0.2			
	22	0.2	0.1	0.2	§	§	1.2			
	23	0.8	0.6	0.7	0.3	§	3.3			
	24	3.0	3.2	3.0	1.7	§	8.2			
	25	6.5	7.4	6.6	5.0	0.1	11.8			
	26	15.7	14.5	15.6	15.0	0.3	21.1			
	27	19.2	19.1	19.2	18.8	1.2	18.1			
	28	24.8	29.1	25.2	22.7	7.1	16.6			
	29	15.6	16.6	15.7	15.3	16.5	8.8			
	30	9.9	8.1	9.7	13.1	30.7	6.2			
	31	3.0	1.0	2.8	5.6	22.6	2.7			
	32	1.1	0.2	1.0	2.1	14.9	1.3			
	33	0.2	§	0.2	0.2	4.4	0.2			
	34	§	§	§	0.1	1.7	0.1			
	35	§	-	§	§	0.3	§			
	36 # above	§	-	§	§	0.1	§			
Average strength		27.6	27.5	27.6	28.0	30.4	26.8			

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

§ Less than 0.05 percent.

Table 11. -- Percentage distribution of uniformity and trash for upland cotton classed through specified periods, by states and United States, 1992 crop

ALABAMA						ARIZONA					
Uniformity and Trash	Period through				Crop	Period through				Crop	
	Oct. 1	Oct. 29	Dec. 3	Dec. 31		Oct. 1	Oct. 29	Dec. 3	Dec. 31		
UNIFORMITY 1/											
72 & below	-	-	-	-	-	-	-	■	■	■	
73	-	-	-	-	-	-	-	■	■	■	
74	-	-	-	-	-	-	-	■	■	■	
75	-	■	■	■	■	■	■	■	■	■	
76	-	■	■	■	■	0.1	■	0.1	0.1	0.2	
77	■	■	0.1	0.1	0.2	0.2	0.2	0.4	0.5	0.6	
78	0.1	0.8	1.1	1.4	1.7	1.3	1.3	2.0	2.4	2.7	
79	0.5	4.1	5.3	5.9	6.5	4.4	4.9	5.8	6.5	7.0	
80	4.8	19.5	22.6	23.9	24.4	19.1	21.3	21.5	22.1	22.6	
81	16.0	30.8	32.1	32.3	31.9	30.0	32.3	29.8	29.2	28.8	
82	44.2	33.5	29.8	28.4	27.6	33.8	31.5	30.8	29.6	28.9	
83	25.2	9.6	7.6	6.9	6.6	9.5	7.3	8.0	7.8	7.6	
84	8.5	1.7	1.3	1.2	1.1	1.7	1.2	1.5	1.5	1.5	
85	0.7	0.1	0.1	■	■	0.1	0.1	0.1	0.2	0.2	
86	-	■	■	■	■	■	■	■	0.1	0.1	
87	-	-	-	-	-	-	■	■	■	■	
88	-	-	-	-	-	-	-	-	-	-	
89	-	-	-	-	-	-	-	-	-	-	
90	-	-	-	-	-	-	-	-	-	-	
91 & above	-	-	-	-	-	-	-	-	-	-	
Average uniformity	82.2	81.3	81.1	81.1	81.0	81.3	81.1	81.1	81.1	81.0	
TRASH 2/											
00	3.2	0.3	0.2	0.2	0.2	4.4	12.1	12.4	12.1	11.8	
01	5.9	4.1	2.6	2.1	2.0	40.4	40.7	38.7	38.1	37.6	
02	29.3	19.4	13.2	11.4	10.9	28.2	24.0	23.5	23.4	23.4	
03	23.1	33.5	36.2	34.7	33.6	13.4	11.4	11.3	11.4	11.6	
04	13.6	21.4	27.1	30.2	30.8	6.3	5.5	5.9	6.1	6.3	
05	11.2	11.4	10.8	11.4	11.9	3.2	2.8	3.3	3.5	3.6	
06	5.7	4.8	4.7	4.9	5.2	1.7	1.5	1.9	2.1	2.2	
07	3.4	2.3	2.3	2.4	2.5	1.0	0.8	1.1	1.3	1.4	
08	2.1	1.2	1.2	1.2	1.3	0.5	0.5	0.7	0.8	0.9	
09	1.1	0.6	0.6	0.6	0.7	0.3	0.3	0.5	0.6	0.6	
10	0.6	0.4	0.4	0.4	0.4	0.2	0.1	0.1	0.2	0.2	
11	0.4	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	
12	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
14	■	■	0.1	0.1	0.1	■	■	■	■	0.1	
15	-	■	■	■	■	■	■	■	■	■	
16	■	■	■	■	■	■	■	■	■	■	
17	0.1	■	■	■	■	■	■	■	■	■	
18 & above	-	■	■	■	■	0.1	0.1	0.1	0.1	0.1	
Average trash	0.35	0.36	0.37	0.38	0.38	0.21	0.19	0.20	0.20	0.21	

1/ ■ measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ ■ measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. ■ Less than 0.05 percent.

Table 11. -- Continued

ARKANSAS						CALIFORNIA				
Uniformity and Trash	Period through				Crop	Period through				Crop
	Oct. 1	Oct. 29	Dec. 3	Dec. 31		Oct. 1	Oct. 29	Dec. 3	Dec. 31	
UNIFORMITY 1/										
72 & below	-	‡	‡	‡	‡	-	-	-	-	-
73	-	‡	‡	‡	‡	-	-	-	-	-
74	-	‡	‡	‡	‡	-	-	-	-	-
75	-	‡	‡	‡	‡	-	‡	‡	‡	‡
76	-	‡	‡	‡	‡	‡	‡	‡	‡	‡
77	‡	‡	0.1	0.1	0.1	‡	‡	‡	‡	‡
78	0.2	0.3	0.8	1.1	1.1	0.2	0.3	0.2	0.2	0.2
79	2.2	2.4	4.2	5.1	5.1	1.3	1.3	0.9	0.9	0.9
80	11.4	13.4	16.9	18.3	18.3	12.8	8.2	6.0	6.2	6.1
81	28.1	31.7	32.2	32.1	32.1	29.1	18.3	16.3	17.3	17.2
82	33.3	33.3	30.2	28.9	28.9	32.7	33.2	38.5	39.5	39.7
83	17.1	14.5	12.1	11.3	11.3	15.8	23.7	24.8	23.7	23.3
84	6.3	3.9	3.1	2.8	2.8	7.1	12.3	11.2	10.2	10.4
85	1.3	0.5	0.4	0.4	0.4	0.9	2.4	2.0	1.3	1.9
86	0.2	0.1	0.1	0.1	0.1	0.1	0.4	0.3	0.3	0.2
87	‡	‡	‡	‡	‡	-	‡	‡	‡	‡
88	-	‡	‡	‡	‡	-	‡	‡	‡	‡
89	-	‡	‡	‡	‡	-	‡	‡	‡	‡
90	-	-	‡	‡	‡	-	-	-	-	-
91 & above	-	-	-	-	-	-	-	-	-	-
Average uniformity	81.8	81.6	81.4	81.3	81.3	81.7	82.2	82.2	82.2	82.2
TRASH 2/										
00	1.1	2.7	2.7	2.5	2.5	11.5	10.0	9.3	9.4	9.3
01	6.2	10.7	10.3	10.0	9.9	42.3	43.8	40.0	39.5	39.3
02	11.0	16.3	16.0	15.8	15.7	22.6	25.7	24.6	24.4	24.5
03	13.6	16.8	16.3	16.3	16.3	11.7	11.8	12.5	12.5	12.5
04	14.5	14.3	14.2	14.3	14.3	6.0	5.1	6.5	6.6	6.6
05	13.0	11.0	11.2	11.3	11.3	3.1	2.2	3.4	3.5	3.5
06	10.9	8.1	8.4	8.5	8.6	1.3	1.0	1.9	2.0	2.0
07	8.4	6.0	6.2	6.2	6.3	0.5	0.2	0.7	0.8	0.8
08	6.2	4.2	4.4	4.5	4.5	0.3	0.1	0.5	0.5	0.6
09	4.4	3.0	3.1	3.1	3.2	0.2	0.1	0.3	0.4	0.4
10	3.2	2.1	2.2	2.2	2.2	0.1	0.1	0.1	0.1	0.2
11	2.2	1.5	1.5	1.5	1.6	0.1	‡	0.1	0.1	0.1
12	1.5	1.0	1.0	1.1	1.1	‡	‡	0.1	0.1	0.1
13	1.0	0.7	0.7	0.7	0.8	‡	‡	‡	0.1	0.1
14	0.8	0.5	0.5	0.5	0.5	‡	‡	‡	‡	‡
15	0.5	0.3	0.4	0.4	0.4	‡	‡	‡	‡	‡
16	0.4	0.2	0.3	0.3	0.3	‡	‡	‡	‡	‡
17	0.3	0.2	0.2	0.2	0.2	‡	‡	‡	‡	‡
18 & above	0.7	0.5	0.5	0.6	0.6	‡	‡	0.1	0.1	0.1
Average trash	0.54	0.44	0.45	0.46	0.46	0.18	0.17	0.20	0.20	0.20

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. ‡ Less than 0.05 percent.

Table 11. -- Continued

GEORGIA						LOUISIANA				
Uniformity and Trash	Period through				Crop	Period through				Crop
	: Oct. 1	: Oct. 29	: Dec. 3	: Dec. 31		: Oct. 1	: Oct. 29	: Dec. 3	: Dec. 31	
UNIFORMITY 1/										
72 & below	-	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	*	*	*	*	*
75	-	-	-	-	*	*	*	*	*	*
76	-	-	*	*	*	*	0.1	*	*	*
77	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1
78	0.8	0.2	0.2	0.3	0.5	0.3	0.5	0.5	0.5	0.5
79	4.2	2.0	1.8	2.4	2.9	0.9	1.7	1.7	1.7	1.7
80	20.3	15.3	12.9	14.9	16.0	6.2	9.0	9.1	9.2	9.2
81	30.2	33.2	29.9	31.0	30.8	17.7	20.7	21.3	21.5	21.5
82	31.1	37.4	38.7	36.6	35.8	38.9	38.0	38.8	38.8	38.8
83	10.6	9.9	13.1	11.8	11.4	24.2	21.0	20.4	20.2	20.2
84	2.7	1.8	3.2	2.8	2.6	10.2	7.9	7.3	7.2	7.2
85	0.1	0.1	0.2	0.2	0.1	1.4	0.9	0.8	0.8	0.8
86	-	*	*	*	*	0.2	0.1	0.1	0.1	0.1
87	-	-	*	*	*	*	*	*	*	*
88	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	*	-	-	-	-	-
90	-	-	-	-	-	-	-	-	-	-
91 & above	-	-	-	-	-	-	-	-	-	-
Average uniformity	81.3	81.4	81.6	81.5	81.4	82.2	81.9	81.9	81.9	81.9
TRASH 2/										
00	-	-	*	*	*	0.5	1.3	1.0	1.0	1.0
01	0.1	0.6	0.6	0.5	0.6	3.3	7.2	6.8	6.8	6.8
02	10.4	15.7	13.2	10.6	9.9	10.3	15.9	16.8	16.8	16.8
03	37.1	38.4	37.9	36.6	35.0	16.4	19.4	20.6	20.7	20.7
04	25.9	25.9	26.7	28.8	28.7	18.5	17.6	18.2	18.2	18.2
05	12.0	11.1	12.0	12.8	13.6	18.8	16.1	15.2	15.1	15.1
06	5.9	4.6	5.2	5.7	6.2	9.9	6.5	6.7	6.8	6.8
07	3.6	2.0	2.4	2.6	3.0	9.2	7.1	6.3	6.3	6.3
08	1.8	0.9	1.1	1.3	1.5	4.2	2.6	2.6	2.6	2.6
09	0.9	0.4	0.5	0.6	0.7	3.2	2.3	2.1	2.1	2.1
10	0.6	0.2	0.3	0.3	0.4	2.1	1.5	1.3	1.3	1.3
11	0.3	0.1	0.1	0.1	0.2	1.5	1.1	1.0	1.0	1.0
12	0.3	0.1	0.1	0.1	0.1	0.6	0.3	0.4	0.4	0.4
13	0.3	*	0.1	0.1	0.1	0.5	0.4	0.4	0.3	0.3
14	0.3	*	*	*	0.1	0.3	0.3	0.2	0.2	0.2
15	0.1	*	*	*	*	0.3	0.2	0.2	0.2	0.2
16	0.1	*	*	*	*	0.2	0.1	0.1	0.1	0.1
17	0.2	*	*	*	*	0.2	0.1	0.1	0.1	0.1
18 & above	0.2	*	*	*	*	0.2	0.1	0.1	0.1	0.1
Average trash	0.41	0.36	0.37	0.39	0.39	0.50	0.43	0.42	0.42	0.42

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 11. -- Continued

MISSISSIPPI						MISSOURI				
Uniformity and Trash	Period through				Crop	Period through				Crop
	Oct. 1	Oct. 29	Dec. 3	Dec. 31		Oct. 1	Oct. 29	Dec. 3	Dec. 31	
UNIFORMITY 1/										
72 & below	-	§	§	§	§	-	-	-	-	-
73	-	§	§	§	§	-	-	-	-	-
74	-	§	§	§	§	-	-	-	-	-
75	-	§	§	§	§	-	§	§	§	§
76	-	§	§	§	§	-	§	§	§	§
77	§	§	§	0.1	0.1	0.1	§	0.1	0.1	0.1
78	0.1	0.3	0.4	0.6	0.6	0.2	0.3	0.5	0.6	0.6
79	0.5	1.5	2.2	2.6	2.6	1.4	2.3	2.9	3.5	3.5
80	4.1	10.1	12.3	13.3	13.4	8.6	12.0	14.1	14.9	15.0
81	17.2	25.3	27.0	27.2	27.2	27.6	28.0	29.6	29.7	29.7
82	43.2	40.8	38.8	37.9	37.8	35.2	31.8	30.5	29.9	29.9
83	24.6	16.9	15.0	14.4	14.3	18.6	17.8	15.9	15.3	15.3
84	9.7	4.8	4.0	3.8	3.8	6.5	6.3	5.2	4.9	4.9
85	0.7	0.3	0.2	0.2	0.2	1.4	1.4	1.1	1.0	1.0
86	§	§	§	§	§	0.4	0.3	0.2	0.2	0.2
87	-	§	§	§	§	-	§	§	§	§
88	-	§	§	§	§	-	-	-	-	-
89	-	§	§	§	§	-	-	-	-	-
90	-	§	§	§	§	-	-	-	-	-
91 & above	-	-	-	-	-	-	-	-	-	-
Average uniformity	82.2	81.8	81.6	81.6	81.6	81.9	81.8	81.6	81.6	81.6
TRASH 2/										
00	0.4	0.3	0.2	0.2	0.2	0.4	2.0	1.4	1.3	1.3
01	8.5	3.7	3.5	3.4	3.4	2.9	11.6	9.4	8.8	8.8
02	16.8	17.0	16.2	15.6	15.5	7.3	17.0	16.1	15.3	15.3
03	17.9	22.4	22.1	21.5	21.4	10.1	16.1	16.9	16.5	16.5
04	15.7	18.6	18.7	18.4	18.4	11.8	13.5	14.6	14.8	14.8
05	12.3	13.0	13.4	13.3	13.3	13.4	10.8	11.8	12.1	12.2
06	9.1	8.8	9.2	9.2	9.3	11.5	8.4	9.1	9.5	9.5
07	6.6	5.7	6.1	6.1	6.2	11.0	6.2	6.7	6.9	6.9
08	4.6	3.7	4.0	4.1	4.2	9.3	4.5	4.7	5.0	5.0
09	3.0	2.4	2.7	2.7	2.7	7.2	3.2	3.1	3.3	3.3
10	1.9	1.5	0.4	1.8	1.8	5.9	2.2	2.2	2.3	2.3
11	1.2	1.0	1.2	1.2	1.2	3.4	1.5	1.4	1.4	1.4
12	0.8	0.7	0.8	0.8	0.9	1.7	1.0	0.9	1.0	1.0
13	0.6	0.4	0.6	0.6	0.6	1.3	0.6	0.6	0.6	0.6
14	0.4	0.3	0.4	0.4	0.4	0.6	0.4	0.4	0.4	0.4
15	0.1	0.1	0.1	0.2	0.2	0.6	0.3	0.2	0.2	0.2
16	§	0.1	0.1	0.1	0.1	0.3	0.2	0.1	0.2	0.2
17	§	0.1	0.1	0.1	0.1	0.3	0.1	0.1	0.1	0.1
18 & above	0.1	0.2	0.2	0.3	0.3	1.0	0.4	0.3	0.3	0.4
Average trash	0.44	0.44	0.45	0.46	0.46	0.63	0.44	0.45	0.46	0.46

1/ % measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. § Less than 0.05 percent.

Table 11. -- Continued

NEW MEXICO

NORTH CAROLINA

Uniformity and Trash	Period through				Crop	Period through				Crop
	Oct. 1	Oct. 29	Dec. 3	Dec. 31		Oct. 1	Oct. 29	Dec. 3	Dec. 31	
<hr/>										
UNIFORMITY 1/										
72 & below	-	■	■	■	■	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-	-
75	-	-	-	■	■	-	-	-	-	-
76	-	-	■	■	■	-	-	-	-	■
77	-	-	■	0.1	0.1	-	■	0.1	0.2	0.3
78	-	■	0.5	1.3	1.6	-	0.2	0.6	1.6	1.9
79	-	0.1	2.2	3.9	4.4	0.7	0.6	2.3	4.9	5.5
80	-	1.7	8.2	11.0	11.5	0.7	3.7	11.0	16.1	17.1
81	-	5.0	17.0	18.1	18.3	7.2	11.5	21.1	23.1	23.3
82	-	24.1	33.1	31.3	30.8	34.6	31.3	34.4	30.5	29.6
83	-	39.8	25.4	22.5	21.9	34.0	29.5	20.1	15.8	15.0
84	-	25.7	12.2	10.6	10.3	20.9	19.7	9.3	7.0	6.5
85	-	2.9	1.2	1.0	1.0	2.0	3.3	1.2	0.9	0.8
86	-	0.6	0.2	0.2	0.2	-	0.2	0.1	0.1	0.1
87	-	■	■	■	■	-	■	■	■	■
88	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-
90	-	-	-	-	-	-	-	-	-	-
91 & above	-	-	-	-	-	-	-	-	-	-
<hr/>										
Average uniformity	-	82.9	82.1	81.9	81.8	82.7	82.6	81.9	81.6	81.5
<hr/>										
TRASH 2/										
00	-	9.8	4.4	4.6	4.4	-	0.9	0.2	0.1	0.1
01	-	35.9	20.8	19.1	18.6	-	6.2	2.3	2.0	2.2
02	-	26.7	43.5	42.6	41.9	2.6	16.3	10.4	10.4	11.3
03	-	13.0	18.2	18.6	18.7	8.5	19.5	17.9	18.3	19.3
04	-	6.7	7.0	7.6	7.8	30.7	17.5	19.6	19.9	20.3
05	-	3.3	3.1	3.5	3.7	25.5	13.1	16.0	16.2	15.9
06	-	1.7	1.4	1.7	1.9	20.9	9.2	11.7	11.6	11.1
07	-	1.2	0.8	1.0	1.1	6.5	6.3	7.7	7.6	7.1
08	-	0.6	0.1	0.5	0.6	3.3	4.1	5.0	4.8	4.5
09	-	0.4	0.2	0.3	0.4	1.3	2.6	3.2	3.1	2.8
10	-	0.1	0.1	0.1	0.2	0.7	1.7	2.1	2.0	1.8
11	-	0.1	0.1	0.1	0.2	-	1.0	1.3	1.3	1.2
12	-	0.1	0.1	0.1	0.1	-	0.6	0.9	0.8	0.8
13	-	■	■	0.1	0.1	-	0.4	0.6	0.6	0.5
14	-	■	■	■	0.1	-	0.3	0.4	0.4	0.3
15	-	■	■	■	0.1	-	0.2	0.3	0.3	0.2
16	-	■	■	■	■	-	0.1	0.2	0.2	0.2
17	-	■	■	■	■	-	0.1	0.1	0.1	0.1
18 & above	-	0.2	0.2	0.2	0.2	-	0.1	0.3	0.2	0.2
<hr/>										
Average trash	-	0.21	0.23	0.24	0.25	0.50	0.44	0.50	0.50	0.49

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. ■ Less than 0.05 percent.

Table 11. -- Continued

OKLAHOMA						SOUTH CAROLINA				
Uniformity and Trash	Period through					Period through				
	Oct. 1	Oct. 29	Dec. 3	Dec. 31	Crop	Oct. 1	Oct. 29	Dec. 3	Dec. 31	Crop
UNIFORMITY 1/										
72 # below	-	-	-	-	-	-	-	-	-	-
73	-	#	#	#	#	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-	-
75	-	-	#	#	#	-	-	-	-	-
76	-	0.1	#	#	#	-	-	-	-	#
77	-	0.1	0.2	0.2	0.3	-	#	#	0.1	0.2
78	-	0.7	1.7	2.0	3.0	0.1	0.1	0.3	0.7	1.0
79	0.6	4.7	7.6	9.0	11.8	0.4	0.6	1.2	2.5	3.1
80	6.8	17.3	19.5	20.7	23.2	2.3	4.4	7.8	11.3	12.2
81	34.6	31.6	27.8	26.7	25.4	7.1	13.8	19.3	21.7	22.1
82	39.4	28.2	23.8	22.6	20.7	34.1	36.4	37.9	35.6	34.8
83	16.4	13.0	13.2	12.8	11.0	32.7	28.9	23.2	19.7	18.7
84	2.1	3.8	5.0	4.8	3.8	20.4	14.3	9.5	7.8	7.3
85	0.1	0.5	1.1	1.0	0.7	3.0	1.5	0.9	0.7	0.6
86	-	#	0.1	0.1	#	0.1	#	#	#	#
87	-	#	#	#	#	-	#	#	#	#
88	-	-	#	#	#	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-
90	-	-	-	-	-	-	-	-	-	-
91 # above	-	-	-	-	-	-	-	-	-	-
Average uniformity	81.7	81.4	81.3	81.2	81.0	82.7	82.4	82.1	81.8	81.8
TRASH 2/										
00	0.3	2.8	2.6	2.0	1.2	-	2.5	1.0	0.8	0.8
01	12.4	28.5	27.2	20.6	13.2	3.3	10.8	5.9	4.9	4.6
02	30.5	29.6	27.9	22.3	15.3	19.4	21.3	16.5	15.1	14.7
03	25.1	18.7	17.7	15.7	12.6	19.8	22.3	22.5	22.0	22.0
04	16.4	10.0	10.4	10.8	10.4	24.9	17.4	20.1	20.4	20.7
05	6.1	5.0	5.9	7.4	8.8	18.5	10.8	13.6	14.4	14.6
06	4.2	2.4	3.4	5.3	7.4	7.7	6.7	8.5	9.2	9.2
07	3.2	1.3	1.9	3.9	6.1	3.0	3.7	5.0	5.4	5.5
08	1.2	0.7	1.2	3.0	5.1	1.8	2.1	2.9	3.1	3.2
09	0.2	0.4	0.7	2.1	4.0	0.6	1.1	1.7	1.9	1.9
10	0.1	0.2	0.4	1.6	3.3	0.3	0.6	0.9	1.1	1.1
11	0.3	0.1	0.2	1.2	2.5	0.2	0.3	0.6	0.6	0.7
12	-	0.1	0.2	0.9	2.0	0.3	0.2	0.3	0.4	0.4
13	0.1	#	0.1	0.7	1.5	-	0.1	0.2	0.3	0.3
14	-	#	#	0.5	1.3	0.1	0.1	0.2	0.2	0.2
15	-	#	#	0.4	1.0	0.1	0.1	0.1	0.1	0.1
16	-	#	#	0.3	0.8	-	#	0.1	0.1	0.1
17	-	#	#	0.3	0.6	-	#	#	0.1	0.1
18 # above	-	0.1	0.1	1.2	3.1	0.1	0.1	0.1	0.1	0.1
Average trash	0.31	0.25	0.27	0.39	0.55	0.39	0.35	0.41	0.42	0.43

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the same surface. Trash particles include extraneous matter such as grass, bark, etc. # Less than 0.05 percent.

Table 11. -- Continued

TENNESSEE						TEXAS				
Uniformity and Trash	Period through					Period through				
	Crop					Crop				
	Oct. 1	Oct. 29	Dec. 3	Dec. 31		Oct. 1	Oct. 29	Dec. 3	Dec. 31	
UNIFORMITY 1/										
72 & below	-	■	■	■	■	■	■	■	■	■
73	-	■	■	■	■	■	■	■	■	■
74	■	■	■	■	■	-	■	■	■	■
75	■	■	■	■	■	■	■	■	■	■
76	0.1	■	■	■	■	■	■	■	0.1	0.2
77	0.1	0.1	0.2	0.2	0.3	0.1	0.1	0.2	0.4	0.8
78	0.4	0.7	1.2	1.6	1.7	0.6	0.7	2.2	3.4	4.4
79	0.6	2.9	4.7	5.5	5.6	3.3	3.7	8.2	11.2	12.6
80	3.7	15.2	19.3	20.6	20.7	14.9	15.2	20.6	23.0	23.8
81	13.6	29.4	30.4	30.2	30.1	29.2	29.2	27.9	26.8	25.9
82	36.2	35.3	31.4	30.1	29.9	30.3	29.9	25.8	22.8	21.3
83	29.2	12.9	10.4	9.6	9.6	14.5	14.5	10.9	9.0	8.2
84	13.9	3.1	2.2	2.0	2.0	5.7	5.4	3.4	2.7	2.4
85	2.2	0.2	0.1	0.1	0.1	1.3	1.2	0.7	0.5	0.5
86	0.1	■	■	■	■	0.1	0.2	0.1	0.1	0.1
87	-	■	■	■	■	■	■	■	■	■
88	-	■	■	■	■	■	■	■	■	■
89	-	■	■	■	■	-	-	-	-	-
90	-	■	■	■	■	-	-	-	-	-
91 & above	-	-	-	-	-	-	-	-	-	-
Average uniformity	82.4	81.5	81.3	81.2	81.2	81.6	81.6	81.2	80.9	80.8
TRASH 2/										
00	0.2	1.4	0.7	0.6	0.6	2.6	2.8	4.1	4.2	3.9
01	4.1	7.6	5.7	5.5	5.4	20.8	22.4	25.9	22.8	20.6
02	14.5	18.9	17.3	16.8	16.7	26.0	26.3	30.9	29.5	27.4
03	21.9	21.1	21.3	21.0	20.9	19.1	18.5	15.3	15.1	14.9
04	17.4	16.9	18.1	18.2	18.2	12.4	11.8	10.5	11.8	12.4
05	12.6	12.2	13.2	13.4	13.4	7.5	7.2	5.2	5.7	6.3
06	9.7	7.7	8.6	8.9	8.9	4.7	4.5	3.4	4.3	5.2
07	6.5	5.3	5.7	5.8	5.8	2.4	2.4	1.7	2.1	2.5
08	4.2	3.2	3.5	3.6	3.6	1.7	1.6	1.1	1.6	2.3
09	2.5	2.1	2.2	2.3	2.3	0.9	0.9	0.6	0.9	1.2
10	2.1	1.3	1.4	1.4	1.5	0.6	0.6	0.4	0.7	1.0
11	1.1	0.8	0.9	0.9	0.9	0.4	0.4	0.2	0.4	0.5
12	0.9	0.5	0.5	0.6	0.6	0.3	0.3	0.2	0.3	0.5
13	0.5	0.3	0.4	0.4	0.4	0.2	0.2	0.1	0.2	0.3
14	0.4	0.2	0.3	0.3	0.3	0.1	0.1	0.1	0.2	0.3
15	0.4	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2
16	0.3	0.1	0.1	0.1	0.1	0.1	0.1	■	0.1	0.1
17	0.2	0.1	0.1	0.1	0.1	■	■	■	0.1	0.1
18 & above	0.6	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.3
Average trash	0.47	0.41	0.43	0.43	0.44	0.31	0.30	0.26	0.29	0.32

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. ■ Less than 0.05 percent.

Table 11. -- Continued

ALL OTHER						UNITED STATES				
Uniformity and Trash	Period through					Period through				
	Crop					Crop				
	Oct. 1	Oct. 29	Dec. 3	Dec. 31		Oct. 1	Oct. 29	Dec. 3	Dec. 31	
UNIFORMITY 1/										
72 & below	-	-	-	-	-					
73	-	-	-	-	-					
74	-	-	-	-	-					
75	-	-	-	-						
76	-	-								0.1
77	-	0.1	0.1	0.1	0.2					0.3
78	-	1.3	1.2	1.1	1.3					1.7
79	-	7.0	5.5	5.0	4.5					5.4
80	-	27.8	26.2	24.0	21.1					16.2
81	-	33.6	34.6	33.4	33.7					25.8
82	-	24.6	25.9	28.0	29.4					31.5
83	-	5.0	5.7	7.1	7.3					13.7
84	-	0.6	0.8	1.4	2.2					4.6
85	-				0.2					0.7
86	-	-	-							0.1
87	-	-	-	-	-					
88	-	-	-	-	-					
89	-	-	-	-	-	-				
90	-	-	-	-	-	-				
91 & above	-	-	-	-	-	-	-	-	-	-
Average uniformity	-	80.9	81.0	81.1	81.2		81.7	81.7	81.6	81.5
TRASH 2/										
00	-	0.1	0.2	0.1	0.1		2.3	3.5	3.5	3.5
01	-	2.1	0.9	0.6	0.4		18.0	17.4	16.9	16.2
02	-	20.2	8.4	5.9	5.2		22.0	20.4	20.3	19.9
03	-	40.1	29.2	24.8	22.4		18.0	18.7	18.6	18.5
04	-	21.0	31.5	34.8	31.2		13.3	13.8	14.4	14.9
05	-	9.0	13.9	15.7	16.5		9.7	9.7	9.5	9.6
06	-	3.5	7.1	8.1	9.4		5.9	5.6	5.9	6.1
07	-	1.8	4.0	4.4	5.7		4.0	4.0	3.9	4.0
08	-	0.9	2.2	2.4	3.4		2.4	2.3	2.4	2.5
09	-	0.4	1.0	1.3	2.1		1.5	1.6	1.6	1.7
10	-	0.5	0.7	0.8	1.3		1.0	1.1	0.8	1.1
11	-	0.2	0.4	0.5	0.9		0.7	0.7	0.7	0.7
12	-	0.1	0.2	0.3	0.5		0.4	0.4	0.4	0.5
13	-		0.1	0.1	0.4		0.3	0.3	0.3	0.3
14	-		0.1	0.1	0.3		0.2	0.2	0.2	0.2
15	-		0.1	0.1	0.2		0.1	0.1	0.1	0.1
16	-		0.1	0.1	0.1		0.1	0.1	0.1	0.1
17	-				0.1		0.1	0.1	0.1	0.1
18 & above	-	-			0.2		0.1	0.2	0.2	0.2
Average trash	-	0.35	0.42	0.44	0.47		0.35	0.35	0.35	0.36

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the same surface. Trash particles include extraneous matter such as grass, bark, etc. || Less than 0.05 percent.

Table 12. -- Percentage distribution of uniformity and trash for upland cotton classed,
by classing offices, 1992 crop

	ABILENE			ALTUS			BIRMINGHAM		CORPUS CHRISTI	DUMAS	
Uniformity	:	:	:	:	:	Classing	:	:	:	:	:
and	:	Texas	:	Oklahoma	:	Texas	:	Alabama 1/	:	Texas	:
Trash	:	:	:	:	:	Office	:	:	:	:	Arkansas
	:	:	:	:	:	Total	:	:	:	:	:
UNIFORMITY 2/	:	:	:	:	:	:	:	:	:	:	:
72 & below	:	:	:	:	:	:	:	:	:	:	:
73	:	:	:	:	:	:	:	:	:	:	:
74	:	:	:	:	:	:	:	:	:	:	:
75	:	:	:	:	:	:	:	:	:	:	:
76	:	:	:	:	:	:	:	:	:	:	:
77	0.6	:	0.3	0.7	0.5	:	0.2	:	-	:	:
78	5.8	:	3.0	5.3	4.3	:	1.7	:	0.2	:	0.7
79	21.9	:	11.8	17.1	14.7	:	6.4	:	1.9	:	4.4
80	33.0	:	23.1	27.2	25.4	:	24.4	:	10.3	:	17.5
81	22.6	:	25.4	25.3	25.3	:	32.0	:	25.8	:	34.6
82	11.4	:	20.7	16.0	18.1	:	27.5	:	32.2	:	29.5
83	3.7	:	11.0	6.5	8.6	:	6.6	:	19.1	:	10.8
84	0.7	:	3.7	1.7	2.6	:	1.1	:	8.4	:	2.3
85	0.1	:	0.7	0.2	0.4	:	:	:	2.1	:	0.1
86	:	:	:	:	:	:	:	:	0.2	:	:
87	:	:	:	:	:	:	-	:	:	:	:
88	-	:	:	-	:	:	-	:	-	:	-
89	-	:	-	-	-	:	-	:	-	:	-
90	-	:	-	-	-	:	-	:	-	:	-
91 & above	-	:	-	-	-	:	-	:	-	:	-
Average uniformity	80.3	:	81.0	80.6	80.8	:	81.0	:	81.9	:	81.3
TRASH 3/	:	:	:	:	:	:	:	:	:	:	:
00	3.1	:	1.2	1.7	1.5	:	0.2	:	3.1	:	4.3
01	24.6	:	13.2	17.1	15.3	:	1.9	:	20.5	:	11.7
02	24.7	:	15.3	21.2	18.5	:	10.4	:	24.6	:	15.4
03	15.8	:	12.5	16.5	14.7	:	32.7	:	18.7	:	15.5
04	10.5	:	10.4	12.2	11.4	:	31.2	:	12.6	:	13.5
05	6.7	:	8.7	8.7	8.7	:	12.3	:	7.8	:	10.5
06	4.6	:	7.4	6.3	6.8	:	5.5	:	4.7	:	7.9
07	2.9	:	6.1	4.5	5.2	:	2.7	:	2.9	:	5.8
08	2.0	:	5.1	3.2	4.1	:	1.4	:	1.8	:	4.2
09	1.4	:	3.9	2.3	3.1	:	0.8	:	1.1	:	3.0
10	1.0	:	3.3	1.7	2.4	:	0.4	:	0.7	:	2.2
11	0.7	:	2.5	1.2	1.8	:	0.2	:	0.5	:	1.6
12	0.5	:	2.0	0.9	1.4	:	0.1	:	0.3	:	1.1
13	0.3	:	1.5	0.6	1.0	:	0.1	:	0.2	:	0.8
14	0.3	:	1.3	0.5	0.9	:	0.1	:	0.1	:	0.6
15	0.2	:	1.0	0.3	0.6	:	:	:	0.1	:	0.4
16	0.1	:	0.8	0.3	0.5	:	:	:	:	:	0.3
17	0.1	:	0.6	0.2	0.4	:	:	:	:	:	0.2
18 & above	0.5	:	3.0	0.7	1.7	:	:	:	0.1	:	0.8
Average trash	0.32	:	0.56	0.40	0.47	:	0.39	:	0.31	:	0.45

1/ Includes Florida. 3/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 4/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. # Less than 0.05 percent.

Table 12. -- Continued

EL PASO					FLORENCE			
Uniformity	:	:	:	:	Classing	:	:	Classing
and	:	Arizona	New Mexico	Texas	Office	:	North	South
Trash	:	:	:	:	Total	:	Carolina 1/	Carolina
								Total 1/
UNIFORMITY 2/					::			
72 & below	-	‡	-	‡	::	-	-	-
73	-	-	-	-	::	-	-	-
74	‡	-	-	‡	::	-	-	-
75	‡	‡	‡	‡	::	-	-	-
76	0.1	‡	0.5	0.1	::	‡	‡	‡
77	0.3	0.1	0.9	0.3	::	0.3	0.1	0.2
78	2.2	0.9	6.0	2.0	::	1.9	1.0	1.6
79	6.2	2.6	14.4	5.3	::	5.5	3.1	4.8
80	17.5	10.0	29.2	15.0	::	17.1	12.2	15.6
81	25.9	18.3	25.3	21.9	::	23.3	22.1	22.9
82	32.4	32.4	17.3	30.6	::	29.6	34.8	31.2
83	9.0	23.4	4.9	16.0	::	14.9	18.7	16.1
84	3.2	11.1	1.3	7.1	::	6.5	7.3	6.8
85	2.0	1.1	0.2	1.3	::	0.8	0.6	0.8
86	1.0	0.2	0.1	0.5	::	0.1	‡	‡
87	0.1	‡	-	‡	::	‡	‡	‡
88	-	-	-	-	::	-	-	-
89	-	-	-	-	::	-	-	-
90	-	-	-	-	::	-	-	-
91 & above	-	-	-	-	::	-	-	-
Average uniformity	81.4	82.0	80.5	81.6	::	81.5	81.8	81.6
TRASH 3/					::			
00	9.3	3.4	7.6	6.0	::	0.1	0.8	0.3
01	31.4	18.1	29.4	24.1	::	2.1	4.6	2.9
02	43.2	43.4	41.7	43.1	::	10.9	14.7	12.1
03	9.9	19.2	11.2	15.0	::	18.9	22.0	19.9
04	3.0	8.0	5.3	5.9	::	20.1	20.7	20.3
05	1.4	3.7	2.2	2.7	::	16.0	14.6	15.6
06	0.6	1.8	1.1	1.3	::	11.3	9.2	10.7
07	0.3	1.0	0.4	0.7	::	7.3	5.5	6.8
08	0.2	0.5	0.3	0.4	::	4.6	3.2	4.2
09	0.1	0.3	0.2	0.2	::	3.0	1.9	2.6
10	‡	0.1	0.1	0.1	::	1.9	1.1	1.7
11	‡	0.1	0.1	0.1	::	1.2	0.7	1.1
12	‡	0.1	‡	0.1	::	0.8	0.4	0.7
13	‡	‡	‡	‡	::	0.5	0.3	0.5
14	‡	‡	‡	‡	::	0.4	0.2	0.3
15	‡	‡	‡	‡	::	0.3	0.1	0.2
16	‡	‡	0.1	‡	::	0.2	0.1	0.1
17	‡	‡	0.1	‡	::	0.1	0.1	0.1
18 & above	0.1	0.2	0.2	0.2	::	0.2	0.1	0.2
Average trash	0.18	0.25	0.20	0.22	::	0.49	0.43	0.47

1/ Includes Virginia. 2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash include extraneous matter such as grass, bark, etc. ‡ Less than 0.05 percent.

Table 12. — Continued

		GREENWOOD		HARLINGEN		HAYTI		
Uniformity	:		::		::		:	Classing
and	:	Mississippi	::	Texas	::	Arkansas	:	Office
Trash	:		::		::		:	Total
<hr/>								
UNIFORMITY 1/			::		::			
72 & below		-	::	‡	::	-	-	-
73		-	::	‡	::	-	-	-
74		-	::	-	::	-	-	-
75		‡	::	‡	::	‡	‡	‡
76		‡	::	‡	::	‡	‡	‡
77		‡	::	0.2	::	0.1	0.1	0.1
78		0.4	::	1.4	::	1.1	0.6	0.9
79		2.3	::	5.7	::	5.6	3.5	4.7
80		12.4	::	21.8	::	17.6	15.0	16.4
81		26.9	::	34.8	::	29.9	29.7	29.8
82		38.8	::	27.2	::	28.0	29.9	28.8
83		14.9	::	7.6	::	13.0	15.3	14.0
84		4.0	::	1.3	::	3.7	4.9	4.2
85		0.2	::	‡	::	0.7	1.0	0.8
86		‡	::	‡	::	0.1	0.2	0.1
87		‡	::	‡	::	‡	‡	‡
88		‡	::	‡	::	-	-	-
89		‡	::	-	::	-	-	-
90		‡	::	-	::	-	-	-
91 & above		-	::	-	::	-	-	-
<hr/>								
Average uniformity		81.6	::	81.1	::	81.4	81.6	81.5
<hr/>								
TRASH 2/			::		::			
00		0.2	::	1.7	::	1.6	1.3	1.5
01		3.6	::	21.1	::	10.7	8.8	9.8
02		16.4	::	28.9	::	17.7	15.3	16.6
03		22.2	::	20.3	::	16.8	16.5	16.7
04		18.5	::	12.1	::	14.0	14.8	14.4
05		13.1	::	6.8	::	10.9	12.1	11.5
06		8.9	::	4.4	::	8.3	9.5	8.8
07		5.9	::	1.5	::	6.1	6.9	6.5
08		3.9	::	1.4	::	4.4	5.0	4.6
09		2.5	::	0.5	::	3.0	3.3	3.1
10		1.7	::	0.5	::	2.0	2.3	2.1
11		1.1	::	0.2	::	1.4	1.4	1.4
12		0.8	::	0.2	::	0.9	1.0	0.9
13		0.5	::	0.1	::	0.6	0.6	0.6
14		0.4	::	0.1	::	0.4	0.4	0.4
15		0.1	::	0.1	::	0.3	0.2	0.3
16		0.1	::	0.1	::	0.2	0.2	0.2
17		0.1	::	‡	::	0.1	0.1	0.1
18 & above		0.2	::	0.1	::	0.5	0.3	0.4
<hr/>								
Average trash		0.45	::	0.29	::	0.44	0.46	0.45

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. ‡ Less than 0.05 percent.

Table 12. -- Continued

LAMESA				LUBBOCK			
Uniformity	:	:	:	Classing	:	:	Classing
and	:	New Mexico	Texas	Office	:	New Mexico	Texas
Trash	:	:	:	Total	:	:	Total
UNIFORMITY 1/				::			
72 & below	-	-	-	::	-	■	■
73	-	-	-	::	-	■	■
74	-	■	■	::	-	■	■
75	-	■	■	::	-	0.1	0.1
76	-	■	■	::	0.4	0.8	0.8
77	0.3	0.6	0.6	::	2.3	2.1	2.1
78	8.8	6.2	6.2	::	9.4	6.9	6.9
79	29.2	18.3	18.3	::	12.9	11.4	11.4
80	33.3	28.1	28.1	::	13.4	23.7	23.7
81	19.3	26.3	26.2	::	16.0	23.6	23.6
82	7.3	15.4	15.4	::	26.0	23.5	23.5
83	1.8	4.6	4.6	::	15.6	6.5	6.5
84	0.1	0.4	0.4	::	3.6	1.2	1.2
85	-	■	■	::	0.3	0.1	0.1
86	-	■	■	::	-	■	■
87	-	-	-	::	-	■	■
88	-	-	-	::	-	-	-
89	-	-	-	::	-	-	-
90	-	-	-	::	-	-	-
91 & above	-	-	-	::	-	-	-
Average uniformity	79.9	80.4	80.4	::	80.9	80.6	80.6
TRASH 2/				::			
00	20.9	8.9	8.9	::	-	3.0	3.0
01	27.6	23.2	23.2	::	-	15.1	15.1
02	18.1	23.0	23.0	::	-	37.6	37.6
03	10.1	15.6	15.6	::	-	7.6	7.7
04	5.2	10.1	10.1	::	-	16.7	16.7
05	4.1	6.5	6.5	::	-	3.2	3.2
06	2.8	4.2	4.2	::	-	7.0	7.0
07	2.7	2.7	2.7	::	-	1.4	1.4
08	1.8	1.8	1.8	::	-	3.6	3.6
09	1.3	1.2	1.2	::	-	0.9	0.9
10	1.1	0.8	0.8	::	-	1.6	1.6
11	1.2	0.5	0.5	::	-	0.3	0.3
12	0.3	0.4	0.4	::	-	0.8	0.8
13	0.4	0.3	0.3	::	-	0.2	0.2
14	0.4	0.2	0.2	::	-	0.4	0.4
15	0.2	0.1	0.1	::	-	0.1	0.1
16	0.3	0.1	0.1	::	-	0.2	0.2
17	0.2	0.1	0.1	::	-	0.1	0.1
18 & above	1.2	0.4	0.4	::	-	0.3	0.3
Average trash	0.27	0.30	0.30	::	-	0.33	0.33

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. ■ Less than 0.05 percent.

Table 12. -- Continued

MACON			MEMPHIS			
Uniformity and Trash	:	:	:	:	:	Classing Office Total
	Georgia	Arkansas	Mississippi	Tennessee		
<hr/>						
UNIFORMITY 1/	:	:				
72 & below	-	§	§	§		§
73	-	§	§	§		§
74	-	§	§	§		§
75	§	§	§	§		§
76	§	§	§	§		§
77	§	0.3	0.2	0.3		0.3
78	0.4	1.8	1.8	1.7		1.7
79	2.8	5.7	6.0	5.6		5.7
80	16.0	21.9	21.6	20.7		21.1
81	31.3	30.6	30.2	30.1		30.3
82	35.8	29.4	29.1	29.9		29.7
83	11.1	8.1	8.8	9.6		9.1
84	2.5	2.0	2.0	2.0		2.0
85	0.1	0.1	0.1	0.1		0.1
86	§	§	§	§		§
87	§	§	§	§		§
88	-	§	-	§		§
89	§	§	-	§		§
90	-	§	-	§		§
91 & above	-	-	-	§		§
<hr/>						
Average uniformity	81.4	81.1	81.1	81.2		81.2
<hr/>						
TRASH 2/	:	:				
00	§	0.2	0.1	0.6		0.4
01	0.5	3.3	1.8	5.4		4.4
02	9.8	11.8	8.0	16.7		14.2
03	34.9	17.0	14.5	20.9		19.0
04	28.8	16.7	16.9	18.2		17.7
05	13.6	14.2	15.5	13.4		13.9
06	6.3	10.8	12.1	8.9		9.8
07	3.0	8.0	9.0	5.8		6.8
08	1.5	5.6	6.6	3.6		4.5
09	0.7	4.0	4.6	2.3		3.0
10	0.4	2.8	3.3	1.5		2.0
11	0.2	1.8	2.3	0.9		1.3
12	0.1	1.3	1.6	0.6		0.9
13	0.1	0.8	1.1	0.4		0.6
14	0.1	0.6	0.8	0.3		0.4
15	§	0.4	0.6	0.2		0.3
16	§	0.3	0.4	0.1		0.2
17	§	0.2	0.3	0.1		0.1
18 & above	§	0.3	0.7	0.2		0.3
<hr/>						
Average trash	0.39	0.52	0.57	0.44		0.48

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. § Less than 0.05 percent.

Table 12. -- Continued

PHOENIX				RAYVILLE		VISALIA		WACO
Uniformity	:	:	:	Classing	::	:	:	:
and	:	Arizona	California	Office	::	Louisiana	California	Texas
Trash	:	:	:	Total	::	:	:	:
UNIFORMITY 1/				::	::		::	
72 & below	■	-	■	::	-	■	-	-
73	■	-	■	::	-	■	-	-
74	■	-	■	::	■	■	-	-
75	■	-	■	::	■	■	■	■
76	0.2	■	0.2	::	■	■	■	■
77	0.6	0.1	0.5	::	0.1	■	■	■
78	2.7	0.8	2.5	::	0.5	0.2	0.2	0.4
79	7.0	3.0	6.6	::	1.7	0.8	0.8	2.8
80	22.9	19.9	22.5	::	9.2	5.8	5.8	14.1
81	28.9	36.9	29.7	::	21.4	16.6	16.6	29.4
82	28.7	35.7	29.4	::	38.8	39.9	39.9	30.9
83	7.5	4.5	7.2	::	20.2	23.9	23.9	15.7
84	1.4	0.2	1.3	::	7.2	10.7	10.7	5.6
85	0.1	■	0.1	::	0.8	2.0	2.0	1.3
86	■	-	■	::	0.1	0.3	0.3	0.2
87	■	-	■	::	■	■	■	■
88	-	-	-	::	-	■	■	-
89	-	-	-	::	-	■	■	-
90	-	-	-	::	-	-	-	-
91 & above	-	-	-	::	-	-	-	-
Average uniformity	81.0	81.2	81.0	::	81.9	82.2	82.2	81.6
TRASH 2/				::	::		::	
00	11.9	16.0	12.3	::	1.0	9.1	9.1	2.9
01	37.8	41.4	38.2	::	6.8	39.2	39.2	22.2
02	22.5	19.3	22.2	::	16.8	24.6	24.6	24.7
03	11.6	9.8	11.4	::	20.7	12.6	12.6	17.4
04	6.4	5.5	6.3	::	18.2	6.7	6.7	11.6
05	3.7	3.3	3.6	::	15.1	3.5	3.5	7.5
06	2.2	2.0	2.2	::	6.8	2.0	2.0	4.9
07	1.4	1.2	1.4	::	6.3	0.8	0.8	2.9
08	0.9	0.8	0.9	::	2.6	0.6	0.6	2.0
09	0.6	0.5	0.6	::	2.1	0.4	0.4	1.2
10	0.2	0.1	0.2	::	1.3	0.2	0.2	0.8
11	0.1	0.1	0.1	::	0.9	0.1	0.1	0.5
12	0.1	0.1	0.1	::	0.4	0.1	0.1	0.4
13	0.1	■	0.1	::	0.3	0.1	0.1	0.2
14	0.1	■	0.1	::	0.2	■	■	0.2
15	■	■	■	::	0.2	■	■	0.1
16	■	■	■	::	0.1	■	■	0.1
17	■	■	■	::	0.1	■	■	0.1
18 & above	0.1	■	0.1	::	0.1	0.1	0.1	0.3
Average trash	0.21	0.18	0.21	::	0.42	0.20	0.20	0.32

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. ■ Less than 0.05 percent.

Table 13. -- Grade and staple of American Pima cotton classed
in the United States, 1992 crop

Grade	Staple						All staples
	40				48		
	and	42	44	46	and		
	shorter				longer		
	Bales	Bales	Bales	Bales	Bales	Bales	Percent
01	0	0	332	171	3	506	0.1
02	18	827	52,479	25,943	928	80,195	17.7
03	72	2,389	172,346	86,962	2,986	264,755	58.6
04	31	873	51,819	21,413	1,003	75,139	16.6
05	18	464	15,559	5,379	257	21,677	4.8
06	8	228	4,879	1,451	35	6,601	1.5
07	10	199	2,254	461	9	2,933	0.6
All grades	157	4,980	299,668	141,780	5,221	451,806	100.0
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
All grades	■	1.1	66.3	31.4	1.2	100.0	

■ Less than 0.05 percent.

Average staple..... 44.7

NOTE: Totals may not add due to rounding.

Table 14. -- Percentage distribution of grade and staple for American Pima cotton classed
through specified periods, in the United States, 1992 crop

Grade and Staple	Period through				Crop
	October 1	October 29	December 3	December 31	
	:	:	:	:	
Grade:					
01	-	0.5	0.2	0.1	0.1
02	-	22.8	19.4	18.7	17.7
03	-	64.4	64.8	62.4	58.6
04	-	11.2	12.7	14.4	16.6
05	-	1.0	2.1	3.2	4.8
06	-	0.1	0.6	0.9	1.5
07	-	■	0.2	0.3	0.6
All grades	-	100.0	100.0	100.0	100.0
Staple:					
40 and shorter	-	■	■	■	■
42	-	2.6	1.2	1.0	1.1
44	-	70.6	63.7	63.9	66.3
46	-	26.1	34.0	33.9	31.4
48 and longer	-	0.7	1.1	1.2	1.2
All staples	-	100.0	100.0	100.0	100.0
Classings	-	74,582	246,984	350,103	451,806

■ Less than 0.05 percent.

Table 15. -- Percentage distribution of grade and staple for American Pima cotton classed, by states, 1992 crop 1/

Grade	Staple					All staples
	40 and	42	44	46	48 and	
	shorter				longer	
ARIZONA						
01	-	-	0.2	0.1	*	0.4
02	-	*	11.4	13.8	0.6	25.9
03	*	0.1	21.7	32.8	1.8	56.4
04	*	*	6.2	6.7	0.4	13.4
05	*	*	1.5	1.2	0.1	2.9
06	*	*	0.5	0.3	*	0.8
07	*	*	0.2	0.1	*	0.3
All grades	*	0.2	41.8	55.0	3.0	100.0
1/ Classings, 133,987 running bales.			Average staple..... 45.2			
* Less than 0.05 percent.						
CALIFORNIA						
01	-	*	*	*	*	*
02	*	0.3	14.0	2.1	*	16.5
03	*	0.9	44.8	8.6	0.1	54.4
04	*	0.3	14.5	3.8	0.1	18.8
05	*	0.2	5.3	1.5	0.1	7.1
06	*	0.1	1.7	0.4	*	2.2
07	*	0.1	0.8	0.2	*	1.0
All grades	*	1.8	81.2	16.7	0.4	100.0
1/ Classings, 243,368 running bales.			Average staple..... 44.3			
* Less than 0.05 percent.						
NEW MEXICO						
01	-	-	-	*	-	*
02	-	-	5.8	6.5	0.1	12.5
03	*	0.1	43.1	34.7	0.5	78.3
04	-	0.1	5.5	3.3	0.2	8.9
05	-	*	0.2	*	-	0.2
06	-	-	*	*	-	*
07	-	-	-	-	-	-
All grades	*	0.2	54.5	44.5	0.8	100.0
1/ Classings, 13,075 running bales.			Average staple..... 44.9			
* Less than 0.05 percent.						
TEXAS						
01	-	-	*	-	-	*
02	*	*	3.9	2.2	*	6.2
03	*	0.4	46.7	28.6	0.2	75.9
04	*	0.2	12.1	4.5	0.1	16.9
05	-	*	0.8	0.1	*	0.9
06	-	*	0.1	*	-	0.1
07	-	*	*	-	-	*
All grades	*	0.7	63.5	35.4	0.4	100.0
1/ Classings, 61,376 running bales.			Average staple..... 44.7			
* Less than 0.05 percent.						

Table 16. -- Percentage distribution of mike for American Pima cotton classed in the United States, by states, 1992 crop

Readings	State					United States
	Arizona	California	New Mexico	Texas		
24 and below	-	*	-	-	*	
25	*	*	-	*	*	
26	*	*	*	*	*	
27	0.1	0.1	0.1	0.2	0.1	
28	0.2	0.1	0.1	0.4	0.2	
29	0.3	0.2	0.3	0.6	0.3	
30	1.0	0.4	0.6	1.7	0.8	
31	1.3	0.5	1.4	2.4	1.0	
32	1.6	0.8	2.2	2.8	1.3	
33	2.0	1.1	3.2	3.6	1.8	
34	3.4	1.4	3.9	4.1	2.4	
35	4.9	1.7	4.1	4.7	3.1	
36	7.8	2.5	4.6	5.3	4.5	
37	10.9	3.8	4.6	5.9	6.2	
38	14.5	7.2	6.0	6.8	9.3	
39	14.8	11.0	6.9	7.5	11.6	
40	14.5	16.3	8.7	8.8	14.5	
41	9.6	16.9	10.4	9.5	13.6	
42	6.1	14.9	10.2	9.4	11.4	
43	3.3	10.4	10.3	9.1	8.1	
44	2.0	6.7	10.3	7.7	5.5	
45	1.0	2.7	6.7	5.0	2.6	
46	0.4	1.0	3.9	2.8	1.1	
47	0.1	0.2	1.0	1.0	0.3	
48	0.1	0.1	0.5	0.4	0.1	
49	*	*	0.1	0.1	*	
50	*	*	*	*	*	
51	*	*	-	*	*	
52	*	*	-	-	*	
53 and above	*	*	-	*	*	
Average mike	38	40	40	39	40	

* Less than 0.05 percent.

Table 14. - Percentage of cotton bolls in the open position by variety, 1951 crop
 in the United States by variety, 1951 crop

Variety	Alabama	California	Texas	Average	Standard deviation	Coefficient of variation
1. <i>Delta 66</i>	1.0	1.0	1.0	1.0	0.0	0.0
2. <i>Delta 88</i>	1.0	1.0	1.0	1.0	0.0	0.0
3. <i>Delta 90</i>	1.0	1.0	1.0	1.0	0.0	0.0
4. <i>Delta 92</i>	1.0	1.0	1.0	1.0	0.0	0.0
5. <i>Delta 94</i>	1.0	1.0	1.0	1.0	0.0	0.0
6. <i>Delta 96</i>	1.0	1.0	1.0	1.0	0.0	0.0
7. <i>Delta 98</i>	1.0	1.0	1.0	1.0	0.0	0.0
8. <i>Delta 100</i>	1.0	1.0	1.0	1.0	0.0	0.0
9. <i>Delta 102</i>	1.0	1.0	1.0	1.0	0.0	0.0
10. <i>Delta 104</i>	1.0	1.0	1.0	1.0	0.0	0.0
11. <i>Delta 106</i>	1.0	1.0	1.0	1.0	0.0	0.0
12. <i>Delta 108</i>	1.0	1.0	1.0	1.0	0.0	0.0
13. <i>Delta 110</i>	1.0	1.0	1.0	1.0	0.0	0.0
14. <i>Delta 112</i>	1.0	1.0	1.0	1.0	0.0	0.0
15. <i>Delta 114</i>	1.0	1.0	1.0	1.0	0.0	0.0
16. <i>Delta 116</i>	1.0	1.0	1.0	1.0	0.0	0.0
17. <i>Delta 118</i>	1.0	1.0	1.0	1.0	0.0	0.0
18. <i>Delta 120</i>	1.0	1.0	1.0	1.0	0.0	0.0
19. <i>Delta 122</i>	1.0	1.0	1.0	1.0	0.0	0.0
20. <i>Delta 124</i>	1.0	1.0	1.0	1.0	0.0	0.0
21. <i>Delta 126</i>	1.0	1.0	1.0	1.0	0.0	0.0
22. <i>Delta 128</i>	1.0	1.0	1.0	1.0	0.0	0.0
23. <i>Delta 130</i>	1.0	1.0	1.0	1.0	0.0	0.0
24. <i>Delta 132</i>	1.0	1.0	1.0	1.0	0.0	0.0
25. <i>Delta 134</i>	1.0	1.0	1.0	1.0	0.0	0.0
26. <i>Delta 136</i>	1.0	1.0	1.0	1.0	0.0	0.0
27. <i>Delta 138</i>	1.0	1.0	1.0	1.0	0.0	0.0
28. <i>Delta 140</i>	1.0	1.0	1.0	1.0	0.0	0.0
29. <i>Delta 142</i>	1.0	1.0	1.0	1.0	0.0	0.0
30. <i>Delta 144</i>	1.0	1.0	1.0	1.0	0.0	0.0
31. <i>Delta 146</i>	1.0	1.0	1.0	1.0	0.0	0.0
32. <i>Delta 148</i>	1.0	1.0	1.0	1.0	0.0	0.0
33. <i>Delta 150</i>	1.0	1.0	1.0	1.0	0.0	0.0
34. <i>Delta 152</i>	1.0	1.0	1.0	1.0	0.0	0.0
35. <i>Delta 154</i>	1.0	1.0	1.0	1.0	0.0	0.0
36. <i>Delta 156</i>	1.0	1.0	1.0	1.0	0.0	0.0
37. <i>Delta 158</i>	1.0	1.0	1.0	1.0	0.0	0.0
38. <i>Delta 160</i>	1.0	1.0	1.0	1.0	0.0	0.0
39. <i>Delta 162</i>	1.0	1.0	1.0	1.0	0.0	0.0
40. <i>Delta 164</i>	1.0	1.0	1.0	1.0	0.0	0.0
41. <i>Delta 166</i>	1.0	1.0	1.0	1.0	0.0	0.0
42. <i>Delta 168</i>	1.0	1.0	1.0	1.0	0.0	0.0
43. <i>Delta 170</i>	1.0	1.0	1.0	1.0	0.0	0.0
44. <i>Delta 172</i>	1.0	1.0	1.0	1.0	0.0	0.0
45. <i>Delta 174</i>	1.0	1.0	1.0	1.0	0.0	0.0
46. <i>Delta 176</i>	1.0	1.0	1.0	1.0	0.0	0.0
47. <i>Delta 178</i>	1.0	1.0	1.0	1.0	0.0	0.0
48. <i>Delta 180</i>	1.0	1.0	1.0	1.0	0.0	0.0
49. <i>Delta 182</i>	1.0	1.0	1.0	1.0	0.0	0.0
50. <i>Delta 184</i>	1.0	1.0	1.0	1.0	0.0	0.0
51. <i>Delta 186</i>	1.0	1.0	1.0	1.0	0.0	0.0
52. <i>Delta 188</i>	1.0	1.0	1.0	1.0	0.0	0.0
53. <i>Delta 190</i>	1.0	1.0	1.0	1.0	0.0	0.0
54. <i>Delta 192</i>	1.0	1.0	1.0	1.0	0.0	0.0
55. <i>Delta 194</i>	1.0	1.0	1.0	1.0	0.0	0.0
56. <i>Delta 196</i>	1.0	1.0	1.0	1.0	0.0	0.0
57. <i>Delta 198</i>	1.0	1.0	1.0	1.0	0.0	0.0
58. <i>Delta 200</i>	1.0	1.0	1.0	1.0	0.0	0.0
59. <i>Delta 202</i>	1.0	1.0	1.0	1.0	0.0	0.0
60. <i>Delta 204</i>	1.0	1.0	1.0	1.0	0.0	0.0
61. <i>Delta 206</i>	1.0	1.0	1.0	1.0	0.0	0.0
62. <i>Delta 208</i>	1.0	1.0	1.0	1.0	0.0	0.0
63. <i>Delta 210</i>	1.0	1.0	1.0	1.0	0.0	0.0
64. <i>Delta 212</i>	1.0	1.0	1.0	1.0	0.0	0.0
65. <i>Delta 214</i>	1.0	1.0	1.0	1.0	0.0	0.0
66. <i>Delta 216</i>	1.0	1.0	1.0	1.0	0.0	0.0
67. <i>Delta 218</i>	1.0	1.0	1.0	1.0	0.0	0.0
68. <i>Delta 220</i>	1.0	1.0	1.0	1.0	0.0	0.0
69. <i>Delta 222</i>	1.0	1.0	1.0	1.0	0.0	0.0
70. <i>Delta 224</i>	1.0	1.0	1.0	1.0	0.0	0.0
71. <i>Delta 226</i>	1.0	1.0	1.0	1.0	0.0	0.0
72. <i>Delta 228</i>	1.0	1.0	1.0	1.0	0.0	0.0
73. <i>Delta 230</i>	1.0	1.0	1.0	1.0	0.0	0.0
74. <i>Delta 232</i>	1.0	1.0	1.0	1.0	0.0	0.0
75. <i>Delta 234</i>	1.0	1.0	1.0	1.0	0.0	0.0
76. <i>Delta 236</i>	1.0	1.0	1.0	1.0	0.0	0.0
77. <i>Delta 238</i>	1.0	1.0	1.0	1.0	0.0	0.0
78. <i>Delta 240</i>	1.0	1.0	1.0	1.0	0.0	0.0
79. <i>Delta 242</i>	1.0	1.0	1.0	1.0	0.0	0.0
80. <i>Delta 244</i>	1.0	1.0	1.0	1.0	0.0	0.0
81. <i>Delta 246</i>	1.0	1.0	1.0	1.0	0.0	0.0
82. <i>Delta 248</i>	1.0	1.0	1.0	1.0	0.0	0.0
83. <i>Delta 250</i>	1.0	1.0	1.0	1.0	0.0	0.0
84. <i>Delta 252</i>	1.0	1.0	1.0	1.0	0.0	0.0
85. <i>Delta 254</i>	1.0	1.0	1.0	1.0	0.0	0.0
86. <i>Delta 256</i>	1.0	1.0	1.0	1.0	0.0	0.0
87. <i>Delta 258</i>	1.0	1.0	1.0	1.0	0.0	0.0
88. <i>Delta 260</i>	1.0	1.0	1.0	1.0	0.0	0.0
89. <i>Delta 262</i>	1.0	1.0	1.0	1.0	0.0	0.0
90. <i>Delta 264</i>	1.0	1.0	1.0	1.0	0.0	0.0
91. <i>Delta 266</i>	1.0	1.0	1.0	1.0	0.0	0.0
92. <i>Delta 268</i>	1.0	1.0	1.0	1.0	0.0	0.0
93. <i>Delta 270</i>	1.0	1.0	1.0	1.0	0.0	0.0
94. <i>Delta 272</i>	1.0	1.0	1.0	1.0	0.0	0.0
95. <i>Delta 274</i>	1.0	1.0	1.0	1.0	0.0	0.0
96. <i>Delta 276</i>	1.0	1.0	1.0	1.0	0.0	0.0
97. <i>Delta 278</i>	1.0	1.0	1.0	1.0	0.0	0.0
98. <i>Delta 280</i>	1.0	1.0	1.0	1.0	0.0	0.0
99. <i>Delta 282</i>	1.0	1.0	1.0	1.0	0.0	0.0
100. <i>Delta 284</i>	1.0	1.0	1.0	1.0	0.0	0.0

